

PRODUCT-DETAILS

# DMS132-Y

## DMS132-Y Door Mounting Kit



### General Information

Extended Product Type	DMS132-Y
Product ID	1SAM201912R1011
EAN	4013614421655
Catalog Description	DMS132-Y Door Mounting Kit
Long Description	DMS132-Y door mounting kit is suitable for manual motor starter MS116/MS132. The combination of manual motor starter and door mounting kit allows to setup all required control and protection functions for single machine installations. The door mounting kit has a IP65 degree of protection and can be easily integrated in cubicals and machines. Additional mounting of auxiliary and signalling contacts, shunt trips and undervoltage release is possible. The handle is 3-times lockable in OFF position.

### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	39269097

### Popular Downloads

Data Sheet, Technical Information	1SBC100173C0201
Instructions and Manuals	2CDC131029M6803
Dimension Diagram	1SAM200440F0001

---

**Dimensions**


---

Product Net Width	137 mm
Product Net Height	121 mm
Product Net Depth / Length	120 mm
Product Net Weight	0.17 kg

---



---

**Technical**


---

Contact Position Indication	ON / OFF / TRIP
Actuator Type	Rotary Handle
Color	Yellow / Red
Degree of Protection	IP65
Standards	CSA 22.2 No. 14 IEC/EN 60947-1 IEC/EN 60947-4-1 UL 508
Product Name	Door Mounting Kit
Suitable For	MS116 MS132
Suitable for Product Class	Manual Motor Starter
Accessory Group	Mechanical
Accessory Type	Door Mounting Kit
Remarks	For detailed specification see installation instruction

---



---

**Technical UL/CSA**


---

Enclosure Type UL/CSA	12
-----------------------	----

---



---

**Environmental**


---

Ambient Air Temperature	Operation -25 ... +70 °C Storage -50 ... +80 °C
RoHS Status	Following EU Directive 2011/65/EU

---



---

**Certificates and Declarations (Document Number)**


---

cUL Certificate	cUL_E137861
Declaration of Conformity - CE	1SAD938504-0196 1SAD938505-0197 1SAD938507-0188 1SAD938508-0183 1SAD938514-0125 1SAD938521-0060
Instructions and Manuals	2CDC131029M6803
RoHS Information	1SAD938517-0060 1SAD938505-0183 1SAD938501-0197 1SAD938511-0125 1SAD938501-0196 1SAD938503-0188
UL Certificate	UL_E137861

---



---

**Container Information**


---

Package Level 1 Width	129 mm
Package Level 1 Depth / Length	129 mm
Package Level 1 Height	141 mm
Package Level 1 Gross Weight	0.265 kg
Package Level 1 EAN	4013614421655
Package Level 1 Units	box 1 piece

---

## Classifications

ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
eClass	7.0 27379201
UNSPSC	39122221
IDEA Granular Category Code (IGCC)	5228 >> Accessories for low-voltage switch technology

---

## Categories

Low Voltage Products and Systems → Control Products → Manual Motor Starters → Manual Motor Starters Accessories

