

# Calbrite™

## STAINLESS STEEL CONDUIT SYSTEMS

### Power Generation

Corrosion Resistant

Lowest Cost of Ownership

Ease of Installation

No Special Tools

Broadest Product Offering



2011

[www.calbrite.com](http://www.calbrite.com)

## THE CALBRITE™ DIFFERENCE

### OUR HISTORY

The Calbrite™ heritage dates back to 1917 with the founding of Jackson-Markus Supply by Peter Markus, the grandfather of Dan Markus, president of Calpipe Industries, the parent company of Calbrite. Jackson-Markus Supply manufactured and distributed flow control products, plumbing fittings and construction materials. In the early 1960s, the family expanded into stainless steel and nickel alloy weld fittings, servicing a rapidly-growing market in refining, petrochemical, food processing, breweries, marine and other industries. Recognizing the similarities between the plumbing, PVF and electrical industries, Dan Markus founded Calpipe Industries in 1986 to focus on the electrical industry. Today, Calpipe Industries manufactures and distributes electrical conduit and fittings under the brand names of Calconduit and Calbrite. The company also expanded into security bollards, marketed through Calpipe Security Bollards.

Headquartered in Hammond, IN, Calbrite is the leading name in stainless steel conduit systems for harsh and corrosive environments. We offer the largest stainless steel conduit systems product line in the industry, manufactured to strict guidelines set forth by UL and NEMA, and many of our products are ARRA-compliant.

Calbrite supports our customers through:

- The industry's broadest and deepest product offering. We currently offer more than 2800 SKUs, ensuring you that we can support just about any customer's stainless conduit system need.
- A customer-centric product development process. Simply put, we listen to our customers and quickly deliver solutions designed to meet their needs.
- For example, our new in-use box was developed for a large food-processing manufacturer that had requested a hinged single gang box cover in stainless steel that was both lockable and weatherproof for wash-down environments. We are known for developing products for customers to address their specific needs, and then offering the solution to the industry.
- A national network of independent sales agents across North America.  
To find the rep nearest you, visit [www.calbrite.com/replist](http://www.calbrite.com/replist).
- Manufacturing and distribution centers in Hammond, IN; Downey, CA and Odessa, FL to service our distributors and their customers throughout the U.S. and Canada.

### OUR COMMITMENT

At Calbrite, we are dedicated to providing our customers with quality stainless steel conduit and fittings, delivered on a timely basis, that consistently meet expectations and industry standards.

### OUR QUALITY ASSURANCE

Our quality assurance program complies with industry standards established by Underwriters' Laboratories (UL), ANSI, and NEMA.

**UL listings:**  <sub>us</sub>

- Our approval file number for ferrous electrical conduit is E226472.
- Our approval file number for non-ferrous electrical conduit is E230584 (issue #26KT)

Many of our products are produced to NEMA 4X standards, which ensure protection against corrosion, wind-blown dust and rain, splashing water, hose-directed water and damage from external ice formation in outdoor or indoor environments.



## STAINLESS STEEL DEVICE BOXES

(Type 316SS) S = Shallow, D = Deep

### FS Single Gang Box

3/4" FDC	Wt. (lbs)	Cubic Inch.
S60700FS00	2.03	18"



### FD Single Gang Box

3/4" FD	Wt. (lbs)	Cubic Inch.
S60700FD00	2.45	25"



### FDC Single Gang Box

3/4" FDCS	Wt. (lbs)	Cubic Inch.
S60700FDCS	2.1	25"



### FDC Double Gang Box

3/4" FDC	Wt. (lbs)	Cubic Inch.
S60700FDCD	2.45	25"



### FDCC & FSCC Single Gang Boxes

Model	Size	Part Number	Wt. (lbs)	Cubic Inch.
FDCC	3/4"	S60700FDCC	2.50	25"
FSCC	3/4"	S60700FSCC	2.06	18"



### FDX & FSX Single Gang Boxes

Model	Size	Part Number	Wt. (lbs)	Cubic Inch.
FDX	3/4"	S60700FDX0	2.60	25"
FSX	3/4"	S60700FSX0	2.22	18"



### FSCT & FDCT Gang Boxes

Model	Part Number	Wt. (lbs)	Cubic Inch.
FSCT	S60700FSCT	2.27	18"
FDCT	S60700FDCT	2.66	25"



### In-Use Boxes

3/4" In-Use	Wt. (lbs)
S60700FVCS	2.65
S60700FVCD	3.00



(Suitable for Damp Environments)

## STAINLESS STEEL DEVICE BOX COVERS

## STAINLESS STEEL DEVICE BOX PLATES

**Duplex Receptacle** (Horizontal) #S607HDCVRS

**Two Gang Blank** (2 Gang) #S607BLPLTD

**GFCI Receptacle** (Vertical) #S607VGCVRS

**Duplex Receptacle** (Vertical) #S607VDCVRS

**Single Gang Blank** (1 Gang) #S607BLPLTS

**Duplex Receptacle** (Horizontal) #S607HDCVLS

**GFCI Receptacle** (Horizontal) #S607VGCVLS

**Toggle Switch** (Vertical) #S6071TCVRS

**Two Toggle Switch** (Vertical) #S6072TCVRD

**Toggle Switch** (Horizontal) #S6071TCVLS

**Two Toggle Switch** (2 Gang) #S6072PLTD

**One Toggle Switch** (1 Gang) #S6071PLTS

**One Toggle Switch & One GFCI Receptacle** (2 Gang) #S607TPLTD

**One Toggle Switch & One Duplex Receptacle** (2 Gang) #S607TPLTD

**Two Toggle Receptacle** (2 Gang) #S6072DPLTD

**One Duplex Receptacle** (1 Gang) #S6072DPLTS

**Two GFCI Receptacle** (2 Gang) #S6072GPLTD

**One GFCI Receptacle** (1 Gang) #S6071GPLTS