

Find the optimal LED solution for your space.

CREE 💠



Ambient LED Lamps

Cree offers a broad portfolio of brilliantly designed, energy-efficient, long-lasting ambient LED lamps. With a remarkable combination of high-efficacy LED technology and innovative form, Cree® ambient LED lamps deliver the light quality you expect from an incandescent, last up to 25 times longer and provide up to 85% energy savings.

To learn more visit lighting.cree.com/products/indoor/lamps



Directional LED Lamps

The Cree® MR16 Series TrueWhite LED lamp and the Cree® PAR38 LED lamp offer multiple beam options ideal for highlighting merchandise and enhancing the atmosphere of any space. These lamps offer an impressive combination of greater than 80% energy savings and significant maintenance savings.

To learn more visit lighting.cree.com/products/indoor/track /essentia-by-cree-track#







Track Lighting

Essentia® by Cree Track Lighting offers a full selection of track, heads, gimbal rings and accessories that make it easy to build a complete track lighting solution or upgrade legacy track heads. Compatibility with several prevalent one- and two-circuit track systems expands use options and energy-efficient LEDs enable greater track lighting capacity.

To learn more visit lighting.cree.com/products/indoor/track/essentia-by-cree-track#



Linear LED Retrofit Kits

The Cree® UR Series' unique magnetic design with quick connect technology enables LED adoption with impressively fast retrofitting of T8/T12-based fluorescent fixtures, maintaining the existing aesthetic of fluorescents while offering the greater energy efficiency and lifespan of LED lights.

rade-solutions





A19 Lamp

- Lumens: 465 to 1150
- A19 Watts: 5W to 11.2W
- CRI-85
- CCT: 2700K, 5000K
- · Dimmable to 5% with select dimmers
- Suitable for damp locations



A21 Lamp

- Lumens: 1650-1700
- Watts: 15W-16.5W
- · 3-Way version available in 2700K, 320/820/1620 lumens at 3W/7W/16.5W
- CRI: 85
- CCT: 2700K, 5000K
- Suitable for damp locations
- Dimmable to 5% with select dimmers

Replaces up to 100W lamps

Replaces 40W, 60W or 75W lamps

MR16 Lamps

- Lumens · 540-584
- Watts: 8 7W
- CRI: >90
- CCT- 3000K
- Beam Angles: 15°, 25°, 40°
- Dimmable to 5% with select dimmers and transformers
- Utilizes Cree TrueWhite® Technology
- ENERGY STAR® qualified

Replaces 50W MR16 lamps

PAR30S/PAR30L Series

- Lumens: 850
- Watts: 10.5W
- CRI: >90
- CCT- 3000K
- Dimmable 5% with select dimmers
- Multiple beam angles: 25° spot (PAR30L). 40° flood (PAR30S)
- Utilizes Cree TrueWhite® Technology

Replaces 75W lamps

Flat Back LED Track Head*

- Lumens: 2500
- CRI: 80
- CCT: Warm White (3000K). Neutral White (3500K) & Cool White (4000K)
- Dimming: 10%
- Beam angles: 20°, 30°, 40°
- · 20°, 30° & 40° reflectors included
- · Lifetime: designed to last 35,000 hours

Beveled Cylinder LED Track Head*

CREE ÷

- Lumens: 980
- CRI: 80
- CCT: Soft White (2700K). Warm White (3000K), Neutral White (3500K) & Cool White (4000K)
- Dimming: 10%
- Beam angles: 20°, 40°
- 20° spot reflector with 40° diffuser included
- · Lifetime: designed to last 35,000 hours


UR2-24 Retrofit

- 2' lightbar and driver (ordered separately)
- Lumens: 3600
- · Watts: 36W
- CRI: 80
- CCT: 3500K, 4000K
- Step level to 50% or 0-10V dimming to 5%
- EB options available


Replaces linear fluorescent systems

UR3-24 Retrofit

- 2' lightbar and driver (ordered separately)
- Lumens: 3600
- Watts: 36W
- CRI: 80
- CCT: 3500K, 4000K
- Step level to 50% or 0-10V dimming to 5%
- EB options available









BR30 & BR40 Lamps

- Lumens: Up to 1120
- Watts: 9.5W
- CRI: 85+
- CCT: 2700K, 5000K
- Dimmable to 5% with select dimmers
- Suitable for damp locations



CREE -

Replaces 65W and 85W lamps

BR13 Candelabra

- Lumens: 240 & 345
- Watts: 3.1W & 5W
- CRI: 90+
- CCT: 2700K
- 1800K-2700K Candelight Dimming option available
- Dimming to 5% with select dimmers
- E12 candelabra base
- Suitable for damp locations
- Replaces 25W and 40W lamps

Notch Back Track Heads

- Lamp Compatibility: MR16 MAX. 75W
- Suitable for dry locations
- UL and cUL Listed
- Limited Warranty†: 1 year
- Recommended lamps: Cree MR16 15°, 25°, & 40°





PAR38 Flood Lamp

- Lumens: 1500
- Watts: 17W
- CRI: 85
- CCT: 3000K
- Beam angles: 25°, 45°
- Dimmable to 5% with select dimmers and transformers
- Wet rated for use where exposed directly to weather

Replaces 120W lamps

Mini Flat Back LED Track Head*

- Lumens: 500
- CRI: 80
- CCT: Soft White (2700K), Warm White (3000K), Neutral White (3500K)
 Cool White (4000K)
- Beam angle: 36°
- Utilizes Cree LEDs
- Lifetime: designed to last 30,000 hours

Front Loading Gimbal Ring Track Heads*

- Lamp Compatibility: PAR38 Max. 150W
- Die-cast aluminum housing and polyester powder coated finish
- UL and cUL Listed
- Recommended lamp: Cree PAR38



UR2-48 Retrofit

- 4' lightbar and driver (ordered separately)
- Lumens: 4500
- Watts: 44W
- CRI: 80
- CCT: 3500K, 4000K
- Step level to 50% or 0-10V dimming to 5%
- EB options available

Replaces linear fluorescent systems

UR3-48 Retrofit

- 4' lightbar and driver (ordered separately)
- Lumens: 4500
- Watts: 44W
- CRI- 80
- CCT: 3500K, 4000K
- Step level to 50% or 0-10V dimming to 5%
- EB options available











Visit **lighting.cree.com** or contact a

Cree lighting representative to learn more.

© 2017 Cree, Inc. All rights reserved. For informational purposes only. Not a warranty or specification. See lighting.cree.com for warranty and specifications. Cree® and Cree TrueWhite® are registered trademarks, and the Cree logo, the Cree TrueWhite Technology logo and 4Flow™ are trademarks of Cree, Inc. Energy Star® and the Energy Star logo are registered trademarks of the U.S. EPA. The DLC QPL Listed logo is a registered trademark of the Northeast Energy Efficiency Partnerships, Inc. CAT/CSJ-C006

Rev. Date 01/25/2017

