CONNECTED COMMUNITIES
LED Product Selection Guide
Q1 2022





Lumark
McGraw-Edison
Invue
Lumiere
Streetworks



# **Delivering** unparalleled performance

No matter the complexity of your project, we offer a range of LED products that lower operating costs, reduce energy consumption, and enhance outdoor spaces. Whether you're looking for simple dusk-to-dawn security lighting or cutting-edge functionality, you'll find unmatched quality and attention to detail.

In other words, these products don't just meet standards. They set the standards.

The product selection guides are simple yet powerful tools to help assist with product comparison and selection based on features, performance and value.



#### INVUE

#### **MCGRAW-EDISON**

<u>ıminaires that integrate</u> day architecture providing stunning beauty by day and visually pleasing

Continuing the legacy of Max McGraw and Thomas Edison, McGraw-Edison sets industry standards for optimized configurations and optical precision to meet the most

> challenging design specifications for outdoor lighting professionals.

LUMARK

#### LUMIERE

At Streetworks, we empower our utility and infrastructure customers with customizable, robust, and serviceable outdoor lighting products engineered to meet any specification.

**STREETWORKS** 

### Floodlighting

### Lumark | McGraw-Edison | Invue

Cooper Lighting Solutions offers the widest variety of outdoor floodlighting products in the industry, ideal for applications from commercial buildings to rail yards and everything between. Available in multiple optical distributions, control options, voltages and finishes, Cooper Lighting Solutions carries a floodlighting solution appropriate for any application or budget.





<i>y</i>		











		Tracer	Night Falcon Small	Night Falcon	Night Falcon Large	Galleon II Flood	Vision Flood
	Brand	Lumark	Lumark	Lumark	Lumark	McGraw-Edison	Invue
PRODUCT	Series	TCR	NFFLD-S	NFFLD	NFFLD-L	GFLD	VFS
	Application	Landscape	C&I	C&I	C&I	C&I	Architectural
	LED Type	Discrete	СОВ	СОВ	СОВ	Discrete	Discrete
SN	Lumens	530 - 2,900	2,700 - 5,800	10,500 - 23,800	25,900 - 48,000	1,260 - 36,390	1,200 - 6,600
ICATION	Lumens Per Watt	138	134	138	145	126	94
/ CERTIF	Optical Distributions	3	2	2	2	8	7
PERFORMANCE / CERTIFICATIONS	Mounting Options	Knuckle	Slipfitter / Trunnion / Knuckle	Slipfitter / Trunnion / Yoke	Slipfitter / Trunnion / Yoke	Slipfitter / Knuckle / Yoke Trunnion / Wall	Wall / Knuckle / Slipfitter
PER	Life (L70) @ 25°C	> 153,000 Hrs	> 399,000 Hrs	> 388,000 Hrs	> 393,000 Hrs	>851,000 Hrs	> 250,000 Hrs
	DLC	Standard	Premium	Premium	Premium	Premium	
Ε ν:	Dimming	✓	✓	✓	✓	✓	<b>√</b>
TEGRAT ONTROI	Photocontrol		<b>✓</b>	✓	✓	✓	✓
INTEGRATED	Occupancy			✓		✓	
CONNECTED	WaveLinx		<b>√</b>	<b>√</b>	✓	<b>√</b>	

Area and Site Lumark | McGraw-Edison

Our outdoor LED lighting solutions for area and site applications combine world-class optics, high efficiency light engines and a range of aesthetics to meet the demands of any project. From architect to engineer to installer, our breadth and quality of lighting and controls options provide ideal solutions for a variety of applications, including parking, transit, pedestrian and security in commercial, industrial and residential spaces.





		Caretaker	LAS	Prevail	Prevail Discrete	Navion	Galleon	Galleon II
_	Brand	Lumark	Lumark	Lumark	Lumark	Lumark	McGraw-Edison	McGraw-Edison
PRODUCT	Series	CTKR	LAS	PRV & PRV-XL	PRV & PRV-XL	NAV	GLEON	GALN
<u>.</u>	Application	C&I	C&I	C&I	C&I	C&I	C&I	C&I
	LED Type	СОВ	Discrete	СОВ	Discrete	Discrete	Discrete	Discrete
<u>8</u>	Lumens	4,500 - 9,700	4,900 - 34,000	7,100 - 48,600	7,500 - 41,000	4,700 - 50,000	4,200 - 80,800	3,300 - 73,500
PERFORMANCE / CERTIFICATIONS	Lumens Per Watt	156	135	148	148	158	156	159
CERTIFI	Optical Distributions	1	3	4	5	16	16	16
ANCE /	Mounting Heights	10 - 30'	15 - 40'	15 - 50'	15 - 40'	15 - 40'	10 - 60'	10 - 60'
ERFORM	Life (L70) @ 25°C	> 220,000 Hrs	> 126,000 Hrs	> 194,000 Hrs	> 416,000 Hrs	> 416,000 Hrs	>851,000 Hrs	>851,000 Hrs
ā	Replaces	100 - 250W HID	450 - 1,000W HID	150 - 1,000W HID	150 - 1,000W HID	100 - 1,000W HID	100 - 1,500W HID	100 - 1,500W HID
	DLC	Premium	Premium	Premium	Premium	Premium	Premium	Premium
S ED	Dimming	✓	✓	✓	✓	✓	✓	✓
INTEGRATED	Photocontrol	✓	✓	✓	✓	✓	✓	✓
<u> </u>	Occupancy		✓	✓	✓	✓	✓	✓
ЕСТЕВ	WaveLinx			✓	✓	✓	✓	✓
CONNECTED	LumenSafe			✓	<b>√</b>	<b>√</b>	✓	✓

Our outdoor LED lighting solutions for area and site applications combine world-class optics, high efficiency light engines and a range of aesthetics to meet the demands of any project. From architect to engineer to installer, our breadth and quality of lighting and controls options provide ideal solutions for a variety of applications, including parking, transit, pedestrian and security in commercial, industrial and residential spaces.

Area and Site







McGraw-Edison | Invue

		Galleonaire	Celesteon	TopTier	Vision Site	lcon	LuxeScape
	Brand	McGraw-Edison	McGraw-Edison	McGraw-Edison	Invue	Invue	Invue
PRODUCT	Series	GLNA	CTN	TT	VXS / VXM	ICS / ICM	LXS
_	Application	C&I	C&I	C&I	C&I	C&I	C&I
	LED Type	Discrete	СОВ	Edge-lit	Discrete	Discrete	Edge-lit
SNS	Lumens	3,200 - 68,800	30,000 - 103,000	2,700 - 22,800	2,200 - 16,000	2,100 - 18,000	1,900 - 11,400
PERFORMANCE / CERTIFICATIONS	Lumens Per Watt	133	167	146	132	123	115
E / CERI	Optical Distributions	16	6	5	12	12	4
ORMANC	Mounting Heights	15 - 55'	50 - 110'	8 - 20'	10 - 30'	10 - 30'	8 - 25'
PERF	Life (L70) @ 25°C	> 416,000 Hrs	> 242,000 Hrs	> 270,000 Hrs	> 425,000 Hrs	> 425,000 Hrs	> 172,000 Hrs
	DLC	Premium	Premium	Premium	Standard	Standard	Premium
۵.۵	Dimming	✓	✓	✓	✓	✓	✓
INTEGRATED	Photocontrol	✓	✓	✓	✓	✓	✓
₹ o	Occupancy	✓		✓	✓	✓	✓
стер	WaveLinx	✓		<b>√</b>			<b>√</b>
CONNECTED	LumenSafe	✓					

4 COOPER LIGHTING SOLUTIONS Connected Communities - LED Product Selection Guide 5

Streetworks | McGraw-Edison Decorative Decorative

Offered in traditional shapes reminiscent of early gas-lit lamps, to ultra-modern styling that transforms urban cityscapes, Cooper Lighting Solutions decorative outdoor products integrate cutting-edge LED and controls technologies that span across generations and design languages to truly enhance pedestrian experiences.



McGRAW-EDISON





			4	Ψ			₹
		Utility LED Acorn	Woodbridge	Breckenridge	Lexington	Traditionaire	Generation Series
	Brand	Streetworks	Streetworks	Streetworks	Streetworks	McGraw-Edison	McGraw-Edison
PRODUCT	Series	ULA	MPW	MPB	LXF / LXT	TRR	GAR / GAT / GLC
_	Application	Utility / Infrastructure	Utility / Infrastructure	Utility / Infrastructure	Utility / Infrastructure	C&I	C&I
	LED Type	Lensed	Lensed	Lensed	Discrete / Lensed	Lensed	Lensed
ATIONS	Lumens	2,900 - 9,549	1,900 - 6,896	1,900 - 6,504	2,000 - 11,000	5,000	5,778 - 11,060
PERFORMANCE / CERTIFICATIONS	Lumens Per Watt	157	114	107	140	90	112
MANCE /	Optical Distributions	2	2	2	5	2	2
PERFOR	Life (L70) @ 25°C	> 139,000 Hrs	> 69,000 Hrs	> 69,000 Hrs	> 800,000 Hrs	> 50,000 Hrs	> 210,000 Hrs
	DLC				Standard		
Δ	Dimming	✓	✓	✓	<b>√</b>	✓	
INTEGRATED	Photocontrol	✓	<b>√</b>	✓	<b>√</b>	✓	<b>√</b>
ZO	Occupancy						
CONNECTED	WaveLinx						

Offered in traditional shapes reminiscent of early gas-lit lamps, to ultra-modern styling that transforms urban cityscapes, Cooper Lighting Solutions' decorative outdoor products integrate cutting-edge LED and controls technologies that span across generations and design languages to truly enhance pedestrian experiences.













Invue

		Mesa	Epic Medium	Arbor Post Top	LuxeScape
	Brand	Invue	Invue	Invue	Invue
PRODUCT	Series	MSA	ECM / EMM	ARB	LXS
_	Application	C&I	C&I	C&I	C&I
	LED Type	Discrete	Discrete	Edge-Lit	Edge-Lit
PERFORMANCE / CERTIFICATIONS	Lumens	3,000 - 29,000	2,300 - 12,200	2,000 - 9,500	1,923 - 10,765
	Lumens Per Watt	108	126	100	108
MANCE /	Optical Distributions	12	12	4	4
PERFOR	Life (L70) @ 25°C	> 400,000 Hrs	> 450,000 Hrs	> 230,000 Hrs	> 230,000 Hrs
	DLC		Standard		
۵.,	Dimming	✓	✓	✓	<b>√</b>
INTEGRATED	Photocontrol	✓		✓	<b>√</b>
Z O	Occupancy	✓	✓	✓	<b>✓</b>
CONNECTED	WaveLinx				



6 COOPER LIGHTING SOLUTIONS Connected Communities - LED Product Selection Guide COOPER LIGHTING SOLUTIONS Connected Communities - LED Product Selection Guide 7 Wall Mount Lumark Wall Mount

Boasting specification grade performance and architectural styling, these wall-mounted LED fixtures were designed to enhance exteriors, providing much more than award-winning illumination. Visually striking dayforms to low-profile accents, this collection provides pedestrian convenience and security as well as codecompliant egress for a multitude of lighting projects.







		Selectable					
		Glass Wall Pack	Crosstour	Axcent	Wal-Pak	Square Wall Pack	Prevail Petite Wall
	Brand	Lumark	Lumark	Lumark	Lumark	Lumark	Lumark
PRODUCT	Series	WPM	XTOR	AXC	WP	WPSQLED	PRV-P
ш.	Application	C&I	C&I	C&I	C&I	C&I	C&I
	LED Type	Discrete	COB	Discrete	СОВ	СОВ	COB
PERFORMANCE / CERTIFICATIONS	Lumens	3,500 - 13,400	1,400 - 13,458	1,800 - 17,300	3,300 - 5,900	7,100 - 11,000	4,800 - 12,200
	Lumens Per Watt	Up to 143	132	144	131	111	146
CERTIFI	Optical Distributions	1	2	2	Glass	Glass	4
IANCE /	Mounting Heights	15' - 30'	10 - 40'	10 - 40'	10 - 20'	10 - 30'	10 - 30'
ERFORM	Life (L70) @ 25°C	>143,000 Hrs	> 255,000 Hrs	> 556,000 Hrs	> 340,000 Hrs	> 240,000 Hrs	> 194,000 Hrs
•	Emergency Battery		✓	✓	✓		✓
	DLC	✓	Premium	Premium	Premium	Standard	Premium
S S	Dimming	✓		✓	✓		✓
INTEGRATED	Photocontrol	Integral button type PC	✓	✓	✓	✓	✓
Z O	Occupancy		✓	✓			✓
CONNECTED	WaveLinx			<b>√</b>	-	-	<b>✓</b>

Boasting specification grade performance and architectural styling, these wall-mounted LED fixtures were designed to enhance exteriors, providing much more than award-winning illumination. Visually striking dayforms to low-profile accents, this collection provides pedestrian convenience and security as well as code-compliant egress for a multitude of lighting projects.







Lumark | McGraw-Edison | Invue

		Prevail Petite Discrete Wall	Galleon Wall Companion	Impact Elite	TopTier	Entri Series	ClearCurve	Arbor Wall Sconce
PERFORMANCE / CE	Brand	Lumark	McGraw-Edison	McGraw-Edison	McGraw-Edison	Invue	Invue	Invue
RODUCT	Series	PRV-P	GWC	ISC / ISS / IST / ISW	TT	ENT / ENC / ENV	CCW	ABW
<u> </u>	Application	C&I	C&I	C&I	C&I	C&I	C&I	C&I
	LED Type	Discrete	Discrete	Discrete	Edge-lit	Discrete	Edge-lit / Discrete	Edge-lit
40	Lumens	4,300 - 11,300	3,200 - 17,000	2,400 - 8,100	2,700 - 22,800	400 - 9,800	1,600 - 12,000	500 - 880
CATIONS	Lumens Per Watt	147	154	143	146	136	149	45
CERTIFI	Optical Distributions	5	13	10	5	5	10	2
1ANCE /	Mounting Heights	10 - 30'	10 - 30'	8 - 20'	8 - 20'	8 - 20'	8' - 20'	8 - 10'
ERFORN	Life (L70) @ 25°C	> 663,000 Hrs	> 851,000 Hrs	> 851,000 Hrs	> 270,000 Hrs	> 2.4M Hrs	> 199,000 Hrs	> 250,000 Hrs
_	Emergency Battery	✓	✓	✓	✓	✓	✓	
	DLC	Premium	Premium	Premium	Premium	Standard	Premium	
a s	Dimming	✓	✓	✓	✓		✓	✓
TEGRATI	Photocontrol	✓	✓	✓	✓	✓	✓	<b>√</b>
Z O	Occupancy	✓	✓	✓	✓	✓	✓	<b>√</b>
CONNECTED	WaveLinx	<b>√</b>	<b>√</b>	<b>✓</b>	✓		<b>√</b>	

Parking Garage and Canopy Lumark | McGraw-Edison Roadway Streetworks

Parking garages, banks, gas stations, educational and healthcare facilities require reliable, efficient lighting solutions for covered spaces with a wide range of performance and configurability. Cooper Lighting Solutions' parking garage and canopy solutions provide superior coverage and flexibility, available with controls and visual comfort optic distributions for even the most discerning lighting professional.







		<del></del>				
		Canopy	RPGC	TopTier	Concise	Recessed Canopy
	Brand	Lumark	Lumark	McGraw-Edison	McGraw-Edison	McGraw-Edison
PRODUCT	Series	CLCSLED	RPGC	TT	CNC	LRC
•	Application	C&I	C&I	C&I	C&I	C&I
	LED Type	Lensed	Lensed	Edge-lit	Discrete	Discrete
	Lumens	4,700 - 13,900	3,700 - 7,800	2,700 - 22,800	2,224 - 12,431	2,987 - 8,212
SNO	Lumens Per Watt	132	125	146	128	99
PERFORMANCE / CERTIFICATIONS	Distributions			5	9	3
E / CER	Voltages	120-277, 347	120-277, 347	120-277, 347, 480	120-277, 347, 480	120-277, 347, 480
ORMANG	Mounting Heights			8 - 20'	8 - 30'	8 - 20'
PERF	Life (L70) @ 25°C	> 346,000 Hrs	> 159,000 Hrs	> 270,000 Hrs	> 450,000 Hrs	> 350,000 Hrs
	Emergency Battery			✓	✓	
	DLC	✓	✓	✓		
	Dimming		✓	✓	✓	
INTEGRATED	Photocontrol	✓		✓	✓	
<u> </u>	Occupancy		✓	✓	✓	
CONNECTED	WaveLinx		<b>√</b>	<b>√</b>		

Meeting increasing demands of energy efficiency, project expenditures and maintenance costs, Cooper Lighting roadway solutions provide best-in-class optical performance, generating superior pole spacing, uniformity, coverage and spill light control. Combined with controls and enhanced security options, Cooper Lighting Solutions' Streetworks portfolio represents the best value for street and roadway applications.















		Caretaker	Verdeon	Navion	Archeon	Celesteon
PERFORMANCE / CERTIFICATIONS PRODUCT	Brand	Streetworks	Streetworks	Streetworks	Streetworks	Streetworks
30DUC	Series	CRTK2	VERD	NVN	ARCH	CST
	Application	Roadway	Roadway	Roadway	Roadway	Roadway
INTEGRATED PERFORMANCE / CERTIFICATIONS CONTROLS	LED Type	COB	COB	Discrete	Discrete	СОВ
	Lumens	2,900 - 10,200	2,600 - 38,000	4,225 - 50,000	2,000 - 37,000	30,000 - 113,000
SNS	Lumens Per Watt	156	161	158	178	175
ICATIO	Optical Distributions	5	5	16	6	7
INCE / CERTIFI	Mounting Heights	10 - 20'	15 - 40'	15 - 40'	15 - 40'	40 - 100'
	Life (L70) @ 25°C	> 306,000	> 151,000 Hrs	> 416,000 Hrs	> 800,000	242,000 Hrs
FORM/	Surge Protection	✓	✓	✓	✓	✓
P. P.	3G Certification	✓	✓	✓	✓	✓
	DLC	✓	✓	✓	✓	
	UL	✓	✓	✓	✓	✓
	Dimming	✓	✓	✓	✓	✓
RATED	DALI	✓	✓	✓	✓	✓
INTEG	Photocontrol	✓	✓	✓	✓	✓
	Occupancy	✓		✓	✓	
CONNECTED	LumenSafe			<b>√</b>	✓	

10 COOPER LIGHTING SOLUTIONS Connected Communities - LED Product Selection Guide 11

Pathway / Bollard

McGraw-Edison | Lumiére | Invue

Landscape / Accent

Our outdoor LED lighting solutions for pathway applications provide architectural style while delivering exceptional optical performance. Visual comfort is particularly important for pathway applications and our bollards enhance the surroundings through beautiful management of glare for improved visibility.





		BRT6	Eon	ClearPath Bollard	Arbor Bollard
	Brand	McGraw-Edison	Lumiere	Invue	Invue
PRODUCT	Series	BRT6	Eon 303	СРВ	ABB
<b>a</b>	Application	C&I	C&I	C&I	C&I
	LED Type	Discrete	Discrete	Edge-lit	Edge-lit
SNC	Lumens	560 - 4,400	560 - 2,700	450 - 700	500 - 1,300
PERFORMANCE / CERTIFICATIONS	Lumens Per Watt	up to 122	up to 92	30	45
CE / CER'	Optical Distributions	4	3	3	2
FORMAN	Heights	30", 36", 42"	12", 24", 36", 42"	42"	32", 36", 42"
PER	Life (L70) @ 25°C	270,000 Hrs	365,000 Hrs	245,000 Hrs	350,000 Hrs
	DLC				
A (2	Dimming	✓	✓	✓	✓
INTEGRATED CONTROLS	Photocontrol	✓	✓		
N O	Occupancy	✓			
CONNECTED	WaveLinx				

# Distinctive Environmental Lighting

Lumiére brings cutting-edge, feature packed accent lighting that will dramatically showcase any architectural feature, inside or out.



## Landscape

Fine-tune your lights to create dramatic lighting effects.



### **Architectural**

Add beauty, character and focus to modern or traditional structures.



### **Pathway & Signs**

Redefining the nature of architectural outdoor lighting.

# Lighting controls

Lighting the way for connected communities. Smart, connected technologies mean safer, more efficient communities – and it starts with connected lighting. Our solutions put full system control and optimization at your fingertips, helping you rise to the challenges of today and tomorrow.

The product selection guides are simple yet powerful tools to help assist with product comparison and selection based on features, performance and value.

15 Lighting Controls

WaveLinx

18 LumenSafe (Lighting and Surveillance Solution)









	Stand-alone			Co	nnected		Controlled		
							•		
	Stand-alone Photocoptrols Stand-alone Sensors		WaveLinx Ou	tdoor Lighting	WaveLinx Lite		WaveLinx Pro		
System	Photocontrols	Otana alone sensors	Contro	l Module	Waveling Lite	Sensor only	Sensor + WAC	Sensor + WAC	
	BPC, PR, or PR7	MS or SPB	WOLC	WOLC + WAC	ZW-WO or ZD-WO	ZW-SWPD or ZD-SWPD	ZW-SWPD + WAC	ZD-SWPD + WAC	
Stand-alone or Networked	Stand-alone	Stand-alone	Stand-alone	Networked	Stand-alone	Stand-alone	Networked	Networked	
Addressable Protocol		Remote control or Mobile application		Wireless network	Mobile application		Wireless network	Wireless network	
Features									
Motion sensing		✓			✓	✓	✓	✓	
Dusk-to-dawn / Photosensing	✓	✓	✓	✓	✓	✓	✓	✓	
Adjust output levels (max and standby)		<b>√</b>		<b>√</b>	<b>√</b>		✓	✓	
Zone control				✓	✓		✓	✓	
Group programming				✓	✓		✓	✓	
Scheduling				✓			✓	✓	
Energy Measurement (through Trellix)			-					<b>✓</b>	
Integrations and \	Value-Add Services								
BMS integration				✓			✓	✓	
API integration				✓			✓	✓	
Facility management & tools				<b>✓</b>			✓	✓	

<sup>\*</sup>WAC=Wireless Area Controller gateway

WaveLinx WaveLinx Controls Controls

### **WaveLinx Outdoor Lighting Control Module**

The WaveLinx Outdoor Lighting Control (WOLC) Module extends the WaveLinx System's controls capability to a building's surroundings or site such as parking lots and short pathways. The WOLC Module is individually addressable and installs on top of a light pole via an ANSI 136.41-compliant, 7-pin twist-lock connector.





### **WaveLinx Lite**

The outdoor sensors offer passive infrared (PIR) occupancy and a photocell for daylight sensing for installation heights up to 40 feet. The sensor operates on Bluetooth® 4.2 mesh network and offer simple tool-less integration into WaveLinx Lite outdoor light fixtures equipped with the 4-pin Zhaga Book 18 compliant socket. The mobile application allows you to map the sensor to any area or control zone, select occupancy or vacancy, occupied and unoccupied light levels and set the hold time.






### **WaveLinx Pro**


Create a smart building ecosystem with convenient, out-of-the-box functionality. The Wireless Area Controller is the main component of the WaveLinx Pro wireless connected lighting system, coordinating between the WaveLinx Pro mobile app and your WaveLinx Pro enabled fixtures and devices. It's remarkably simple to set up and program (without the need for an IT network). Patent-pending code commissioning features also reduce commissioning times by 40%.







\*Shown with Trellix



Outdoor **Parking Areas** 

Indoor Spaces

Outdoor Pathways / Spaces Industrial / Manufacturing Spaces

COOPER LIGHTING SOLUTIONS Connected Communities - LED Product Selection Guide 17

**Pole Configurator** LumenSafe **Lighting and Surveillance Solution** Poles

### All-in-one lighting & surveillance solution This changes everything

Lighting can provide the backbone for safer communities and cities through smarter surveillance and enhanced data. Cooper Lighting Solutions's camera-integrated luminaires are an easy win for you and your customers.



### 30% Lower install cost

Reduce install cost by up to 30%.



# All-in-one solution

Easy installation with our all-in-one LumenSafe solution. Integrated camera and networking equipment means no additional wiring is needed beyond providing line power to the luminaire.



### **Flexible integration**

LumenSafe is compatible with virtually any video management system or security platform.



## **Remote monitoring**

Protect valuable goods and inventory from theft or vandalism remotely. Axis Communications cameras provide users with crystal clear high-quality images.

# online pole configurator tool can help you select the poles that are right for your project.





### Safe communities & cities start here



LED Integrated light fixtures video camera




Flexible backhaul options (Cellular, Wi-Fi, Ethernet)



LumenSafe simplified

integration

Software services





Take the guesswork out of the equation, for faster order

processing and an all-around smooth process

We're among the select few American lighting companies who manufacture poles in-house. This

allows for superior quality control and expertly-tailored end products that meet market needs. Our



#### **Lighting Product Lines**

Ametrix

AtLite

Corelite Ephesus

Fail-Safe Halo

Halo Commercial

Invue

io Iris

Lumark Lumière

McGraw-Edison

Metalux

MWS

Neo-Ray

Portfolio

RSA

Shaper Streetworks

Sure-Lites

#### **Controls Product Lines**

Greengate

#### **Connected Lighting Systems**

Fifth Light (Canada Only)

HALO Home WaveLinx

#### IoT Platform

Trellix



Connected Communities
LED Product Selection Guide

