

# WEG Standard Product Catalog

Pump Motors

2020



Register to keep your  
catalog up-to-date



# Pump Motors

## JET PUMP SINGLE-PHASE (56C/56J FRAMES)

|                   |       |
|-------------------|-------|
| TEFC – Foot Mount | A-192 |
| TEFC – Footless   | A-192 |
| ODP – Foot Mount  | A-193 |
| ODP – Footless    | A-193 |

## JET PUMP THREE-PHASE (56C/56J FRAMES)

|                   |       |
|-------------------|-------|
| TEFC – Foot Mount | A-194 |
| TEFC – Footless   | A-194 |
| ODP – Foot Mount  | A-195 |
| ODP – Footless    | A-195 |

## POOL & SPA SINGLE-PHASE MOTORS

|                                                           |       |
|-----------------------------------------------------------|-------|
| ODP – C-Face – Start Capacitor – High Service Factor      | A-197 |
| ODP – Square Face – Start Capacitor – High Service Factor | A-197 |
| ODP – C-Face – Start Capacitor – Low Service Factor       | A-198 |
| ODP – Square Face – Start Capacitor – Low Service Factor  | A-198 |

## CLOSE-COUPLED PUMP TEFC MOTORS

|                             |       |
|-----------------------------|-------|
| JM – TEFC – Single-Phase    | A-199 |
| JP – TEFC – Single-Phase    | A-200 |
| JM – TEFC – Three-Phase     | A-202 |
| JP – TEFC – Three-Phase     | A-206 |
| JP – TEFC – Explosion Proof | A-209 |

## CLOSE-COUPLED PUMP ODP MOTORS

|                                            |       |
|--------------------------------------------|-------|
| JM – ODP – Single-Phase                    | A-210 |
| JP – ODP – Single-Phase                    | A-210 |
| JM – ODP – Three-Phase                     | A-211 |
| JM – ODP – Three-Phase – Footless Vertical | A-214 |
| JP – ODP – Three-Phase                     | A-215 |
| JP – ODP – Three-Phase – Footless Vertical | A-218 |

## CLOSE-COUPLED PUMP TEFC MOTORS - WITH INTERNAL AEGIS® SGR

|                         |       |
|-------------------------|-------|
| JM – TEFC – Three-Phase | A-220 |
| JP – TEFC – Three-Phase | A-221 |

## CLOSE-COUPLED PUMP ODP MOTORS - WITH INTERNAL AEGIS® SGR

|                        |       |
|------------------------|-------|
| JM – ODP – Three-Phase | A-222 |
| JP – ODP – Three-Phase | A-223 |

## FIRE PUMP MOTORS

|                                            |       |
|--------------------------------------------|-------|
| ODP – Three-Phase                          | A-225 |
| ODP – Three-Phase – C-Face                 | A-227 |
| ODP – Three-Phase – JM - Footless Vertical | A-228 |
| ODP – Three-Phase – JP - Footless Vertical | A-229 |
| TEFC (50Hz) – Three-Phase – IE2            | A-231 |

## P-BASE MOTORS

|                                    |       |
|------------------------------------|-------|
| TEFC – Three-Phase – NEMA Premium® | A-233 |
|------------------------------------|-------|

# Pump Motors

## JET PUMP (56C/56J FRAMES)

These versatile motors have the torque and durability for the toughest commercial applications, yet are also economical choices for residential applications. Available with or without base and in “J” and “C” configurations

### ODP & TEFC - Single Phase

- Insulation class B
- Sealed ball bearings (Drive end)
- NEMA Service factor

### ODP & TEFC - Three Phase


- Insulation class B (ODP)
- Insulation class F (TEFC)
- NEMA Service factor



ODP Single Phase



ODP Three Phase



TEFC Single Phase



TEFC Three Phase

#### Features that make a difference:

##### ODP & TEFC - Single Phase

- Automatic Reset Thermal Overload Protector

- Stainless steel shaft end

##### ODP & TEFC - Three Phase

- Stainless steel shaft end

#### ADDITIONAL TECHNICAL DATA

CONTACT WEG OR VISIT [WWW.WEG.NET](http://WWW.WEG.NET)



# Pump Motors

JET PUMP SINGLE-PHASE (56C/56J FRAMES)

## TEFC - Foot Mount



| HP   | kW   | RPM  | Frame | Catalog Number    | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|------|------|------|-------|-------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 0.33 | 0.25 | 3600 | W56C  | .3336ES1BJPW56C-S | \$263      | P1A          | 24                            | 1.15           | 2.60           | 54.0        | 11.106             | 115/208-230 | 3;9   |
|      |      | 3600 | W56J  | .3336ES1BJPW56J-S | \$282      | P1B          | 22                            | 1.15           | 2.60           | 54.0        | 11.606             | 115/208-230 | 3;9   |
| 0.5  | 0.37 | 3600 | W56C  | .5036ES1BJPW56C-S | \$284      | P1A          | 26                            | 1.15           | 3.50           | 60.0        | 11.500             | 115/208-230 | 3;9   |
|      |      | 3600 | W56J  | .5036ES1BJPW56J-S | \$300      | P1B          | 24                            | 1.15           | 3.50           | 58.0        | 12.000             | 115/208-230 | 3;9   |
| 0.75 | 0.55 | 3600 | 56C   | .7536ES1BJP56C-S  | \$320      | P1A          | 29                            | 1.15           | 4.00           | 66.0        | 12.720             | 115/208-230 | 3;9   |
|      |      | 3600 | 56J   | .7536ES1BJP56J-S  | \$330      | P1B          | 29                            | 1.15           | 4.00           | 64.0        | 13.220             | 115/208-230 | 3;9   |
| 1    | 0.75 | 3600 | 56C   | 00136ES1BJP56C-S  | \$344      | P1A          | 32                            | 1.15           | 5.10           | 70.0        | 13.114             | 115/208-230 | 3;9   |
|      |      | 3600 | 56J   | 00136ES1BJP56J-S  | \$374      | P1B          | 33                            | 1.15           | 5.10           | 67.0        | 13.614             | 115/208-230 | 3;9   |
| 1.5  | 1.1  | 3600 | 56C   | 00156ES1BJP56C-S  | \$412      | P1A          | 37                            | 1.15           | 6.60           | 75.0        | 13.902             | 115/208-230 | 3;9   |
|      |      | 3600 | 56J   | 00156ES1BJP56J-S  | \$425      | P1B          | 37                            | 1.15           | 6.60           | 70.0        | 14.402             | 115/208-230 | 3;9   |
| 2    | 1.5  | 3600 | 56HC  | 00236ES1BJP56C-S  | \$487      | P1A          | 42                            | 1.15           | 8.70           | 74.0        | 14.295             | 115/208-230 | 3;9   |
|      |      | 3600 | 56HJ  | 00236ES1BJP56J-S  | \$486      | P1B          | 42                            | 1.15           | 8.70           | 74.0        | 14.795             | 115/208-230 | 3;9   |
| 3    | 2.2  | 3600 | 56HC  | 00336ES1DJP56C-S  | \$548      | P1A          | 51                            | 1.15           | 12.7           | 80.0        | 15.476             | 230         | 3;9   |
|      |      | 3600 | 56HJ  | 00336ES1DJP56J-S  | \$557      | P1B          | 53                            | 1.15           | 12.7           | 80.0        | 15.976             | 230         | 3;9   |



## TEFC - Footless

| HP   | kW   | RPM  | Frame | Catalog Number     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes  |
|------|------|------|-------|--------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|--------|
| 0.33 | 0.25 | 3600 | W56C  | .3336ES1BJPRW56C-S | \$282      | P1A          | 24                            | 1.15           | 2.60           | 54.0        | 11.106             | 115/208-230 | 3;9;20 |
|      |      | 3600 | W56J  | .3336ES1BJPRW56J-S | \$296      | P1B          | 21                            | 1.15           | 2.60           | 54.0        | 11.606             | 115/208-230 | 3;9;20 |
| 0.5  | 0.37 | 3600 | W56C  | .5036ES1BJPRW56C-S | \$299      | P1A          | 26                            | 1.15           | 3.50           | 60.0        | 11.500             | 115/208-230 | 3;9;20 |
|      |      | 3600 | W56J  | .5036ES1BJPRW56J-S | \$305      | P1B          | 24                            | 1.15           | 3.50           | 60.0        | 12.000             | 115/208-230 | 3;9;20 |
| 0.75 | 0.55 | 3600 | 56C   | .7536ES1BJPR56C-S  | \$341      | P1A          | 29                            | 1.15           | 4.00           | 66.0        | 12.720             | 115/208-230 | 3;9;20 |
|      |      | 3600 | 56J   | .7536ES1BJPR56J-S  | \$336      | P1B          | 29                            | 1.15           | 4.00           | 64.0        | 13.220             | 115/208-230 | 3;9;20 |
| 1    | 0.75 | 3600 | 56C   | 00136ES1BJPR56C-S  | \$357      | P1A          | 32                            | 1.15           | 5.10           | 70.0        | 13.114             | 115/208-230 | 3;9;20 |
|      |      | 3600 | 56J   | 00136ES1BJPR56J-S  | \$386      | P1B          | 32                            | 1.15           | 5.10           | 67.0        | 13.614             | 115/208-230 | 3;9;20 |
| 1.5  | 1.1  | 3600 | 56C   | 00156ES1BJPR56C-S  | \$432      | P1A          | 37                            | 1.15           | 6.60           | 75.0        | 13.902             | 115/208-230 | 3;9;20 |
|      |      | 3600 | 56J   | 00156ES1BJPR56J-S  | \$438      | P1B          | 37                            | 1.15           | 6.60           | 75.0        | 14.402             | 115/208-230 | 3;9;20 |
| 2    | 1.5  | 3600 | 56C   | 00236ES1BJPR56C-S  | \$494      | P1A          | 42                            | 1.15           | 8.70           | 77.0        | 14.295             | 115/208-230 | 3;9;20 |
|      |      | 3600 | 56J   | 00236ES1BJPR56J-S  | \$498      | P1B          | 41                            | 1.15           | 8.70           | 77.0        | 14.795             | 115/208-230 | 3;9;20 |
| 3    | 2.2  | 3600 | 56C   | 00336ES1DJP56C-S   | \$555      | P1A          | 51                            | 1.15           | 12.7           | 80.0        | 15.476             | 230         | 3;9;20 |
|      |      | 3600 | 56J   | 00336ES1DJP56J-S   | \$573      | P1B          | 53                            | 1.15           | 12.7           | 80.0        | 15.976             | 230         | 3;9;20 |



## JET PUMP SINGLE-PHASE (56C/56J FRAMES)

### ODP - Foot Mount

| HP   | kW   | RPM  | Frame | Catalog Number    | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|------|------|------|-------|-------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 0.33 | 0.25 | 3600 | W56J  | .33360S1BJPW56J-S | \$254      | P1B          | 19                            | 1.75           | 2.50           | 59.0        | 10.366             | 115/208-230 | 3;9   |
| 0.5  | 0.37 | 3600 | W56J  | .50360S1BJPW56J-S | \$258      | P1B          | 22                            | 1.60           | 3.30           | 65.0        | 10.760             | 115/208-230 | 3;9   |
| 0.75 | 0.55 | 3600 | W56J  | .75360S1BJPW56J-S | \$296      | P1B          | 25                            | 1.50           | 4.80           | 68.3        | 11.154             | 115/208-230 | 3;9   |
| 1    | 0.75 | 3600 | 56J   | 001360S1BJP56J-S  | \$334      | P1B          | 29                            | 1.40           | 6.40           | 68.0        | 12.008             | 115/208-230 | 3;9   |
| 1.5  | 1.1  | 3600 | 56J   | 001560S1BJP56J-S  | \$382      | P1B          | 33                            | 1.30           | 8.60           | 72.0        | 12.402             | 115/208-230 | 3;9   |
| 2    | 1.5  | 3600 | 56J   | 002360S1BJP56J-S  | \$438      | P1B          | 41                            | 1.20           | 10.9           | 75.0        | 13.189             | 115/208-230 | 3;9   |
| 3    | 2.2  | 3600 | 56J   | 003360S1DJP56J-S  | \$499      | P1B          | 46                            | 1.15           | 13.2           | 78.0        | 13.976             | 230         | 3;9   |



### ODP - Footless

| HP   | kW   | RPM  | Frame | Catalog Number     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes  |
|------|------|------|-------|--------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|--------|
| 0.33 | 0.25 | 3600 | W56C  | .33360S1BJPRW56C-S | \$237      | P1A          | 19                            | 1.75           | 2.50           | 59.0        | 9.866              | 115/208-230 | 3;9;20 |
|      |      | 3600 | W56J  | .33360S1BJPRW56J-S | \$255      | P1B          | 19                            | 1.75           | 2.50           | 59.0        | 10.366             | 115/208-230 | 3;9;20 |
| 0.5  | 0.37 | 3600 | W56C  | .50360S1BJPRW56C-S | \$255      | P1A          | 21                            | 1.60           | 3.30           | 65.0        | 10.260             | 115/208-230 | 3;9;20 |
|      |      | 3600 | W56J  | .50360S1BJPRW56J-S | \$258      | P1B          | 21                            | 1.60           | 3.30           | 65.0        | 10.760             | 115/208-230 | 3;9;20 |
| 0.75 | 0.55 | 3600 | W56C  | .75360S1BJPRW56C-S | \$297      | P1A          | 24                            | 1.50           | 4.80           | 67.0        | 10.654             | 115/208-230 | 3;9;20 |
|      |      | 3600 | W56J  | .75360S1BJPRW56J-S | \$296      | P1B          | 24                            | 1.50           | 4.80           | 68.3        | 11.154             | 115/208-230 | 3;9;20 |
| 1    | 0.75 | 3600 | 56C   | 001360S1BJPR56C-S  | \$317      | P1A          | 32                            | 1.40           | 6.40           | 68.0        | 11.496             | 115/208-230 | 3;9;20 |
|      |      | 3600 | 56J   | 001360S1BJPR56J-S  | \$334      | P1B          | 29                            | 1.40           | 6.40           | 66.3        | 12.008             | 115/208-230 | 3;9;20 |
| 1.5  | 1.1  | 3600 | 56C   | 001560S1BJPR56C-S  | \$338      | P1A          | 36                            | 1.30           | 8.60           | 72.0        | 11.890             | 115/208-230 | 3;9;20 |
|      |      | 3600 | 56J   | 001560S1BJPR56J-S  | \$382      | P1B          | 33                            | 1.30           | 8.60           | 73.2        | 12.402             | 115/208-230 | 3;9;20 |
| 2    | 1.5  | 3600 | 56C   | 002360S1BJPR56C-S  | \$424      | P1A          | 40                            | 1.20           | 10.9           | 75.0        | 12.677             | 115/208-230 | 3;9;20 |
|      |      | 3600 | 56J   | 002360S1BJPR56J-S  | \$438      | P1B          | 40                            | 1.20           | 10.9           | 75.0        | 13.189             | 115/208-230 | 3;9;20 |
| 3    | 2.2  | 3600 | 56C   | 003360S1DJP56C-S   | \$482      | P1A          | 45                            | 1.15           | 13.2           | 77.1        | 13.465             | 230         | 3;9;20 |
|      |      | 3600 | 56J   | 003360S1DJP56J-S   | \$499      | P1B          | 45                            | 1.15           | 13.2           | 77.1        | 13.976             | 230         | 3;9;20 |

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

# Pump Motors

JET PUMP THREE-PHASE (56C/56J FRAMES)

## TEFC - Foot Mount



| HP   | kW   | RPM  | Frame | Catalog Number    | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|------|------|------|-------|-------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 0.33 | 0.25 | 3600 | 56J   | .3336ES3EJP56J-S  | \$259      | P1B          | 24                            | 1.15           | 0.60           | 62.0        | 11.654             | 208-230/460 | 9     |
| 0.5  | 0.37 | 3600 | 56J   | .5036ES3EJP56J-S  | \$267      | P1B          | 26                            | 1.15           | 0.80           | 68.0        | 12.047             | 208-230/460 | 9     |
| 0.75 | 0.55 | 3600 | 56J   | .7536ES3EJP56J-S  | \$301      | P1B          | 27                            | 1.15           | 1.10           | 72.0        | 12.047             | 208-230/460 | 9     |
|      |      | 3600 | 56J   | .7536ES3HJP56J-S  | \$301      | P1B          | 27                            | 1.15           | 0.90           | 72.0        | 12.047             | 575         | 9     |
| 1    | 0.75 | 3600 | W56J  | 00136ET3EJPW56J-S | \$434      | P1B          | 25                            | 1.15           | 1.50           | 78.5        | 11.606             | 230/460     | 9     |
|      |      | 3600 | W56J  | 00136ET3HJPW56J-S | \$434      | P1B          | 25                            | 1.15           | 1.20           | 78.5        | 11.606             | 575         | 9     |
| 1.5  | 1.1  | 3600 | 56J   | 00156ET3EJP56J-S  | \$473      | P1B          | 41                            | 1.15           | 1.90           | 84.0        | 13.614             | 230/460     | 9     |
|      |      | 3600 | 56J   | 00156ET3HJP56J-S  | \$473      | P1B          | 41                            | 1.15           | 1.50           | 84.0        | 13.614             | 575         | 9     |
| 2    | 1.5  | 3600 | 56J   | 00236ET3EJP56J-S  | \$535      | P1B          | 46                            | 1.15           | 2.50           | 85.5        | 14.402             | 230/460     | 9     |
|      |      | 3600 | 56J   | 00236ET3HJP56J-S  | \$535      | P1B          | 46                            | 1.15           | 2.00           | 85.5        | 14.402             | 575         | 9     |
| 3    | 2.2  | 3600 | 56J   | 00336ET3EJP56J-S  | \$634      | P1B          | 55                            | 1.15           | 3.50           | 86.5        | 15.583             | 230/460     | 9     |
|      |      | 3600 | 56J   | 00336ET3HJP56J-S  | \$634      | P1B          | 55                            | 1.15           | 2.80           | 86.5        | 15.583             | 575         | 9     |



## TEFC - Footless

| HP   | kW   | RPM  | Frame | Catalog Number     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|------|------|------|-------|--------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 0.33 | 0.25 | 3600 | 56C   | .3336ES3EJPR56C-S  | \$257      | P1A          | 24                            | 1.15           | 0.60           | 62.0        | 11.142             | 208-230/460 | 9;20  |
|      |      | 3600 | 56J   | .3336ES3EJPR56J-S  | \$268      | P1B          | 24                            | 1.15           | 0.60           | 62.0        | 11.654             | 208-230/460 | 9;20  |
| 0.5  | 0.37 | 3600 | 56C   | .5036ES3EJPR56C-S  | \$270      | P1A          | 26                            | 1.15           | 0.80           | 68.0        | 11.535             | 208-230/460 | 9;20  |
|      |      | 3600 | 56J   | .5036ES3EJPR56J-S  | \$282      | P1B          | 26                            | 1.15           | 0.80           | 68.0        | 12.047             | 208-230/460 | 9;20  |
| 0.75 | 0.55 | 3600 | 56C   | .7536ES3EJPR56C-S  | \$293      | P1A          | 27                            | 1.15           | 1.10           | 72.0        | 11.535             | 208-230/460 | 9;20  |
|      |      | 3600 | 56J   | .7536ES3EJPR56J-S  | \$319      | P1B          | 27                            | 1.15           | 1.10           | 72.0        | 12.047             | 208-230/460 | 9;20  |
| 1    | 0.75 | 3600 | W56C  | 00136ET3EJPRW56C-S | \$425      | P1A          | 25                            | 1.15           | 1.50           | 78.5        | 11.106             | 230/460     | 9;20  |
|      |      | 3600 | W56J  | 00136ET3EJPRW56J-S | \$429      | P1B          | 25                            | 1.15           | 1.50           | 78.5        | 11.606             | 230/460     | 9;20  |
| 1.5  | 1.1  | 3600 | 56C   | 00156ET3EJPR56C-S  | \$455      | P1A          | 39                            | 1.15           | 1.90           | 84.0        | 13.114             | 230/460     | 9;20  |
|      |      | 3600 | 56J   | 00156ET3EJPR56J-S  | \$468      | P1B          | 41                            | 1.15           | 1.90           | 84.0        | 13.614             | 230/460     | 9;20  |
|      |      | 3600 | 56J   | 00156ET3HJP56J-S   | \$468      | P1B          | 41                            | 1.15           | 1.50           | 84.0        | 13.614             | 575         | 9;20  |
|      |      | 3600 | 56C   | 00236ET3EJPR56C-S  | \$490      | P1A          | 46                            | 1.15           | 2.50           | 85.5        | 13.901             | 230/460     | 9;20  |
| 2    | 1.5  | 3600 | 56J   | 00236ET3EJPR56J-S  | \$525      | P1B          | 46                            | 1.15           | 2.50           | 85.5        | 14.402             | 230/460     | 9;20  |
|      |      | 3600 | 56J   | 00236ET3HJP56J-S   | \$525      | P1B          | 46                            | 1.15           | 2.00           | 85.5        | 14.402             | 575         | 9;20  |
|      |      | 3600 | 56C   | 00336ET3EJPR56C-S  | \$602      | P1A          | 55                            | 1.15           | 3.50           | 86.5        | 15.083             | 230/460     | 9;20  |
| 3    | 2.2  | 3600 | 56J   | 00336ET3EJPR56J-S  | \$624      | P1B          | 55                            | 1.15           | 3.50           | 86.5        | 15.583             | 230/460     | 9;20  |



## JET PUMP THREE-PHASE (56C/56J FRAMES)

### ODP - Foot Mount

| HP   | kW   | RPM  | Frame | Catalog Number    | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|------|------|------|-------|-------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 0.33 | 0.25 | 3600 | 56J   | .33360S3EJP56J-S  | \$224      | P1B          | 21                            | 1.75           | 0.60           | 68.0        | 10.827             | 208-230/460 | 9     |
| 0.5  | 0.37 | 3600 | 56J   | .50360S3EJP56J-S  | \$236      | P1B          | 21                            | 1.60           | 0.90           | 68.0        | 10.827             | 208-230/460 | 9     |
|      |      | 3600 | 56J   | .50360S3HJP56J-S  | \$236      | P1B          | 21                            | 1.60           | 0.70           | 70.0        | 10.827             | 575         | 9     |
| 0.75 | 0.55 | 3600 | 56J   | .75360S3EJP56J-S  | \$271      | P1B          | 24                            | 1.50           | 1.20           | 72.0        | 11.220             | 208-230/460 | 9     |
|      |      | 3600 | 56J   | .75360S3HJP56J-S  | \$271      | P1B          | 24                            | 1.50           | 1.00           | 72.0        | 11.220             | 575         | 9     |
| 1    | 0.75 | 3600 | 56J   | .001360S3EJP56J-S | \$286      | P1B          | 25                            | 1.40           | 1.50           | 74.0        | 11.220             | 208-230/460 | 9     |
|      |      | 3600 | 56J   | .001360S3HJP56J-S | \$286      | P1B          | 25                            | 1.40           | 1.20           | 75.5        | 11.220             | 575         | 9     |
| 1.5  | 1.1  | 3600 | 56J   | .001560S3EJP56J-S | \$296      | P1B          | 28                            | 1.30           | 2.10           | 77.0        | 11.614             | 208-230/460 | 9     |
|      |      | 3600 | 56J   | .001560S3HJP56J-S | \$296      | P1B          | 28                            | 1.30           | 1.70           | 77.0        | 11.614             | 575         | 9     |
| 2    | 1.5  | 3600 | 56HJ  | .002360S3EJP56J-S | \$316      | P1B          | 32                            | 1.20           | 2.80           | 78.5        | 12.008             | 208-230/460 | 9     |
|      |      | 3600 | 56HJ  | .002360S3HJP56J-S | \$316      | P1B          | 32                            | 1.20           | 2.30           | 78.5        | 12.008             | 575         | 9     |
| 3    | 2.2  | 3600 | 56HJ  | .003360S3EJP56J-S | \$339      | P1B          | 38                            | 1.15           | 3.90           | 81.5        | 12.795             | 208-230/460 | 9     |
|      |      | 3600 | 56HJ  | .003360S3HJP56J-S | \$339      | P1B          | 38                            | 1.15           | 3.10           | 81.5        | 12.795             | 575         | 9     |



### ODP - Footless

| HP   | kW   | RPM  | Frame | Catalog Number     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|------|------|------|-------|--------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 0.33 | 0.25 | 3600 | 56C   | .33360S3EJPR56C-S  | \$220      | P1A          | 22                            | 1.75           | 0.60           | 68.0        | 10.315             | 208-230/460 | 9;20  |
|      |      | 3600 | 56J   | .33360S3EJPR56J-S  | \$229      | P1B          | 21                            | 1.75           | 0.60           | 66.0        | 10.827             | 208-230/460 | 9;20  |
| 0.5  | 0.37 | 3600 | 56C   | .50360S3EJPR56C-S  | \$224      | P1A          | 29                            | 1.60           | 0.90           | 70.0        | 10.315             | 208-230/460 | 9;20  |
|      |      | 3600 | 56J   | .50360S3EJPR56J-S  | \$241      | P1B          | 21                            | 1.60           | 0.90           | 68.0        | 10.827             | 208-230/460 | 9;20  |
| 0.75 | 0.55 | 3600 | 56C   | .75360S3EJPR56C-S  | \$257      | P1A          | 24                            | 1.50           | 1.20           | 70.0        | 10.709             | 208-230/460 | 9;20  |
|      |      | 3600 | 56J   | .75360S3EJPR56J-S  | \$278      | P1B          | 24                            | 1.50           | 1.20           | 72.0        | 11.22              | 208-230/460 | 9;20  |
|      |      | 3600 | 56C   | .75360S3HJPR56C-S  | \$257      | P1A          | 24                            | 1.50           | 1.00           | 70.0        | 10.709             | 575         | 9;20  |
|      |      | 3600 | 56J   | .75360S3HJPR56J-S  | \$277      | P1B          | 24                            | 1.50           | 1.00           | 70.0        | 11.220             | 575         | 9;20  |
| 1    | 0.75 | 3600 | 56C   | .001360S3EJPR56C-S | \$274      | P1A          | 25                            | 1.40           | 1.50           | 75.5        | 10.709             | 208-230/460 | 9;20  |
|      |      | 3600 | 56J   | .001360S3EJPR56J-S | \$287      | P1B          | 25                            | 1.40           | 1.50           | 74.0        | 11.220             | 208-230/460 | 9;20  |
| 1.5  | 1.1  | 3600 | 56C   | .001560S3EJPR56C-S | \$290      | P1A          | 28                            | 1.30           | 2.10           | 77.0        | 11.102             | 208-230/460 | 9;20  |
|      |      | 3600 | 56J   | .001560S3EJPR56J-S | \$305      | P1B          | 28                            | 1.30           | 2.10           | 77.0        | 11.614             | 208-230/460 | 9;20  |
|      |      | 3600 | 56C   | .001560S3HJPR56C-S | \$290      | P1A          | 28                            | 1.30           | 1.70           | 77.0        | 11.102             | 575         | 9;20  |
| 2    | 1.5  | 3600 | 56C   | .002360S3EJPR56C-S | \$311      | P1A          | 30                            | 1.20           | 2.80           | 78.5        | 11.496             | 208-230/460 | 9;20  |
|      |      | 3600 | 56J   | .002360S3EJPR56J-S | \$321      | P1B          | 32                            | 1.20           | 2.80           | 78.5        | 12.008             | 208-230/460 | 9;20  |
|      |      | 3600 | 56C   | .002360S3HJPR56C-S | \$311      | P1A          | 30                            | 1.20           | 2.30           | 78.5        | 11.496             | 575         | 9;20  |
|      |      | 3600 | 56J   | .002360S3HJPR56J-S | \$321      | P1B          | 32                            | 1.20           | 2.30           | 78.5        | 12.008             | 575         | 9;20  |
| 3    | 2.2  | 3600 | 56C   | .003360S3EJPR56C-S | \$332      | P1A          | 35                            | 1.15           | 3.90           | 81.5        | 12.283             | 208-230/460 | 9;20  |
|      |      | 3600 | 56J   | .003360S3EJPR56J-S | \$350      | P1B          | 38                            | 1.15           | 3.90           | 81.5        | 12.795             | 208-230/460 | 9;20  |

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

# Pump Motors

## POOL & SPA MOTORS

### ODP


These motors are specially designed for pool duty. Available in high and low Service Factor.

#### Standard Features:

- C-Face is cast iron; square flange is aluminum
- Class B insulation



C-Face



Square Face

#### Features that make a difference:

- Dual compartment for easy maintenance
- Rated for 50 degrees Celsius ambient temperature
- Stainless steel shaft (AISI 316)
- Automatic Reset thermal overload protection
- Threaded shaft
- Internal and external grounding
- Terminal box threaded NPT 1/2"
- Sealed bearings
- Drive endshield sealing (V'ring for C-face, Lip Seal for Square flange)
- Epoxy coating

#### ADDITIONAL TECHNICAL DATA

CONTACT WEG OR VISIT [WWW.WEG.NET](http://WWW.WEG.NET)





### ODP - C-Face - Start Capacitor - High Service Factor

| HP   | kW   | RPM  | Frame | Catalog Number          | List Price   | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes  |
|------|------|------|-------|-------------------------|--------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|--------|
| 0.5  | 0.37 | 3600 | K56J  | <a href="#">PCJ105H</a> | <b>\$236</b> | P1D          | 23                            | 1.60           | 4.55           | 60.4       | 13.898             | 115/230     | 3;9;20 |
| 0.75 | 0.55 | 3600 | K56J  | <a href="#">PCJ107H</a> | <b>\$263</b> | P1D          | 27                            | 1.50           | 5.60           | 65.8       | 13.898             | 115/230     | 3;9;20 |
| 1    | 0.75 | 3600 | L56J  | <a href="#">PCJ110H</a> | <b>\$300</b> | P1D          | 30                            | 1.40           | 7.05           | 69.7       | 14.488             | 115/230     | 3;9;20 |
| 1.5  | 1.1  | 3600 | M56J  | <a href="#">PCJ115H</a> | <b>\$400</b> | P1D          | 33                            | 1.30           | 7.50           | 76.3       | 15.079             | 230         | 3;9;20 |
| 2    | 1.5  | 3600 | M56J  | <a href="#">PCJ120H</a> | <b>\$486</b> | P1D          | 34                            | 1.20           | 9.20           | 78.3       | 15.079             | 230         | 3;9;20 |



### ODP - Square Face - Start Capacitor - High Service Factor

| HP   | kW   | RPM  | Frame | Catalog Number          | List Price   | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes  |
|------|------|------|-------|-------------------------|--------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|--------|
| 0.33 | 0.25 | 3600 | K48Y  | <a href="#">PCQ103H</a> | <b>\$231</b> | P1D          | 20                            | 1.95           | 3.45           | 55.0       | 12.913             | 115/230     | 3;9;20 |
| 0.5  | 0.37 | 3600 | K48Y  | <a href="#">PCQ105H</a> | <b>\$241</b> | P1D          | 22                            | 1.90           | 4.55           | 60.4       | 12.913             | 115/230     | 3;9;20 |
| 0.75 | 0.55 | 3600 | K48Y  | <a href="#">PCQ107H</a> | <b>\$275</b> | P1D          | 26                            | 1.65           | 5.60           | 65.8       | 12.913             | 115/230     | 3;9;20 |
| 1    | 0.75 | 3600 | L48Y  | <a href="#">PCQ110H</a> | <b>\$320</b> | P1D          | 29                            | 1.65           | 7.05           | 69.7       | 13.504             | 115/230     | 3;9;20 |
| 1.5  | 1.1  | 3600 | M48Y  | <a href="#">PCQ115H</a> | <b>\$411</b> | P1D          | 32                            | 1.50           | 7.50           | 76.3       | 14.094             | 230         | 3;9;20 |
| 2    | 1.5  | 3600 | M48Y  | <a href="#">PCQ120H</a> | <b>\$500</b> | P1D          | 33                            | 1.30           | 9.20           | 78.3       | 14.094             | 230         | 3;9;20 |




### ODP - C-Face - Start Capacitor - Low Service Factor

| HP   | kW   | RPM  | Frame | Catalog Number         | List Price   | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes  |
|------|------|------|-------|------------------------|--------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|--------|
| 0.75 | 0.55 | 3600 | K56J  | <a href="#">PCJ107</a> | <b>\$236</b> | P1D          | 23                            | 1.30           | 5.10           | 66.2       | 13.898             | 115/230     | 3;9;20 |
| 1    | 0.75 | 3600 | K56J  | <a href="#">PCJ110</a> | <b>\$263</b> | P1D          | 26                            | 1.25           | 6.25           | 70.1       | 13.898             | 115/230     | 3;9;20 |
| 1.5  | 1.1  | 3600 | L56J  | <a href="#">PCJ115</a> | <b>\$300</b> | P1D          | 30                            | 1.10           | 8.85           | 69.6       | 14.488             | 115/230     | 3;9;20 |
| 2    | 1.5  | 3600 | M56J  | <a href="#">PCJ120</a> | <b>\$400</b> | P1D          | 33                            | 1.10           | 9.30           | 76.6       | 15.079             | 230         | 3;9;20 |
| 2.5  | 1.9  | 3600 | M56J  | <a href="#">PCJ125</a> | <b>\$486</b> | P1D          | 34                            | 1.04           | 10.8           | 80.7       | 15.079             | 230         | 3;9;20 |



### ODP - Square Face - Start Capacitor - Low Service Factor

| HP   | kW   | RPM  | Frame | Catalog Number         | List Price   | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes  |
|------|------|------|-------|------------------------|--------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|--------|
| 0.50 | 0.37 | 3600 | K48Y  | <a href="#">PCQ105</a> | <b>\$231</b> | P1D          | 20                            | 1.30           | 3.75           | 61.8       | 12.913             | 115/230     | 3;9;20 |
| 0.75 | 0.55 | 3600 | K48Y  | <a href="#">PCQ107</a> | <b>\$241</b> | P1D          | 22                            | 1.30           | 5.10           | 66.2       | 12.913             | 115/230     | 3;9;20 |
| 1    | 0.75 | 3600 | K48Y  | <a href="#">PCQ110</a> | <b>\$275</b> | P1D          | 26                            | 1.25           | 6.25           | 70.1       | 12.913             | 115/230     | 3;9;20 |
| 1.5  | 1.1  | 3600 | L48Y  | <a href="#">PCQ115</a> | <b>\$320</b> | P1D          | 29                            | 1.10           | 8.85           | 69.6       | 13.504             | 115/230     | 3;9;20 |
| 2    | 1.5  | 3600 | M48Y  | <a href="#">PCQ120</a> | <b>\$411</b> | P1D          | 32                            | 1.10           | 9.30           | 76.6       | 14.094             | 230         | 3;9;20 |
| 2.5  | 1.9  | 3600 | M48Y  | <a href="#">PCQ125</a> | <b>\$500</b> | P1D          | 33                            | 1.04           | 10.8           | 80.7       | 14.094             | 230         | 3;9;20 |



### JM - TEFC - Single-Phase

| HP  | kW   | RPM  | Frame | Catalog Number | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|-------|----------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 0.5 | 0.37 | 3600 | 143JM | .5036ES1E143JM | \$668      | P1           | 26                            | 1.15           | 1.90           | 60.0        | 15.866             | 208-230/460 |       |
| 1   | 0.75 | 3600 | 143JM | 00136ES1E143JM | \$682      | P1           | 53                            | 1.15           | 3.15           | 67.0        | 15.866             | 208-230/460 |       |
|     |      | 1800 | 143JM | 00118ES1E143JM | \$687      | P1           | 60                            | 1.15           | 2.65           | 75.0        | 15.866             | 208-230/460 |       |
| 1.5 | 1.1  | 3600 | 143JM | 00156ES1E143JM | \$729      | P1           | 56                            | 1.15           | 3.90           | 73.0        | 15.866             | 208-230/460 |       |
|     |      | 1800 | 145JM | 00158ES1E145JM | \$754      | P1           | 67                            | 1.15           | 3.60           | 77.0        | 16.458             | 208-230/460 |       |
| 2   | 1.5  | 3600 | 145JM | 00236ES1E145JM | \$770      | P1           | 61                            | 1.15           | 4.90           | 79.0        | 16.458             | 208-230/460 |       |
|     |      | 1800 | 145JM | 00218ES1E145JM | \$814      | P1           | 67                            | 1.15           | 4.60           | 78.0        | 16.458             | 208-230/460 |       |
| 3   | 2.2  | 3600 | 145JM | 00336ES1E145JM | \$1,076    | P1           | 70                            | 1.15           | 6.75           | 79.0        | 16.458             | 208-230/460 |       |
|     |      | 3600 | 145JM | 00336ES1C145JM | \$1,076    | P1           | 70                            | 1.15           | 13.5           | 79.0        | 16.458             | 208-230     |       |
|     |      | 3600 | 145JM | 00336ES1B145JM | \$1,076    | P1           | 61                            | 1.15           | 13.5           | 79.0        | 16.458             | 115/208-230 |       |
|     |      | 1800 | 184JM | 00318ES1E184JM | \$1,182    | P1           | 101                           | 1.15           | 6.80           | 77.0        | 17.368             | 208-230/460 |       |
|     |      | 1800 | 184JM | 00318ES1B184JM | \$1,182    | P1           | 100                           | 1.15           | 13.6           | 77.0        | 17.368             | 115/208-230 |       |
| 5   | 3.7  | 3600 | 184JM | 00536ES1E184JM | \$1,457    | P1           | 110                           | 1.15           | 10.5           | 83.0        | 17.368             | 208-230/460 |       |
|     |      | 3600 | 184JM | 00536ES1C184JM | \$1,457    | P1           | 111                           | 1.15           | 21.0           | 83.0        | 17.368             | 208-230     |       |
|     |      | 3600 | 184JM | 00536ES1B184JM | \$1,457    | P1           | 111                           | 1.15           | 21.0           | 83.0        | 17.368             | 115/208-230 |       |
|     |      | 1800 | 184JM | 00518ES1E184JM | \$1,430    | P1           | 121                           | 1.15           | 10.7           | 79.0        | 17.368             | 208-230/460 |       |
|     |      | 1800 | 184JM | 00518ES1B184JM | \$1,430    | P1           | 120                           | 1.15           | 21.4           | 79.0        | 17.368             | 115/208-230 |       |
| 7.5 | 5.5  | 3600 | 213JM | 00736ES1E213JM | \$1,641    | P1           | 153                           | 1.15           | 14.9           | 86.0        | 18.904             | 208-230/460 |       |
|     |      | 3600 | 213JM | 00736ES1C213JM | \$1,641    | P1           | 153                           | 1.15           | 29.8           | 86.0        | 18.904             | 208-230     |       |
|     |      | 1800 | 215JM | 00718ES1E215JM | \$1,762    | P1           | 168                           | 1.15           | 17.0           | 83.0        | 20.400             | 208-230/460 |       |
|     |      | 1800 | 215JM | 00718ES1C215JM | \$1,766    | P1           | 168                           | 1.15           | 34.0           | 83.0        | 20.400             | 208-230     |       |
| 10  | 7.5  | 3600 | 215JM | 01036ES1E215JM | \$2,172    | P1           | 167                           | 1.15           | 19.4           | 86.0        | 20.400             | 208-230/460 |       |
|     |      | 3600 | 215JM | 01036ES1C215JM | \$2,172    | P1           | 167                           | 1.15           | 38.8           | 86.0        | 20.400             | 208-230     |       |
|     |      | 1800 | 215JM | 01018ES1E215JM | \$2,057    | P1           | 193                           | 1.15           | 19.5           | 84.0        | 20.400             | 208-230/460 |       |
|     |      | 1800 | 215JM | 01018ES1C215JM | \$2,057    | P1           | 193                           | 1.15           | 39.0           | 84.0        | 20.400             | 208-230     |       |

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

**A-199**

# Pump Motors

## CLOSE-COUPLED PUMP TEFC MOTORS

### JP - TEFC - Single-Phase




| HP  | kW   | RPM  | Frame | Catalog Number | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|-------|----------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 0.5 | 0.37 | 3600 | 143JP | .5036ES1E143JP | \$668      | P1           | 26                            | 1.15           | 1.90           | 60.0        | 18.519             | 208-230/460 |       |
| 1   | 0.75 | 1800 | 143JP | 00118ES1E143JP | \$687      | P1           | 61                            | 1.15           | 2.65           | 75.0        | 18.519             | 208-230/460 |       |
| 1.5 | 1.1  | 3600 | 143JP | 00156ES1E143JP | \$729      | P1           | 37                            | 1.15           | 3.90           | 73.0        | 18.519             | 208-230/460 |       |
|     |      | 1800 | 145JP | 00158ES1E145JP | \$754      | P1           | 49                            | 1.15           | 3.60           | 77.0        | 19.519             | 208-230/460 |       |
| 2   | 1.5  | 3600 | 145JP | 00236ES1E145JP | \$770      | P1           | 45                            | 1.15           | 4.90           | 79.0        | 19.519             | 208-230/460 |       |
|     |      | 1800 | 145JP | 00218ES1E145JP | \$814      | P1           | 54                            | 1.15           | 4.60           | 78.0        | 19.519             | 208-230/460 |       |
| 3   | 2.2  | 3600 | 145JP | 00336ES1E145JP | \$1,076    | P1           | 71                            | 1.15           | 6.75           | 79.0        | 19.519             | 208-230/460 |       |
|     |      | 3600 | 145JP | 00336ES1B145JP | \$1,076    | P1           | 62                            | 1.15           | 13.5           | 79.0        | 19.519             | 115/208-230 |       |
|     |      | 1800 | 184JP | 00318ES1E184JP | \$1,182    | P1           | 131                           | 1.15           | 6.80           | 77.0        | 20.429             | 208-230/460 |       |
|     |      | 1800 | 184JP | 00318ES1B184JP | \$1,182    | P1           | 131                           | 1.15           | 13.6           | 77.0        | 20.429             | 115/208-230 |       |
| 5   | 3.7  | 3600 | 184JP | 00536ES1E184JP | \$1,457    | P1           | 117                           | 1.15           | 10.5           | 83.0        | 20.429             | 208-230/460 |       |
|     |      | 3600 | 184JP | 00536ES1B184JP | \$1,457    | P1           | 116                           | 1.15           | 21.0           | 83.0        | 20.429             | 115/208-230 |       |
|     |      | 1800 | 184JP | 00518ES1E184JP | \$1,430    | P1           | 153                           | 1.15           | 10.7           | 79.0        | 20.429             | 208-230/460 |       |
|     |      | 1800 | 184JP | 00518ES1B184JP | \$1,430    | P1           | 153                           | 1.15           | 21.4           | 79.0        | 20.429             | 115/208-230 |       |
| 7.5 | 5.5  | 3600 | 213JP | 00736ES1E213JP | \$1,641    | P1           | 163                           | 1.15           | 14.9           | 86.0        | 22.776             | 208-230/460 |       |
|     |      | 3600 | 213JP | 00736ES1C213JP | \$1,641    | P1           | 163                           | 1.15           | 29.8           | 86.0        | 22.776             | 208-230     |       |
|     |      | 1800 | 215JP | 00718ES1E215JP | \$1,762    | P1           | 179                           | 1.15           | 17.0           | 83.0        | 24.272             | 208-230/460 |       |
| 10  | 7.5  | 3600 | 215JP | 01036ES1E215JP | \$2,172    | P1           | 177                           | 1.15           | 19.4           | 86.0        | 24.272             | 208-230/460 |       |
|     |      | 3600 | 215JP | 01036ES1C215JP | \$2,172    | P1           | 177                           | 1.15           | 38.8           | 86.0        | 24.272             | 208-230     |       |
|     |      | 1800 | 215JP | 01018ES1E215JP | \$2,057    | P1           | 203                           | 1.15           | 19.5           | 84.0        | 24.272             | 208-230/460 |       |

# Pump Motors

## CLOSE-COUPLED PUMP MOTORS

### ODP - Three Phase

WEG Open Drip Proof motors are designed to meet demanding applications in environments where dirt and humidity are minimal. These motors are specifically designed to provide maximum ventilation and heat dissipation.



**Inverter Rated: 1000 : 1 for variable torque**

#### Features that make a difference:

- For rolled steel motors: 50/60 Hz rated (380V on Nameplate - 400/415 Available - Same Horse Power at 50 Hz with a 1.0 Service Factor)
- For W40 - cast iron motors: Nameplated 50 Hz at reduced HP IE3 efficiency and CE mark
- Class F insulation (Impregnation Resin and Magnet wire are class H)
- F1 Mounted (Cast Iron Frame motors are F2 convertible)
- Stainless Steel Nameplate - Laser etched with high contrast background (Cast Iron Frame only)
- Regreasable ball bearings (Frames 254JM/JP and up)
- AEGIS Ring™ inside available

### TEFC - Three Phase

High performance with maximum energy efficiency, this is the meaning of the new WEG electric motor. High efficiency and Low cost of Ownership throughout the entire motor lifetime have been the basis for the W22 development. A design created to anticipate concepts on performance and energy savings.

WEG's W22 cast iron platform has an improved cooling system and solid feet for cooler operation and reduced vibration and noise extending the life of the motor.



**Inverter Rated: 1000 : 1 for variable torque**

#### Standard Features:

- 50/60 Hz rated (380V on Nameplate - 400/415 Available - Same Horse Power at 50 Hz with a 1.0 Service Factor)
- Class F insulation (Impregnation Resin and Magnet wire are class H)
- F1 Mounted (Cast Iron frames are F2 convertible)
- Stainless Steel Nameplate - Laser etched with high contrast background (cast iron frame only)
- Regreasable ball bearings (Frames 254JM/JP and up)
- Gasketed conduit box
- Class I, Div. 2, Groups A, B, C & D – T3, Class II, Div 2, Groups F & G – T3C


#### Features that make a difference:

- 1.25 Service Factor
- Optimized ventilation system for cooler operation and reduced noise levels
- Solid base for reduced vibration levels
- NPT Threaded terminal box
- AEGIS Ring™ inside available

#### ADDITIONAL TECHNICAL DATA

**ELECTRICAL DATA:** TEFC Rolled Steel B-32 & B-35  
TEFC W22 - B-33 & B-36  
ODP RS - B-38 & B-40  
ODP W40 Cast Iron - B-39 & B-41

**MECHANICAL DATA:** TEFC RS - B-98 & B-103  
TEFC W22 - B-100 & B-105  
ODP RS - B-108  
ODP W40 Cast Iron - B-111



| HP  | kW   | RPM  | Frame   | Catalog Number                     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|------------------------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 1   | 0.75 | 1800 | 143/5JM | <a href="#">00118ET3E143JM-S</a>   | \$613      | P1S          | 45                            | 1.15           | 1.50           | 85.5        | 16.102             | 230/460     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">00118ET3H143JM-S</a>   | \$613      | P1S          | 45                            | 1.15           | 1.20           | 85.5        | 16.102             | 575         | 9     |
|     |      | 1800 | 143/5JM | <a href="#">00118ET3V143JM-S</a>   | \$613      | P1S          | 45                            | 1.15           | 1.70           | 85.5        | 16.102             | 200/400     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">00118ET3E143JM-W22</a> | \$613      | P1           | 55                            | 1.25           | 1.47           | 85.5        | 15.675             | 230/460     |       |
|     |      | 1800 | 143/5JM | <a href="#">00118ET3H143JM-W22</a> | \$613      | P1           | 55                            | 1.25           | 1.18           | 85.5        | 15.675             | 575         |       |
|     |      | 1200 | 143/5JM | <a href="#">00112ET3E145JM-S</a>   | \$700      | P1S          | 45                            | 1.15           | 1.60           | 82.5        | 16.102             | 230/460     | 9     |
|     |      | 1200 | 143/5JM | <a href="#">00112ET3E145JM-W22</a> | \$700      | P1           | 62                            | 1.25           | 1.73           | 82.5        | 15.675             | 230/460     |       |
| 1.5 | 1.1  | 3600 | 143/5JM | <a href="#">00156ET3E143JM-S</a>   | \$710      | P1S          | 41                            | 1.15           | 1.90           | 84.0        | 15.709             | 230/460     | 9     |
|     |      | 3600 | 143/5JM | <a href="#">00156ET3E143JM-W22</a> | \$710      | P1           | 57                            | 1.25           | 1.96           | 84.0        | 15.675             | 230/460     |       |
|     |      | 1800 | 143/5JM | <a href="#">00158ET3E145JM-S</a>   | \$643      | P1S          | 47                            | 1.15           | 2.00           | 86.5        | 16.102             | 230/460     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">00158ET3H145JM-S</a>   | \$643      | P1S          | 47                            | 1.15           | 1.60           | 86.5        | 16.102             | 575         | 9     |
|     |      | 1800 | 143/5JM | <a href="#">00158ET3V145JM-S</a>   | \$643      | P1S          | 47                            | 1.15           | 2.30           | 86.5        | 16.102             | 200/400     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">00158ET3E145JM-W22</a> | \$643      | P1           | 61                            | 1.25           | 2.02           | 86.5        | 15.675             | 230/460     |       |
|     |      | 1800 | 143/5JM | <a href="#">00158ET3H145JM-W22</a> | \$643      | P1           | 61                            | 1.25           | 1.62           | 86.5        | 15.675             | 575         |       |
|     |      | 1200 | 182/4JM | <a href="#">00152ET3E182JM-S</a>   | \$909      | P1S          | 84                            | 1.15           | 2.20           | 87.5        | 17.835             | 230/460     | 9     |
|     |      | 1200 | 182/4JM | <a href="#">00152ET3E182JM-W22</a> | \$909      | P1           | 99                            | 1.25           | 2.54           | 87.5        | 17.411             | 230/460     |       |
| 2   | 1.5  | 3600 | 143/5JM | <a href="#">00236ET3E145JM-S</a>   | \$683      | P1S          | 47                            | 1.15           | 2.50           | 85.5        | 16.496             | 230/460     | 9     |
|     |      | 3600 | 143/5JM | <a href="#">00236ET3H145JM-S</a>   | \$683      | P1S          | 47                            | 1.15           | 2.00           | 85.5        | 16.496             | 575         | 9     |
|     |      | 3600 | 143/5JM | <a href="#">00236ET3V145JM-S</a>   | \$683      | P1S          | 47                            | 1.15           | 2.80           | 85.5        | 16.496             | 200/400     | 9     |
|     |      | 3600 | 143/5JM | <a href="#">00236ET3E145JM-W22</a> | \$683      | P1           | 61                            | 1.25           | 2.56           | 85.5        | 15.675             | 230/460     |       |
|     |      | 3600 | 143/5JM | <a href="#">00236ET3H145JM-W22</a> | \$683      | P1           | 58                            | 1.25           | 2.05           | 85.5        | 15.675             | 575         |       |
|     |      | 1800 | 143/5JM | <a href="#">00218ET3E145JM-S</a>   | \$707      | P1S          | 50                            | 1.15           | 2.70           | 86.5        | 16.496             | 230/460     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">00218ET3H145JM-S</a>   | \$707      | P1S          | 50                            | 1.15           | 2.20           | 86.5        | 16.496             | 575         | 9     |
|     |      | 1800 | 143/5JM | <a href="#">00218ET3V145JM-S</a>   | \$707      | P1S          | 50                            | 1.15           | 3.10           | 86.5        | 16.496             | 200/400     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">00218ET3E145JM-W22</a> | \$707      | P1           | 62                            | 1.25           | 2.76           | 86.5        | 15.675             | 230/460     |       |
|     |      | 1800 | 143/5JM | <a href="#">00218ET3H145JM-W22</a> | \$707      | P1           | 62                            | 1.25           | 2.21           | 86.5        | 15.675             | 575         |       |
|     |      | 1200 | 182/4JM | <a href="#">00212ET3E184JM-S</a>   | \$1,021    | P1S          | 97                            | 1.15           | 3.00           | 88.5        | 18.622             | 230/460     | 9     |
|     |      | 1200 | 182/4JM | <a href="#">00212ET3E184JM-W22</a> | \$1,021    | P1           | 105                           | 1.25           | 3.23           | 88.5        | 17.411             | 230/460     | 39    |
| 3   | 2.2  | 3600 | 143/5JM | <a href="#">00336ET3E145JM-S</a>   | \$897      | P1S          | 56                            | 1.15           | 3.50           | 86.5        | 17.677             | 230/460     | 9;12  |
|     |      | 3600 | 143/5JM | <a href="#">00336ET3H145JM-S</a>   | \$897      | P1S          | 56                            | 1.15           | 2.80           | 86.5        | 17.677             | 575         | 9;12  |
|     |      | 3600 | 182/4JM | <a href="#">00336ET3E182JM-S</a>   | \$918      | P1S          | 81                            | 1.15           | 3.70           | 86.5        | 17.835             | 230/460     | 9     |
|     |      | 3600 | 182/4JM | <a href="#">00336ET3H182JM-S</a>   | \$918      | P1S          | 81                            | 1.15           | 2.90           | 86.5        | 17.835             | 575         | 9     |
|     |      | 3600 | 143/5JM | <a href="#">00336ET3E145JM-W22</a> | \$764      | P1           | 60                            | 1.25           | 3.71           | 86.5        | 15.675             | 230/460     | 12    |
|     |      | 3600 | 143/5JM | <a href="#">00336ET3H145JM-W22</a> | \$764      | P1           | 60                            | 1.25           | 2.97           | 86.5        | 15.675             | 575         | 12    |
|     |      | 3600 | 182/4JM | <a href="#">00336ET3E182JM-W22</a> | \$918      | P1           | 101                           | 1.25           | 3.63           | 86.5        | 17.411             | 230/460     |       |
|     |      | 3600 | 182/4JM | <a href="#">00336ET3H182JM-W22</a> | \$918      | P1           | 101                           | 1.25           | 2.90           | 86.5        | 17.411             | 575         |       |
|     |      | 1800 | 182/4JM | <a href="#">00318ET3E182JM-S</a>   | \$1,022    | P1S          | 101                           | 1.15           | 3.80           | 89.5        | 19.409             | 230/460     | 9     |
|     |      | 1800 | 182/4JM | <a href="#">00318ET3H182JM-S</a>   | \$1,022    | P1S          | 101                           | 1.15           | 3.10           | 89.5        | 19.409             | 575         | 9     |
|     |      | 1800 | 182/4JM | <a href="#">00318ET3V182JM-S</a>   | \$1,022    | P1S          | 101                           | 1.15           | 4.40           | 89.5        | 19.409             | 200/400     | 9     |
|     |      | 1800 | 182/4JM | <a href="#">00318ET3E182JMV-S</a>  | \$1,080    | P1S          | 101                           | 1.15           | 3.80           | 89.5        | 20.749             | 230/460     | 9;15  |
|     |      | 1800 | 182/4JM | <a href="#">00318ET3E182JM-W22</a> | \$1,022    | P1           | 97                            | 1.25           | 3.91           | 89.5        | 17.411             | 230/460     |       |
|     |      | 1800 | 182/4JM | <a href="#">00318ET3H182JM-W22</a> | \$1,022    | P1           | 96                            | 1.25           | 3.13           | 89.5        | 17.411             | 575         |       |
|     |      | 1200 | 213/5JM | <a href="#">00312ET3E213JM-S</a>   | \$1,423    | P1S          | 147                           | 1.15           | 4.20           | 89.5        | 20.433             | 230/460     | 9     |
|     |      | 1200 | 213/5JM | <a href="#">00312ET3E213JM-W22</a> | \$1,423    | P1           | 160                           | 1.25           | 4.41           | 89.5        | 20.392             | 230/460     |       |

continued on next page

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

### JM - TEFC - Three-Phase - *continued*

| HP  | kW  | RPM  | Frame   | Catalog Number                     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|-----|------|---------|------------------------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 5   | 3.7 | 3600 | 182/4JM | <a href="#">00536ET3E184JM-S</a>   | \$1,075    | P1S          | 99                            | 1.15           | 5.90           | 88.5        | 19.409             | 230/460     | 9     |
|     |     | 3600 | 182/4JM | <a href="#">00536ET3H184JM-S</a>   | \$1,075    | P1S          | 99                            | 1.15           | 4.70           | 88.5        | 19.409             | 575         | 9     |
|     |     | 3600 | 182/4JM | <a href="#">00536ET3P184JM-S</a>   | \$1,075    | P1S          | 99                            | 1.15           | 13.6           | 88.5        | 19.409             | 200         | 9     |
|     |     | 3600 | 182/4JM | <a href="#">00536ET3V184JM-S</a>   | \$1,075    | P1S          | 99                            | 1.15           | 6.80           | 88.5        | 19.409             | 200/400     | 9     |
|     |     | 3600 | 182/4JM | <a href="#">00536ET3E184JMV-S</a>  | \$1,247    | P1S          | 99                            | 1.15           | 5.90           | 88.5        | 20.749             | 230/460     | 9;15  |
|     |     | 3600 | 182/4JM | <a href="#">00536ET3E184JM-W22</a> | \$1,075    | P1           | 108                           | 1.25           | 5.90           | 88.5        | 17.411             | 230/460     |       |
|     |     | 3600 | 182/4JM | <a href="#">00536ET3H184JM-W22</a> | \$1,075    | P1           | 107                           | 1.25           | 4.72           | 88.5        | 17.411             | 575         |       |
|     |     | 1800 | 182/4JM | <a href="#">00518ET3E184JM-S</a>   | \$1,141    | P1S          | 94                            | 1.15           | 6.50           | 89.5        | 19.409             | 230/460     | 9     |
|     |     | 1800 | 182/4JM | <a href="#">00518ET3H184JM-S</a>   | \$1,141    | P1S          | 94                            | 1.15           | 5.20           | 89.5        | 19.409             | 575         | 9     |
|     |     | 1800 | 182/4JM | <a href="#">00518ET3P184JM-S</a>   | \$1,141    | P1S          | 94                            | 1.15           | 14.9           | 89.5        | 19.409             | 200         | 9     |
|     |     | 1800 | 182/4JM | <a href="#">00518ET3V184JM-S</a>   | \$1,141    | P1S          | 94                            | 1.15           | 7.50           | 89.5        | 19.409             | 200/400     | 9     |
|     |     | 1800 | 182/4JM | <a href="#">00518ET3E184JMV-S</a>  | \$1,199    | P1S          | 94                            | 1.15           | 6.50           | 89.5        | 20.749             | 230/460     | 9;15  |
|     |     | 1800 | 182/4JM | <a href="#">00518ET3E184JM-W22</a> | \$1,141    | P1           | 106                           | 1.25           | 6.45           | 89.5        | 17.411             | 230/460     |       |
|     |     | 1800 | 182/4JM | <a href="#">00518ET3H184JM-W22</a> | \$1,141    | P1           | 106                           | 1.25           | 5.16           | 89.5        | 17.411             | 575         |       |
|     |     | 1800 | 182/4JM | <a href="#">00518ET3P184JM-W22</a> | \$1,141    | P1           | 106                           | 1.25           | 14.8           | 89.5        | 17.411             | 200         |       |
|     |     | 1200 | 213/5JM | <a href="#">00512ET3E215JM-S</a>   | \$1,769    | P1S          | 163                           | 1.15           | 6.70           | 89.5        | 21.220             | 230/460     | 9     |
|     |     | 1200 | 213/5JM | <a href="#">00512ET3E215JM-W22</a> | \$1,769    | P1           | 180                           | 1.25           | 6.83           | 89.5        | 20.392             | 230/460     |       |
| 7.5 | 5.5 | 3600 | 182/4JM | <a href="#">00736ET3E184JM-S</a>   | \$1,313    | P1S          | 102                           | 1.15           | 8.60           | 89.5        | 18.622             | 230/460     | 9;12  |
|     |     | 3600 | 213/5JM | <a href="#">00736ET3E213JM-S</a>   | \$1,419    | P1S          | 152                           | 1.15           | 8.70           | 89.5        | 21.220             | 230/460     | 9     |
|     |     | 3600 | 182/4JM | <a href="#">00736ET3H184JM-S</a>   | \$1,313    | P1S          | 102                           | 1.15           | 6.90           | 89.5        | 18.622             | 575         | 9     |
|     |     | 3600 | 213/5JM | <a href="#">00736ET3H213JM-S</a>   | \$1,419    | P1S          | 152                           | 1.15           | 6.90           | 89.5        | 21.220             | 575         | 9     |
|     |     | 3600 | 213/5JM | <a href="#">00736ET3V213JM-S</a>   | \$1,419    | P1S          | 152                           | 1.15           | 10.0           | 89.5        | 21.220             | 200/400     | 9     |
|     |     | 3600 | 182/4JM | <a href="#">00736ET3E184JM-W22</a> | \$1,313    | P1           | 108                           | 1.25           | 8.76           | 89.5        | 17.411             | 230/460     | 12    |
|     |     | 3600 | 182/4JM | <a href="#">00736ET3H184JM-W22</a> | \$1,313    | P1           | 108                           | 1.25           | 7.01           | 89.5        | 17.411             | 575         | 12    |
|     |     | 3600 | 213/5JM | <a href="#">00736ET3E213JM-W22</a> | \$1,419    | P1           | 168                           | 1.25           | 8.76           | 89.5        | 20.392             | 230/460     |       |
|     |     | 3600 | 213/5JM | <a href="#">00736ET3H213JM-W22</a> | \$1,419    | P1           | 163                           | 1.25           | 7.01           | 89.5        | 20.392             | 575         |       |
|     |     | 1800 | 213/5JM | <a href="#">00718ET3E213JM-S</a>   | \$1,519    | P1S          | 139                           | 1.15           | 9.10           | 91.7        | 20.039             | 230/460     | 9     |
|     |     | 1800 | 213/5JM | <a href="#">00718ET3H213JM-S</a>   | \$1,519    | P1S          | 139                           | 1.15           | 7.30           | 91.7        | 20.039             | 575         | 9     |
|     |     | 1800 | 213/5JM | <a href="#">00718ET3P213JM-S</a>   | \$1,519    | P1S          | 139                           | 1.15           | 20.8           | 91.7        | 20.039             | 200         | 9     |
|     |     | 1800 | 213/5JM | <a href="#">00718ET3V213JM-S</a>   | \$1,519    | P1S          | 139                           | 1.15           | 10.4           | 91.7        | 20.039             | 200/400     | 9     |
|     |     | 1800 | 213/5JM | <a href="#">00718ET3E213JM-W22</a> | \$1,519    | P1           | 180                           | 1.25           | 9.18           | 91.7        | 20.392             | 230/460     |       |
|     |     | 1800 | 213/5JM | <a href="#">00718ET3H213JM-W22</a> | \$1,519    | P1           | 179                           | 1.25           | 7.34           | 91.7        | 20.392             | 575         |       |
|     |     | 1200 | 254/6JM | <a href="#">00712ET3E254JM-S</a>   | \$2,455    | P1S          | 247                           | 1.15           | 10.0           | 91.0        | 24.055             | 230/460     | 9     |
|     |     | 1200 | 254/6JM | <a href="#">00712ET3E254JM-W22</a> | \$2,455    | P1           | 319                           | 1.25           | 9.48           | 91.0        | 26.226             | 230/460     |       |
| 10  | 7.5 | 3600 | 213/5JM | <a href="#">01036ET3E215JM-S</a>   | \$1,769    | P1S          | 179                           | 1.15           | 11.5           | 90.2        | 22.795             | 230/460     | 9     |
|     |     | 3600 | 213/5JM | <a href="#">01036ET3H215JM-S</a>   | \$1,769    | P1S          | 179                           | 1.15           | 9.20           | 90.2        | 22.795             | 575         | 9     |
|     |     | 3600 | 213/5JM | <a href="#">01036ET3V215JM-S</a>   | \$1,769    | P1S          | 179                           | 1.15           | 13.2           | 90.2        | 22.795             | 200/400     | 9     |
|     |     | 3600 | 213/5JM | <a href="#">01036ET3E215JM-W22</a> | \$1,769    | P1           | 185                           | 1.25           | 11.6           | 90.2        | 20.392             | 230/460     |       |
|     |     | 3600 | 213/5JM | <a href="#">01036ET3H215JM-W22</a> | \$1,769    | P1           | 185                           | 1.25           | 9.28           | 90.2        | 20.392             | 575         |       |
|     |     | 1800 | 213/5JM | <a href="#">01018ET3E215JM-S</a>   | \$1,792    | P1S          | 151                           | 1.15           | 12.2           | 91.7        | 20.433             | 230/460     | 9     |
|     |     | 1800 | 213/5JM | <a href="#">01018ET3H215JM-S</a>   | \$1,792    | P1S          | 151                           | 1.15           | 9.80           | 91.7        | 20.433             | 575         | 9     |
|     |     | 1800 | 213/5JM | <a href="#">01018ET3V215JM-S</a>   | \$1,792    | P1S          | 151                           | 1.15           | 14.0           | 91.7        | 20.433             | 200/400     | 9     |
|     |     | 1800 | 213/5JM | <a href="#">01018ET3E215JM-W22</a> | \$1,792    | P1           | 193                           | 1.25           | 12.4           | 91.7        | 20.392             | 230/460     |       |
|     |     | 1800 | 213/5JM | <a href="#">01018ET3H215JM-W22</a> | \$1,792    | P1           | 193                           | 1.25           | 9.92           | 91.7        | 20.392             | 575         |       |
|     |     | 1200 | 254/6JM | <a href="#">01012ET3E256JM-S</a>   | \$2,979    | P1S          | 278                           | 1.15           | 13.8           | 91.0        | 24.843             | 230/460     | 9     |
|     |     | 1200 | 254/6JM | <a href="#">01012ET3E256JM-W22</a> | \$2,979    | P1           | 327                           | 1.25           | 12.9           | 91.0        | 26.226             | 230/460     |       |

*continued on next page*

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

**A-203**

## CLOSE-COUPLED PUMP TEFC MOTORS

### JM - TEFC - Three-Phase - *continued*

| HP | kW   | RPM  | Frame   | Catalog Number                     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|----|------|------|---------|------------------------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 15 | 11   | 3600 | 213/5JM | <a href="#">01536ET3E215JM-S</a>   | \$2,058    | P1S          | 178                           | 1.15           | 17.0           | 91.0        | 22.795             | 230/460     | 9;12  |
|    |      | 3600 | 213/5JM | <a href="#">01536ET3H215JM-S</a>   | \$2,058    | P1S          | 178                           | 1.15           | 13.6           | 91.0        | 22.795             | 575         | 9;12  |
|    |      | 3600 | 213/5JM | <a href="#">01536ET3V215JM-S</a>   | \$2,058    | P1S          | 178                           | 1.15           | 19.5           | 91.0        | 22.795             | 200/400     | 9;12  |
|    |      | 3600 | 213/5JM | <a href="#">01536ET3E215JM-W22</a> | \$2,058    | P1           | 187                           | 1.25           | 17.0           | 91.0        | 20.392             | 230/460     | 12    |
|    |      | 3600 | 213/5JM | <a href="#">01536ET3H215JM-W22</a> | \$2,058    | P1           | 185                           | 1.25           | 13.8           | 91.0        | 20.392             | 575         | 12    |
|    |      | 3600 | 254/6JM | <a href="#">01536ET3E254JM-S</a>   | \$2,214    | P1S          | 216                           | 1.15           | 17.4           | 91.0        | 24.055             | 230/460     | 9;12  |
|    |      | 3600 | 254/6JM | <a href="#">01536ET3H254JM-S</a>   | \$2,214    | P1S          | 216                           | 1.15           | 13.9           | 91.0        | 24.055             | 575         | 9     |
|    |      | 3600 | 254/6JM | <a href="#">01536ET3V254JM-S</a>   | \$2,214    | P1S          | 216                           | 1.15           | 20.0           | 91.0        | 24.055             | 200/400     | 9     |
|    |      | 3600 | 254/6JM | <a href="#">01536ET3E254JM-W22</a> | \$2,214    | P1           | 301                           | 1.25           | 17.2           | 91.0        | 26.226             | 230/460     |       |
|    |      | 3600 | 254/6JM | <a href="#">01536ET3H254JM-W22</a> | \$2,214    | P1           | 300                           | 1.25           | 13.8           | 91.0        | 26.226             | 575         |       |
|    |      | 1800 | 254/6JM | <a href="#">01518ET3E254JM-S</a>   | \$2,609    | P1S          | 249                           | 1.15           | 18.2           | 92.4        | 24.055             | 230/460     | 9     |
|    |      | 1800 | 254/6JM | <a href="#">01518ET3H254JM-S</a>   | \$2,609    | P1S          | 249                           | 1.15           | 14.6           | 92.4        | 24.055             | 575         | 9     |
|    |      | 1800 | 254/6JM | <a href="#">01518ET3V254JM-S</a>   | \$2,609    | P1S          | 249                           | 1.15           | 20.9           | 92.4        | 24.055             | 200/400     | 9     |
|    |      | 1800 | 254/6JM | <a href="#">01518ET3E254JM-W22</a> | \$2,609    | P1           | 350                           | 1.25           | 18.0           | 92.4        | 26.226             | 230/460     |       |
|    |      | 1800 | 254/6JM | <a href="#">01518ET3H254JM-W22</a> | \$2,609    | P1           | 349                           | 1.25           | 14.4           | 92.4        | 26.226             | 575         |       |
|    |      | 1200 | 284/6JM | <a href="#">01512ET3E284JM-W22</a> | \$3,912    | P1           | 434                           | 1.25           | 17.9           | 91.7        | 28.700             | 230/460     |       |
| 20 | 15   | 3600 | 254/6JM | <a href="#">02036ET3E256JM-S</a>   | \$2,965    | P1S          | 257                           | 1.15           | 22.7           | 91.0        | 24.843             | 230/460     | 9     |
|    |      | 3600 | 254/6JM | <a href="#">02036ET3H256JM-S</a>   | \$2,965    | P1S          | 257                           | 1.15           | 18.2           | 91.0        | 24.843             | 575         | 9     |
|    |      | 3600 | 254/6JM | <a href="#">02036ET3V256JM-S</a>   | \$2,965    | P1S          | 257                           | 1.15           | 26.1           | 91.0        | 24.843             | 200/400     | 9     |
|    |      | 3600 | 254/6JM | <a href="#">02036ET3E256JM-W22</a> | \$2,965    | P1           | 327                           | 1.25           | 23.2           | 91.0        | 26.226             | 230/460     |       |
|    |      | 3600 | 254/6JM | <a href="#">02036ET3H256JM-W22</a> | \$2,965    | P1           | 325                           | 1.25           | 18.6           | 91.0        | 26.226             | 575         |       |
|    |      | 1800 | 254/6JM | <a href="#">02018ET3E256JM-S</a>   | \$2,857    | P1S          | 279                           | 1.15           | 24.7           | 93.0        | 24.843             | 230/460     | 9     |
|    |      | 1800 | 254/6JM | <a href="#">02018ET3H256JM-S</a>   | \$2,857    | P1S          | 279                           | 1.15           | 19.8           | 92.4        | 24.843             | 575         | 9     |
|    |      | 1800 | 254/6JM | <a href="#">02018ET3V256JM-S</a>   | \$2,857    | P1S          | 279                           | 1.15           | 28.4           | 93.0        | 24.843             | 200/400     | 9     |
|    |      | 1800 | 254/6JM | <a href="#">02018ET3E256JM-W22</a> | \$2,857    | P1           | 399                           | 1.25           | 24.1           | 93.0        | 26.226             | 230/460     |       |
|    |      | 1800 | 254/6JM | <a href="#">02018ET3H256JM-W22</a> | \$2,857    | P1           | 398                           | 1.25           | 19.3           | 93.0        | 26.226             | 575         |       |
|    |      | 1200 | 284/6JM | <a href="#">02012ET3E286JM-W22</a> | \$4,940    | P1           | 461                           | 1.25           | 24.2           | 91.7        | 28.700             | 230/460     |       |
| 25 | 18.5 | 3600 | 254/6JM | <a href="#">02536ET3E256JM-S</a>   | \$3,231    | P1S          | 267                           | 1.15           | 28.5           | 91.7        | 24.843             | 230/460     | 9     |
|    |      | 3600 | 254/6JM | <a href="#">02536ET3H256JM-S</a>   | \$3,231    | P1S          | 267                           | 1.15           | 22.8           | 91.7        | 24.843             | 575         | 9     |
|    |      | 3600 | 254/6JM | <a href="#">02536ET3V256JM-S</a>   | \$3,231    | P1S          | 267                           | 1.15           | 32.8           | 91.7        | 24.843             | 200/400     | 9     |
|    |      | 3600 | 254/6JM | <a href="#">02536ET3E256JM-W22</a> | \$3,231    | P1           | 375                           | 1.00           | 28.1           | 91.7        | 26.226             | 230/460     |       |
|    |      | 3600 | 254/6JM | <a href="#">02536ET3H256JM-W22</a> | \$3,231    | P1           | 374                           | 1.00           | 22.5           | 91.7        | 26.226             | 575         |       |
|    |      | 3600 | 284/6JM | <a href="#">02536ET3E284JM-W22</a> | \$3,619    | P1           | 421                           | 1.25           | 28.5           | 91.7        | 28.700             | 230/460     |       |
|    |      | 3600 | 284/6JM | <a href="#">02536ET3H284JM-W22</a> | \$3,619    | P1           | 416                           | 1.25           | 22.8           | 91.7        | 28.700             | 575         |       |
|    |      | 1800 | 284/6JM | <a href="#">02518ET3E284JM-W22</a> | \$3,734    | P1           | 452                           | 1.25           | 29.5           | 93.6        | 28.700             | 230/460     |       |
|    |      | 1800 | 284/6JM | <a href="#">02518ET3H284JM-W22</a> | \$3,734    | P1           | 451                           | 1.25           | 23.6           | 93.6        | 28.700             | 575         |       |
|    |      | 1200 | 324/6JM | <a href="#">02512ET3E324JM-W22</a> | \$5,546    | P1           | 598                           | 1.25           | 30.4           | 93.0        | 29.645             | 230/460     |       |
| 30 | 22   | 3600 | 284/6JM | <a href="#">03036ET3E286JM-W22</a> | \$4,539    | P1           | 439                           | 1.25           | 33.8           | 91.7        | 28.700             | 230/460     |       |
|    |      | 3600 | 284/6JM | <a href="#">03036ET3H286JM-W22</a> | \$4,539    | P1           | 439                           | 1.25           | 27.0           | 91.7        | 28.700             | 575         |       |
|    |      | 1800 | 284/6JM | <a href="#">03018ET3E286JM-W22</a> | \$4,096    | P1           | 490                           | 1.25           | 35.1           | 93.6        | 28.700             | 230/460     |       |
|    |      | 1800 | 284/6JM | <a href="#">03018ET3H286JM-W22</a> | \$4,096    | P1           | 490                           | 1.25           | 28.1           | 93.6        | 28.700             | 575         |       |
|    |      | 1200 | 324/6JM | <a href="#">03012ET3E326JM-W22</a> | \$6,686    | P1           | 636                           | 1.25           | 36.2           | 93.0        | 29.645             | 230/460     |       |

*continued on next page*

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

### JM - TEFC - Three-Phase - *continued*

| HP  | kW | RPM  | Frame    | Catalog Number                     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|----|------|----------|------------------------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 40  | 30 | 3600 | 284/6JM  | <a href="#">04036ET3E286JM-W22</a> | \$5,368    | P1           | 469                           | 1.00           | 45.8           | 92.4        | 28.700             | 230/460     | 37    |
|     |    | 3600 | 284/6JM  | <a href="#">04036ET3H286JM-W22</a> | \$5,368    | P1           | 586                           | 1.00           | 36.6           | 92.4        | 28.700             | 575         | 37    |
|     |    | 3600 | 324/6JM  | <a href="#">04036ET3E324JM-W22</a> | \$5,534    | P1           | 605                           | 1.25           | 45.8           | 92.4        | 29.645             | 230/460     |       |
|     |    | 3600 | 324/6JM  | <a href="#">04036ET3H324JM-W22</a> | \$5,534    | P1           | 604                           | 1.25           | 36.6           | 92.4        | 29.645             | 575         |       |
|     |    | 1800 | 324/6JM  | <a href="#">04018ET3E324JM-W22</a> | \$5,316    | P1           | 628                           | 1.25           | 47.1           | 94.1        | 29.645             | 230/460     |       |
|     |    | 1800 | 324/6JM  | <a href="#">04018ET3H324JM-W22</a> | \$5,316    | P1           | 621                           | 1.25           | 37.7           | 94.1        | 29.645             | 575         |       |
|     |    | 1200 | 364/5JM  | <a href="#">04012ET3E364JM-W22</a> | \$8,807    | P1           | 1023                          | 1.25           | 46.5           | 94.1        | 33.031             | 230/460     |       |
| 50  | 37 | 3600 | 324/6JM  | <a href="#">05036ET3E326JM-W22</a> | \$6,622    | P1           | 623                           | 1.25           | 56.1           | 93.0        | 29.645             | 230/460     |       |
|     |    | 1800 | 324/6JM  | <a href="#">05018ET3E326JM-W22</a> | \$6,513    | P1           | 651                           | 1.25           | 59.2           | 94.5        | 29.645             | 230/460     |       |
|     |    | 1800 | 324/6JM  | <a href="#">05018ET3H326JM-W22</a> | \$6,513    | P1           | 648                           | 1.25           | 47.4           | 94.5        | 29.645             | 575         |       |
|     |    | 1200 | 364/5JM  | <a href="#">05012ET3E365JM-W22</a> | \$10,551   | P1           | 1040                          | 1.25           | 57.4           | 94.1        | 33.031             | 230/460     |       |
| 60  | 45 | 3600 | 324/6JM  | <a href="#">06036ET3E326JM-W22</a> | \$7,699    | P1           | 630                           | 1.00           | 70.2           | 93.6        | 29.645             | 230/460     | 37    |
|     |    | 3600 | 364/5JM  | <a href="#">06036ET3E364JM-W22</a> | \$8,261    | P1           | 985                           | 1.25           | 67.0           | 93.6        | 33.832             | 230/460     |       |
|     |    | 3600 | 364/5JM  | <a href="#">06036ET3H364JM-W22</a> | \$8,261    | P1           | 941                           | 1.25           | 53.6           | 93.6        | 33.832             | 575         |       |
|     |    | 1800 | 364/5JM  | <a href="#">06018ET3E364JM-W22</a> | \$8,912    | P1           | 1048                          | 1.25           | 68.3           | 95.0        | 33.031             | 230/460     |       |
|     |    | 1800 | 364/5JM  | <a href="#">06018ET3H364JM-W22</a> | \$8,912    | P1           | 1037                          | 1.25           | 54.6           | 95.0        | 33.031             | 575         |       |
| 75  | 55 | 3600 | 364/5JM  | <a href="#">07536ET3E365JM-W22</a> | \$11,124   | P1           | 989                           | 1.25           | 81.9           | 93.6        | 33.832             | 230/460     |       |
|     |    | 3600 | 364/5JM  | <a href="#">07536ET3H365JM-W22</a> | \$11,124   | P1           | 992                           | 1.25           | 65.5           | 93.6        | 33.832             | 575         |       |
|     |    | 1800 | 364/5JM  | <a href="#">07518ET3E365JM-W22</a> | \$10,057   | P1           | 1065                          | 1.25           | 84.1           | 95.4        | 33.031             | 230/460     |       |
|     |    | 1800 | 364/5JM  | <a href="#">07518ET3H365JM-W22</a> | \$10,057   | P1           | 1039                          | 1.25           | 67.3           | 95.4        | 33.031             | 575         |       |
| 100 | 75 | 3600 | 404/5TCZ | <a href="#">10036ET3E405JM-W22</a> | \$13,093   | P1           | 1220                          | 1.25           | 110            | 94.1        | 37.724             | 230/460     |       |
|     |    | 3600 | 404/5TCZ | <a href="#">10036ET3G405JM-W22</a> | \$13,093   | P1           | 1215                          | 1.25           | 110            | 94.1        | 37.724             | 460         |       |
|     |    | 1800 | 404/5TCZ | <a href="#">10018ET3E405JM-W22</a> | \$12,300   | P1           | 1321                          | 1.25           | 111            | 95.4        | 37.724             | 230/460     |       |
|     |    | 1800 | 404/5TCZ | <a href="#">10018ET3G405JM-W22</a> | \$12,300   | P1           | 1318                          | 1.25           | 111            | 95.4        | 37.724             | 460         |       |

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)



### JP - TEFC - Three-Phase

| HP  | kW   | RPM  | Frame   | Catalog Number                     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|------------------------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 1   | 0.75 | 1800 | 143/5JP | <a href="#">00118ET3E143JP-S</a>   | \$624      | P1S          | 50                            | 1.15           | 1.50           | 85.5        | 19.173             | 230/460     | 9     |
|     |      | 1800 | 143/5JP | <a href="#">00118ET3E143JP-W22</a> | \$624      | P1           | 53                            | 1.25           | 1.47           | 85.5        | 18.736             | 230/460     |       |
|     |      | 1200 | 143/5JP | <a href="#">00112ET3E145JP-S</a>   | \$714      | P1S          | 47                            | 1.15           | 1.60           | 82.5        | 19.173             | 230/460     | 9     |
|     |      | 1200 | 143/5JP | <a href="#">00112ET3E145JP-W22</a> | \$714      | P1           | 55                            | 1.25           | 1.73           | 82.5        | 18.736             | 230/460     |       |
| 1.5 | 1.1  | 3600 | 143/5JP | <a href="#">00156ET3E143JP-S</a>   | \$649      | P1S          | 46                            | 1.15           | 1.90           | 84.0        | 18.780             | 230/460     | 9     |
|     |      | 3600 | 143/5JP | <a href="#">00156ET3E143JP-W22</a> | \$649      | P1           | 51                            | 1.25           | 1.96           | 84.0        | 18.736             | 230/460     |       |
|     |      | 1800 | 143/5JP | <a href="#">00158ET3E145JP-S</a>   | \$653      | P1S          | 52                            | 1.15           | 2.00           | 86.5        | 19.173             | 230/460     | 9     |
|     |      | 1800 | 143/5JP | <a href="#">00158ET3E145JP-W22</a> | \$653      | P1           | 58                            | 1.25           | 2.02           | 86.5        | 18.736             | 230/460     |       |
|     |      | 1200 | 182/4JP | <a href="#">00152ET3E182JP-S</a>   | \$924      | P1S          | 86                            | 1.15           | 2.20           | 87.5        | 20.906             | 230/460     | 9     |
|     |      | 1200 | 182/4JP | <a href="#">00152ET3E182JP-W22</a> | \$924      | P1           | 74                            | 1.25           | 2.54           | 87.5        | 20.475             | 230/460     |       |
| 2   | 1.5  | 3600 | 143/5JP | <a href="#">00236ET3E145JP-S</a>   | \$694      | P1S          | 52                            | 1.15           | 2.50           | 85.5        | 19.567             | 230/460     | 9     |
|     |      | 3600 | 143/5JP | <a href="#">00236ET3E145JP-W22</a> | \$694      | P1           | 59                            | 1.25           | 2.56           | 85.5        | 18.736             | 230/460     |       |
|     |      | 1800 | 143/5JP | <a href="#">00218ET3E145JP-S</a>   | \$718      | P1S          | 55                            | 1.15           | 2.70           | 86.5        | 19.567             | 230/460     | 9     |
|     |      | 1800 | 143/5JP | <a href="#">00218ET3E145JP-W22</a> | \$718      | P1           | 59                            | 1.25           | 2.76           | 86.5        | 18.736             | 230/460     |       |
|     |      | 1200 | 182/4JP | <a href="#">00212ET3E184JP-S</a>   | \$1,040    | P1S          | 100                           | 1.15           | 3.00           | 88.5        | 21.693             | 230/460     | 9     |
|     |      | 1200 | 182/4JP | <a href="#">00212ET3E184JP-W22</a> | \$1,040    | P1           | 91                            | 1.25           | 3.23           | 88.5        | 20.475             | 230/460     |       |
| 3   | 2.2  | 3600 | 143/5JP | <a href="#">00336ET3E145JP-S</a>   | \$915      | P1S          | 61                            | 1.15           | 3.50           | 86.5        | 20.748             | 230/460     | 9;12  |
|     |      | 3600 | 143/5JP | <a href="#">00336ET3E145JP-W22</a> | \$915      | P1           | 61                            | 1.25           | 3.71           | 86.5        | 18.736             | 230/460     | 12    |
|     |      | 3600 | 182/4JP | <a href="#">00336ET3E182JP-S</a>   | \$933      | P1S          | 88                            | 1.15           | 3.70           | 86.5        | 20.906             | 230/460     | 9     |
|     |      | 3600 | 182/4JP | <a href="#">00336ET3E182JP-W22</a> | \$933      | P1           | 111                           | 1.25           | 3.63           | 86.5        | 20.475             | 230/460     |       |
|     |      | 3600 | 182/4JP | <a href="#">00336ET3H182JP-W22</a> | \$933      | P1           | 103                           | 1.25           | 2.90           | 86.5        | 20.475             | 575         |       |
|     |      | 1800 | 182/4JP | <a href="#">00318ET3E182JP-S</a>   | \$1,041    | P1S          | 108                           | 1.15           | 3.80           | 89.5        | 22.480             | 230/460     | 9     |
|     |      | 1800 | 182/4JP | <a href="#">00318ET3H182JP-S</a>   | \$1,041    | P1S          | 108                           | 1.15           | 3.10           | 89.5        | 22.480             | 575         | 9     |
|     |      | 1800 | 182/4JP | <a href="#">00318ET3E182JP-W22</a> | \$1,041    | P1           | 107                           | 1.25           | 3.91           | 89.5        | 20.475             | 230/460     |       |
|     |      | 1800 | 182/4JP | <a href="#">00318ET3H182JP-W22</a> | \$1,041    | P1           | 100                           | 1.25           | 3.13           | 89.5        | 20.475             | 575         |       |
|     |      | 1200 | 213/5JP | <a href="#">00312ET3E213JP-S</a>   | \$1,449    | P1S          | 152                           | 1.15           | 4.20           | 89.5        | 24.291             | 230/460     | 9     |
|     |      | 1200 | 213/5JP | <a href="#">00312ET3E213JP-W22</a> | \$1,449    | P1           | 126                           | 1.25           | 4.41           | 89.5        | 24.264             | 230/460     |       |
| 5   | 3.7  | 3600 | 182/4JP | <a href="#">00536ET3E184JP-S</a>   | \$1,094    | P1S          | 106                           | 1.15           | 5.90           | 88.5        | 22.480             | 230/460     | 9     |
|     |      | 3600 | 182/4JP | <a href="#">00536ET3E184JP-W22</a> | \$1,094    | P1           | 118                           | 1.25           | 5.90           | 88.5        | 20.475             | 230/460     |       |
|     |      | 3600 | 182/4JP | <a href="#">00536ET3H184JP-W22</a> | \$1,094    | P1           | 113                           | 1.25           | 4.72           | 88.5        | 20.475             | 575         |       |
|     |      | 1800 | 182/4JP | <a href="#">00518ET3E184JP-S</a>   | \$1,161    | P1S          | 105                           | 1.15           | 6.50           | 89.5        | 22.480             | 230/460     | 9     |
|     |      | 1800 | 182/4JP | <a href="#">00518ET3H184JP-S</a>   | \$1,161    | P1S          | 105                           | 1.15           | 5.20           | 89.5        | 22.480             | 575         | 9     |
|     |      | 1800 | 182/4JP | <a href="#">00518ET3E184JP-W22</a> | \$1,161    | P1           | 117                           | 1.25           | 6.45           | 89.5        | 20.475             | 230/460     |       |
|     |      | 1800 | 182/4JP | <a href="#">00518ET3H184JP-W22</a> | \$1,161    | P1           | 116                           | 1.25           | 5.16           | 89.5        | 20.475             | 575         |       |
|     |      | 1200 | 213/5JP | <a href="#">00512ET3E215JP-S</a>   | \$1,801    | P1S          | 171                           | 1.15           | 6.70           | 89.5        | 25.079             | 230/460     | 9     |
|     |      | 1200 | 213/5JP | <a href="#">00512ET3E215JP-W22</a> | \$1,801    | P1           | 193                           | 1.25           | 6.83           | 89.5        | 24.264             | 230/460     |       |

continued on next page

### JP - TEFC - Three-Phase - *continued*

| HP  | kW  | RPM  | Frame   | Catalog Number                     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|-----|------|---------|------------------------------------|------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|-------|
| 7.5 | 5.5 | 3600 | 182/4JP | <a href="#">00736ET3E184JP-S</a>   | \$1,339    | P1S          | 109                           | 1.15           | 8.60           | 89.5       | 21.693             | 230/460     | 9;12  |
|     |     | 3600 | 182/4JP | <a href="#">00736ET3E184JP-W22</a> | \$1,339    | P1           | 118                           | 1.25           | 8.76           | 89.5       | 20.475             | 230/460     | 12    |
|     |     | 3600 | 213/5JP | <a href="#">00736ET3E213JP-S</a>   | \$1,445    | P1S          | 161                           | 1.15           | 8.70           | 89.5       | 25.079             | 230/460     | 9     |
|     |     | 3600 | 213/5JP | <a href="#">00736ET3H213JP-S</a>   | \$1,445    | P1S          | 161                           | 1.15           | 6.90           | 89.5       | 25.079             | 575         | 9     |
|     |     | 3600 | 213/5JP | <a href="#">00736ET3E213JP-W22</a> | \$1,445    | P1           | 177                           | 1.25           | 8.76           | 89.5       | 24.264             | 230/460     |       |
|     |     | 3600 | 213/5JP | <a href="#">00736ET3H213JP-W22</a> | \$1,445    | P1           | 168                           | 1.25           | 7.01           | 89.5       | 24.264             | 575         |       |
|     |     | 1800 | 213/5JP | <a href="#">00718ET3E213JP-S</a>   | \$1,543    | P1S          | 148                           | 1.15           | 9.10           | 91.7       | 23.898             | 230/460     | 9     |
|     |     | 1800 | 213/5JP | <a href="#">00718ET3H213JP-S</a>   | \$1,543    | P1S          | 148                           | 1.15           | 7.30           | 91.7       | 23.898             | 575         | 9     |
|     |     | 1800 | 213/5JP | <a href="#">00718ET3V213JP-S</a>   | \$1,543    | P1S          | 148                           | 1.15           | 10.4           | 91.7       | 23.898             | 200/400     | 9     |
|     |     | 1800 | 213/5JP | <a href="#">00718ET3E213JP-W22</a> | \$1,543    | P1           | 189                           | 1.25           | 9.18           | 91.7       | 24.264             | 230/460     |       |
|     |     | 1800 | 213/5JP | <a href="#">00718ET3H213JP-W22</a> | \$1,543    | P1           | 188                           | 1.25           | 7.34           | 91.7       | 24.264             | 575         |       |
|     |     | 1200 | 254/6JP | <a href="#">00712ET3E254JP-S</a>   | \$2,495    | P1S          | 256                           | 1.15           | 10.0           | 91.0       | 26.929             | 230/460     | 9     |
|     |     | 1200 | 254/6JP | <a href="#">00712ET3E254JP-W22</a> | \$2,495    | P1           | 323                           | 1.25           | 9.48           | 91.0       | 29.106             | 230/460     |       |
|     |     |      |         |                                    |            |              |                               |                |                |            |                    |             |       |
| 10  | 7.5 | 3600 | 213/5JP | <a href="#">01036ET3E215JP-S</a>   | \$1,801    | P1S          | 184                           | 1.15           | 11.5           | 90.2       | 26.654             | 230/460     | 9     |
|     |     | 3600 | 213/5JP | <a href="#">01036ET3H215JP-S</a>   | \$1,801    | P1S          | 184                           | 1.15           | 9.20           | 90.2       | 26.654             | 575         | 9     |
|     |     | 3600 | 213/5JP | <a href="#">01036ET3E215JP-W22</a> | \$1,801    | P1           | 195                           | 1.25           | 11.6           | 90.2       | 24.264             | 230/460     |       |
|     |     | 3600 | 213/5JP | <a href="#">01036ET3H215JP-W22</a> | \$1,801    | P1           | 191                           | 1.25           | 9.28           | 90.2       | 24.264             | 575         |       |
|     |     | 1800 | 213/5JP | <a href="#">01018ET3E215JP-S</a>   | \$1,823    | P1S          | 160                           | 1.15           | 12.2           | 91.7       | 24.291             | 230/460     | 9     |
|     |     | 1800 | 213/5JP | <a href="#">01018ET3H215JP-S</a>   | \$1,823    | P1S          | 160                           | 1.15           | 9.80           | 91.7       | 24.291             | 575         | 9     |
|     |     | 1800 | 213/5JP | <a href="#">01018ET3V215JP-S</a>   | \$1,823    | P1S          | 160                           | 1.15           | 14.0           | 91.7       | 24.291             | 200/400     | 9     |
|     |     | 1800 | 213/5JP | <a href="#">01018ET3E215JP-W22</a> | \$1,823    | P1           | 203                           | 1.25           | 12.4           | 91.7       | 24.264             | 230/460     |       |
|     |     | 1800 | 213/5JP | <a href="#">01018ET3H215JP-W22</a> | \$1,823    | P1           | 202                           | 1.25           | 9.92           | 91.7       | 24.264             | 575         |       |
|     |     | 1200 | 254/6JP | <a href="#">01012ET3E256JP-S</a>   | \$3,103    | P1S          | 287                           | 1.15           | 13.8           | 91.0       | 27.717             | 230/460     | 9     |
|     |     | 1200 | 254/6JP | <a href="#">01012ET3E256JP-W22</a> | \$3,103    | P1           | 326                           | 1.25           | 12.9           | 91.0       | 29.106             | 230/460     |       |
|     |     |      |         |                                    |            |              |                               |                |                |            |                    |             |       |
| 15  | 11  | 3600 | 213/5JP | <a href="#">01536ET3E215JP-S</a>   | \$2,099    | P1S          | 179                           | 1.15           | 17.0           | 91.0       | 26.654             | 230/460     | 9;12  |
|     |     | 3600 | 213/5JP | <a href="#">01536ET3H215JP-S</a>   | \$2,099    | P1S          | 179                           | 1.15           | 13.6           | 91.0       | 26.654             | 575         | 9;12  |
|     |     | 3600 | 213/5JP | <a href="#">01536ET3E215JP-W22</a> | \$2,099    | P1           | 194                           | 1.25           | 17.0           | 91.0       | 24.264             | 230/460     | 12    |
|     |     | 3600 | 254/6JP | <a href="#">01536ET3E254JP-S</a>   | \$2,629    | P1S          | 217                           | 1.15           | 17.4           | 91.0       | 26.929             | 230/460     | 9     |
|     |     | 3600 | 254/6JP | <a href="#">01536ET3V254JP-S</a>   | \$2,629    | P1S          | 217                           | 1.15           | 20.0           | 91.0       | 26.929             | 200/400     | 9     |
|     |     | 3600 | 254/6JP | <a href="#">01536ET3E254JP-W22</a> | \$2,629    | P1           | 305                           | 1.25           | 17.2           | 91.0       | 29.106             | 230/460     |       |
|     |     | 3600 | 254/6JP | <a href="#">01536ET3H254JP-W22</a> | \$2,629    | P1           | 302                           | 1.25           | 13.8           | 91.0       | 29.106             | 575         |       |
|     |     | 1800 | 254/6JP | <a href="#">01518ET3E254JP-S</a>   | \$2,653    | P1S          | 251                           | 1.15           | 18.2           | 92.4       | 26.929             | 230/460     | 9     |
|     |     | 1800 | 254/6JP | <a href="#">01518ET3H254JP-S</a>   | \$2,653    | P1S          | 251                           | 1.15           | 14.6           | 92.4       | 26.929             | 575         | 9     |
|     |     | 1800 | 254/6JP | <a href="#">01518ET3V254JP-S</a>   | \$2,653    | P1S          | 251                           | 1.15           | 20.9           | 92.4       | 26.929             | 200/400     | 9     |
|     |     | 1800 | 254/6JP | <a href="#">01518ET3E254JP-W22</a> | \$2,653    | P1           | 353                           | 1.25           | 18.0           | 92.4       | 29.106             | 230/460     |       |
|     |     | 1800 | 254/6JP | <a href="#">01518ET3H254JP-W22</a> | \$2,653    | P1           | 353                           | 1.25           | 14.4           | 92.4       | 29.106             | 575         |       |
|     |     | 1200 | 284/6JP | <a href="#">01512ET3E284JP-W22</a> | \$3,972    | P1           | 436                           | 1.25           | 17.9           | 91.7       | 31.575             | 230/460     |       |
|     |     |      |         |                                    |            |              |                               |                |                |            |                    |             |       |

*continued on next page*

## CLOSE-COUPLED PUMP TEFC MOTORS

### JP - TEFC - Three-Phase - *continued*

| HP | kW   | RPM  | Frame   | Catalog Number                     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|----|------|------|---------|------------------------------------|------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|-------|
| 20 | 15   | 3600 | 254/6JP | <a href="#">02036ET3E256JP-S</a>   | \$3,018    | P1S          | 258                           | 1.15           | 22.7           | 91.0       | 27.717             | 230/460     | 9     |
|    |      | 3600 | 254/6JP | <a href="#">02036ET3H256JP-S</a>   | \$3,018    | P1S          | 258                           | 1.15           | 18.2           | 91.0       | 27.717             | 575         | 9     |
|    |      | 3600 | 254/6JP | <a href="#">02036ET3E256JP-W22</a> | \$3,018    | P1           | 330                           | 1.25           | 23.2           | 91.0       | 29.106             | 230/460     |       |
|    |      | 3600 | 254/6JP | <a href="#">02036ET3H256JP-W22</a> | \$3,018    | P1           | 327                           | 1.25           | 18.6           | 91.0       | 29.106             | 575         |       |
|    |      | 1800 | 254/6JP | <a href="#">02018ET3E256JP-S</a>   | \$2,908    | P1S          | 281                           | 1.15           | 24.7           | 92.4       | 27.717             | 230/460     | 9     |
|    |      | 1800 | 254/6JP | <a href="#">02018ET3H256JP-S</a>   | \$2,908    | P1S          | 281                           | 1.15           | 19.8           | 93.0       | 27.717             | 575         | 9     |
|    |      | 1800 | 254/6JP | <a href="#">02018ET3V256JP-S</a>   | \$2,908    | P1S          | 281                           | 1.15           | 28.4           | 93.0       | 27.717             | 200/400     | 9     |
|    |      | 1800 | 254/6JP | <a href="#">02018ET3E256JP-W22</a> | \$2,908    | P1           | 404                           | 1.25           | 24.1           | 93.0       | 29.106             | 230/460     |       |
|    |      | 1800 | 254/6JP | <a href="#">02018ET3H256JP-W22</a> | \$2,908    | P1           | 401                           | 1.25           | 19.3           | 93.0       | 29.106             | 575         |       |
|    |      | 1200 | 284/6JP | <a href="#">02012ET3E286JP-W22</a> | \$5,015    | P1           | 463                           | 1.25           | 24.2           | 91.7       | 31.575             | 230/460     |       |
| 25 | 18.5 | 3600 | 254/6JP | <a href="#">02536ET3E256JP-S</a>   | \$3,296    | P1S          | 269                           | 1.15           | 28.5           | 91.7       | 27.717             | 230/460     | 9     |
|    |      | 3600 | 254/6JP | <a href="#">02536ET3H256JP-S</a>   | \$3,296    | P1S          | 269                           | 1.15           | 22.8           | 91.7       | 27.717             | 575         | 9     |
|    |      | 3600 | 254/6JP | <a href="#">02536ET3E256JP-W22</a> | \$3,296    | P1           | 378                           | 1.00           | 28.1           | 91.7       | 29.106             | 230/460     |       |
|    |      | 3600 | 254/6JP | <a href="#">02536ET3H256JP-W22</a> | \$3,296    | P1           | 399                           | 1.00           | 22.5           | 91.7       | 29.106             | 575         |       |
|    |      | 3600 | 284/6JP | <a href="#">02536ET3E284JP-W22</a> | \$3,679    | P1           | 422                           | 1.25           | 28.5           | 91.7       | 31.575             | 230/460     |       |
|    |      | 3600 | 284/6JP | <a href="#">02536ET3H284JP-W22</a> | \$3,679    | P1           | 421                           | 1.25           | 22.8           | 91.7       | 31.575             | 575         |       |
|    |      | 1800 | 284/6JP | <a href="#">02518ET3E284JP-W22</a> | \$3,797    | P1           | 454                           | 1.25           | 29.5           | 93.6       | 31.575             | 230/460     |       |
|    |      | 1800 | 284/6JP | <a href="#">02518ET3H284JP-W22</a> | \$3,797    | P1           | 453                           | 1.25           | 23.6           | 93.6       | 31.575             | 575         |       |
|    |      | 1200 | 324/6JP | <a href="#">02512ET3E324JP-W22</a> | \$5,972    | P1           | 535                           | 1.25           | 30.4           | 93.0       | 34.021             | 230/460     |       |
| 30 | 22   | 3600 | 284/6JP | <a href="#">03036ET3E286JP-W22</a> | \$4,614    | P1           | 441                           | 1.25           | 33.8           | 91.7       | 31.575             | 230/460     |       |
|    |      | 3600 | 284/6JP | <a href="#">03036ET3H286JP-W22</a> | \$4,614    | P1           | 463                           | 1.25           | 27.0           | 91.7       | 31.575             | 575         |       |
|    |      | 1800 | 284/6JP | <a href="#">03018ET3E286JP-W22</a> | \$4,167    | P1           | 492                           | 1.25           | 35.1           | 93.6       | 31.575             | 230/460     |       |
|    |      | 1800 | 284/6JP | <a href="#">03018ET3H286JP-W22</a> | \$4,167    | P1           | 490                           | 1.25           | 28.1           | 93.6       | 31.575             | 575         |       |
|    |      | 1200 | 324/6JP | <a href="#">03012ET3E326JP-W22</a> | \$6,690    | P1           | 639                           | 1.25           | 36.2           | 93.0       | 34.021             | 230/460     |       |
| 40 | 30   | 3600 | 284/6JP | <a href="#">04036ET3E286JP-W22</a> | \$5,475    | P1           | 471                           | 1.00           | 45.8           | 92.4       | 31.575             | 230/460     | 37    |
|    |      | 3600 | 284/6JP | <a href="#">04036ET3H286JP-W22</a> | \$5,475    | P1           | 617                           | 1.00           | 36.6           | 92.4       | 31.575             | 575         | 37    |
|    |      | 3600 | 324/6JP | <a href="#">04036ET3E324JP-W22</a> | \$5,628    | P1           | 602                           | 1.25           | 45.8           | 92.4       | 34.021             | 230/460     |       |
|    |      | 3600 | 324/6JP | <a href="#">04036ET3H324JP-W22</a> | \$5,628    | P1           | 579                           | 1.25           | 36.6           | 92.4       | 34.021             | 575         |       |
|    |      | 1800 | 324/6JP | <a href="#">04018ET3E324JP-W22</a> | \$5,413    | P1           | 625                           | 1.25           | 47.1           | 94.1       | 34.021             | 230/460     |       |
|    |      | 1800 | 324/6JP | <a href="#">04018ET3H324JP-W22</a> | \$5,413    | P1           | 608                           | 1.25           | 37.7           | 94.1       | 34.021             | 575         |       |
|    |      | 1200 | 364/5JP | <a href="#">04012ET3E364JP-W22</a> | \$9,268    | P1           | 1003                          | 1.25           | 46.5           | 94.1       | 35.916             | 230/460     |       |
| 50 | 37   | 3600 | 324/6JP | <a href="#">05036ET3E326JP-W22</a> | \$6,733    | P1           | 624                           | 1.25           | 56.1           | 93.0       | 34.021             | 230/460     |       |
|    |      | 3600 | 324/6JP | <a href="#">05036ET3H326JP-W22</a> | \$6,733    | P1           | 622                           | 1.25           | 44.9           | 93.0       | 34.021             | 575         |       |
|    |      | 1800 | 324/6JP | <a href="#">05018ET3E326JP-W22</a> | \$6,624    | P1           | 648                           | 1.25           | 59.2           | 94.5       | 34.021             | 230/460     |       |
|    |      | 1800 | 324/6JP | <a href="#">05018ET3H326JP-W22</a> | \$6,624    | P1           | 645                           | 1.25           | 47.4           | 94.5       | 34.021             | 575         |       |
|    |      | 1200 | 364/5JP | <a href="#">05012ET3E365JP-W22</a> | \$10,748   | P1           | 983                           | 1.25           | 57.4           | 94.1       | 35.916             | 230/460     |       |
| 60 | 45   | 3600 | 324/6JP | <a href="#">06036ET3E326JP-W22</a> | \$7,853    | P1           | 627                           | 1.00           | 70.2           | 93.6       | 34.021             | 230/460     | 37    |
|    |      | 3600 | 364/5JP | <a href="#">06036ET3E364JP-W22</a> | \$10,252   | P1           | 994                           | 1.25           | 67.0           | 93.6       | 36.711             | 230/460     |       |
|    |      | 3600 | 364/5JP | <a href="#">06036ET3H364JP-W22</a> | \$10,252   | P1           | 946                           | 1.25           | 53.6           | 93.6       | 36.711             | 575         |       |
|    |      | 1800 | 364/5JP | <a href="#">06018ET3E364JP-W22</a> | \$9,619    | P1           | 1056                          | 1.25           | 68.3           | 95.0       | 35.916             | 230/460     |       |
|    |      | 1800 | 364/5JP | <a href="#">06018ET3H364JP-W22</a> | \$9,619    | P1           | 1042                          | 1.25           | 54.6           | 95.0       | 35.916             | 575         |       |
|    |      | 1200 | 404/5JP | <a href="#">06012ET3E404JP-W22</a> | \$12,444   | P1           | 1156                          | 1.25           | 69.5           | 94.5       | 38.911             | 230/460     |       |

*continued on next page*

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

### JP - TEFC - Three-Phase - *continued*

| HP  | kW | RPM  | Frame   | Catalog Number                     | List Price      | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|----|------|---------|------------------------------------|-----------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 75  | 55 | 3600 | 364/5JP | <a href="#">07536ET3E365JP-W22</a> | <b>\$11,321</b> | P1           | 997                           | 1.25           | 81.9           | 93.6        | 36.711             | 230/460     |       |
|     |    | 3600 | 364/5JP | <a href="#">07536ET3G365JP-W22</a> | <b>\$11,321</b> | P1           | 1153                          | 1.25           | 81.9           | 93.6        | 36.711             | 460         |       |
|     |    | 3600 | 364/5JP | <a href="#">07536ET3H365JP-W22</a> | <b>\$11,321</b> | P1           | 997                           | 1.25           | 65.5           | 93.6        | 36.711             | 575         |       |
|     |    | 1800 | 364/5JP | <a href="#">07518ET3E365JP-W22</a> | <b>\$10,235</b> | P1           | 1075                          | 1.25           | 84.1           | 95.4        | 35.916             | 230/460     |       |
|     |    | 1800 | 364/5JP | <a href="#">07518ET3H365JP-W22</a> | <b>\$10,235</b> | P1           | 1044                          | 1.25           | 67.3           | 95.4        | 35.916             | 575         |       |
|     |    | 1200 | 404/5JP | <a href="#">07512ET3E405JP-W22</a> | <b>\$14,005</b> | P1           | 1209                          | 1.25           | 84.9           | 94.5        | 38.911             | 230/460     |       |
| 100 | 75 | 3600 | 404/5JP | <a href="#">10036ET3E405JP-W22</a> | <b>\$13,949</b> | P1           | 1203                          | 1.25           | 110            | 94.1        | 40.551             | 230/460     |       |
|     |    | 3600 | 404/5JP | <a href="#">10036ET3G405JP-W22</a> | <b>\$13,949</b> | P1           | 1222                          | 1.25           | 110            | 94.1        | 40.551             | 460         |       |
|     |    | 1800 | 404/5JP | <a href="#">10018ET3E405JP-W22</a> | <b>\$12,411</b> | P1           | 1291                          | 1.25           | 111            | 95.4        | 38.911             | 230/460     |       |
|     |    | 1800 | 404/5JP | <a href="#">10018ET3G405JP-W22</a> | <b>\$12,411</b> | P1           | 1294                          | 1.25           | 111            | 95.4        | 38.911             | 460         |       |

### JP - TEFC - Explosion Proof

| HP | kW  | RPM  | Frame   | Catalog Number                 | List Price     | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|----|-----|------|---------|--------------------------------|----------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 3  | 2.2 | 1800 | 182/4JP | <a href="#">00318XT3E182JP</a> | <b>\$1,586</b> | XT           | 119                           | 1.15           | 3.91           | 89.5        | 20.431             | 230/460     |       |
|    |     | 1800 | 182/4JP | <a href="#">00318XT3H182JP</a> | <b>\$1,586</b> | XT           | 119                           | 1.15           | 3.13           | 89.5        | 20.431             | 575         |       |
| 5  | 3.7 | 1800 | 182/4JP | <a href="#">00518XT3E184JP</a> | <b>\$1,609</b> | XT           | 136                           | 1.15           | 6.57           | 89.5        | 20.306             | 230/460     |       |
|    |     | 1800 | 182/4JP | <a href="#">00518XT3H184JP</a> | <b>\$1,609</b> | XT           | 136                           | 1.15           | 5.26           | 89.5        | 20.306             | 575         |       |

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call **1-800-ASK-4WEG** (275-4934)

# Pump Motors

## CLOSE-COUPLED PUMP ODP MOTORS



### JM - ODP - Single Phase

| HP  | kW  | RPM  | Frame   | Catalog Number | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|-----|------|---------|----------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 3   | 2.2 | 3600 | 182/4JM | 003360S1B182JM | \$977      | P1CS         | 111                           | 1.25           | 11.7           | 86.0        | 18.976             | 115/208-230 | 9     |
| 5   | 3.7 | 3600 | 182/4JM | 005360S1B184JM | \$1,383    | P1CS         | 123                           | 1.25           | 19.0           | 88.0        | 18.976             | 115/208-230 | 9     |
| 7.5 | 5.5 | 3600 | 213/5JM | 007360S1C213JM | \$1,567    | P1CS         | 132                           | 1.15           | 30.2           | 85.5        | 18.667             | 208-230     | 9     |
| 10  | 7.5 | 3600 | 213/5JM | 010360S1C215JM | \$2,067    | P1CS         | 132                           | 1.15           | 42.0           | 84.0        | 20.499             | 208-230     | 9     |



### JP - ODP - Single Phase

| HP  | kW  | RPM  | Frame   | Catalog Number | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|-----|------|---------|----------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 3   | 2.2 | 3600 | 182/4JP | 003360S1B182JP | \$977      | P1CS         | 117                           | 1.25           | 11.7           | 86.0        | 21.942             | 115/208-230 | 9     |
| 5   | 3.7 | 3600 | 182/4JP | 005360S1B184JP | \$1,383    | P1CS         | 127                           | 1.25           | 19.0           | 88.0        | 21.942             | 115/208-230 | 9     |
| 7.5 | 5.5 | 3600 | 213/5JP | 007360S1C213JP | \$1,567    | P1CS         | 142                           | 1.15           | 30.2           | 85.5        | 22.558             | 208-230     | 9     |
| 10  | 7.5 | 3600 | 213/5JP | 010360S1C215JP | \$2,067    | P1CS         | 138                           | 1.15           | 42.0           | 84.0        | 24.390             | 208-230     | 9     |



### JM - ODP - Three Phase

| HP  | kW   | RPM  | Frame   | Catalog Number                     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|------------------------------------|------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|-------|
| 1   | 0.75 | 1800 | 143/5JM | <a href="#">001180T3E143JM-S</a>   | \$486      | P1S          | 40                            | 1.15           | 1.50           | 85.5       | 13.701             | 230/460     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">001180T3H143JM-S</a>   | \$486      | P1S          | 40                            | 1.15           | 1.20           | 85.5       | 13.701             | 575         | 9     |
|     |      | 1800 | 143/5JM | <a href="#">001180T3V143JM-S</a>   | \$486      | P1S          | 40                            | 1.15           | 1.70           | 85.5       | 13.701             | 200/400     | 9     |
|     |      | 1200 | 143/5JM | <a href="#">001120T3E145JM-S</a>   | \$550      | P1S          | 40                            | 1.15           | 1.70           | 82.5       | 13.701             | 230/460     | 9     |
| 1.5 | 1.1  | 3600 | 143/5JM | <a href="#">001560T3E143JM-S</a>   | \$534      | P1S          | 35                            | 1.15           | 1.90           | 84.0       | 13.701             | 230/460     | 9     |
|     |      | 3600 | 143/5JM | <a href="#">001560T3V143JM-S</a>   | \$534      | P1S          | 35                            | 1.15           | 2.10           | 84.0       | 13.701             | 200/400     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">001580T3E145JM-S</a>   | \$553      | P1S          | 47                            | 1.15           | 2.10           | 86.5       | 14.882             | 230/460     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">001580T3H145JM-S</a>   | \$553      | P1S          | 47                            | 1.15           | 1.70           | 86.5       | 14.882             | 575         | 9     |
|     |      | 1800 | 143/5JM | <a href="#">001580T3V145JM-S</a>   | \$553      | P1S          | 47                            | 1.15           | 2.40           | 86.5       | 14.882             | 200/400     | 9     |
|     |      | 1200 | 182/4JM | <a href="#">001520T3E182JM-S</a>   | \$769      | P1S          | 71                            | 1.15           | 2.30           | 86.5       | 15.472             | 230/460     | 9     |
| 2   | 1.5  | 3600 | 143/5JM | <a href="#">002360T3E145JM-S</a>   | \$580      | P1S          | 42                            | 1.15           | 2.40           | 85.5       | 14.094             | 230/460     | 9     |
|     |      | 3600 | 143/5JM | <a href="#">002360T3H145JM-S</a>   | \$580      | P1S          | 42                            | 1.15           | 1.90           | 85.5       | 14.094             | 575         | 9     |
|     |      | 3600 | 143/5JM | <a href="#">002360T3V145JM-S</a>   | \$580      | P1S          | 42                            | 1.15           | 2.80           | 85.5       | 14.094             | 200/400     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">002180T3E145JM-S</a>   | \$607      | P1S          | 44                            | 1.15           | 2.70           | 86.5       | 14.882             | 230/460     | 9     |
|     |      | 1800 | 143/5JM | <a href="#">002180T3H145JM-S</a>   | \$607      | P1S          | 44                            | 1.15           | 2.20           | 86.5       | 14.882             | 575         | 9     |
|     |      | 1800 | 143/5JM | <a href="#">002180T3V145JM-S</a>   | \$607      | P1S          | 44                            | 1.15           | 3.10           | 86.5       | 14.882             | 200/400     | 9     |
|     |      | 1200 | 182/4JM | <a href="#">002120T3E184JM-S</a>   | \$816      | P1S          | 83                            | 1.15           | 3.00           | 87.5       | 16.260             | 230/460     | 9     |
| 3   | 2.2  | 3600 | 143/5JM | <a href="#">003360T3E145JM-S</a>   | \$660      | P1S          | 45                            | 1.15           | 3.60           | 85.5       | 14.488             | 230/460     | 9     |
|     |      | 3600 | 143/5JM | <a href="#">003360T3H145JM-S</a>   | \$660      | P1S          | 45                            | 1.15           | 2.90           | 85.5       | 14.488             | 575         | 9     |
|     |      | 3600 | 143/5JM | <a href="#">003360T3V145JM-S</a>   | \$660      | P1S          | 45                            | 1.15           | 4.10           | 85.5       | 14.488             | 200/400     | 9     |
|     |      | 1800 | 182/4JM | <a href="#">003180T3E182JM-S</a>   | \$665      | P1S          | 84                            | 1.15           | 3.90           | 89.5       | 16.654             | 230/460     | 9     |
|     |      | 1800 | 182/4JM | <a href="#">003180T3H182JM-S</a>   | \$665      | P1S          | 84                            | 1.15           | 3.10           | 89.5       | 16.654             | 575         | 9     |
|     |      | 1800 | 182/4JM | <a href="#">003180T3V182JM-S</a>   | \$665      | P1S          | 84                            | 1.15           | 4.40           | 89.5       | 16.654             | 200/400     | 9     |
|     |      | 1200 | 213/5JM | <a href="#">003120T3E213JM-S</a>   | \$1,105    | P1S          | 123                           | 1.15           | 4.20           | 88.5       | 17.717             | 230/460     | 9     |
| 5   | 3.7  | 3600 | 182/4JM | <a href="#">005360T3E182JM-S</a>   | \$780      | P1S          | 70                            | 1.15           | 6.10           | 86.5       | 16.260             | 230/460     | 9     |
|     |      | 3600 | 182/4JM | <a href="#">005360T3H182JM-S</a>   | \$780      | P1S          | 70                            | 1.15           | 4.90           | 86.5       | 16.260             | 575         | 9     |
|     |      | 3600 | 182/4JM | <a href="#">005360T3V182JM-S</a>   | \$780      | P1S          | 70                            | 1.15           | 7.00           | 86.5       | 16.260             | 200/400     | 9     |
|     |      | 1800 | 182/4JM | <a href="#">005180T3E184JM-S</a>   | \$849      | P1S          | 96                            | 1.15           | 6.30           | 89.5       | 17.835             | 230/460     | 9     |
|     |      | 1800 | 182/4JM | <a href="#">005180T3H184JM-S</a>   | \$849      | P1S          | 96                            | 1.15           | 5.10           | 89.5       | 17.835             | 575         | 9     |
|     |      | 1800 | 182/4JM | <a href="#">005180T3V184JM-S</a>   | \$849      | P1S          | 96                            | 1.15           | 7.30           | 89.5       | 17.835             | 200/400     | 9     |
|     |      | 1200 | 213/5JM | <a href="#">005120T3E215JM-S</a>   | \$1,319    | P1S          | 144                           | 1.15           | 6.70           | 89.5       | 18.110             | 230/460     | 9     |
| 7.5 | 5.5  | 3600 | 182/4JM | <a href="#">007360T3E184JM-S</a>   | \$1,086    | P1S          | 87                            | 1.15           | 8.70           | 88.5       | 16.654             | 230/460     | 9     |
|     |      | 3600 | 182/4JM | <a href="#">007360T3H184JM-S</a>   | \$1,086    | P1S          | 87                            | 1.15           | 6.90           | 88.5       | 16.654             | 575         | 9     |
|     |      | 3600 | 182/4JM | <a href="#">007360T3V184JM-S</a>   | \$1,086    | P1S          | 87                            | 1.15           | 10.0           | 88.5       | 16.654             | 200/400     | 9     |
|     |      | 1800 | 213/5JM | <a href="#">007180T3E213JM-S</a>   | \$1,119    | P1S          | 135                           | 1.15           | 9.30           | 91.0       | 17.717             | 230/460     | 9     |
|     |      | 1800 | 213/5JM | <a href="#">007180T3H213JM-S</a>   | \$1,120    | P1S          | 135                           | 1.15           | 7.40           | 91.0       | 17.717             | 575         | 9     |
|     |      | 1800 | 213/5JM | <a href="#">007180T3V213JM-S</a>   | \$1,119    | P1S          | 135                           | 1.15           | 10.6           | 91.0       | 17.717             | 200/400     | 9     |
|     |      | 1200 | 254/6JM | <a href="#">007120T3E254JM-S</a>   | \$1,985    | P1S          | 224                           | 1.15           | 10.2           | 90.2       | 21.969             | 230/460     | 9     |
|     |      | 1200 | 254JM   | <a href="#">007120T3E254JM-W40</a> | \$1,985    | P1C          | 243                           | 1.25           | 9.94           | 90.2       | 22.517             | 230/460     |       |

continued on next page

## CLOSE-COUPLED PUMP ODP MOTORS

### JM - ODP - Three Phase - *continued*

| HP | kW   | RPM  | Frame   | Catalog Number                     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|----|------|------|---------|------------------------------------|------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|-------|
| 10 | 7.5  | 3600 | 213/5JM | <a href="#">010360T3E213JM-S</a>   | \$1,289    | P1S          | 132                           | 1.15           | 12.0           | 89.5       | 18.110             | 230/460     | 9     |
|    |      | 3600 | 213/5JM | <a href="#">010360T3H213JM-S</a>   | \$1,289    | P1S          | 132                           | 1.15           | 9.60           | 89.5       | 18.110             | 575         | 9     |
|    |      | 3600 | 213/5JM | <a href="#">010360T3V213JM-S</a>   | \$1,289    | P1S          | 132                           | 1.15           | 13.8           | 89.5       | 18.110             | 200/400     | 9     |
|    |      | 1800 | 213/5JM | <a href="#">010180T3E215JM-S</a>   | \$1,364    | P1S          | 140                           | 1.15           | 12.4           | 91.7       | 17.717             | 230/460     | 9     |
|    |      | 1800 | 213/5JM | <a href="#">010180T3H215JM-S</a>   | \$1,366    | P1S          | 140                           | 1.15           | 9.90           | 91.7       | 17.717             | 575         | 9     |
|    |      | 1200 | 254/6JM | <a href="#">010120T3E256JM-S</a>   | \$2,298    | P1S          | 252                           | 1.15           | 13.9           | 91.7       | 21.969             | 230/460     | 9     |
|    |      | 1200 | 254/6JM | <a href="#">010120T3E256JM-W40</a> | \$2,298    | P1C          | 271                           | 1.25           | 12.8           | 91.7       | 24.264             | 230/460     |       |
| 15 | 11   | 3600 | 213/5JM | <a href="#">015360T3E215JM-S</a>   | \$1,707    | P1S          | 151                           | 1.15           | 17.2           | 90.2       | 18.898             | 230/460     | 9     |
|    |      | 3600 | 213/5JM | <a href="#">015360T3H215JM-S</a>   | \$1,707    | P1S          | 151                           | 1.15           | 13.8           | 90.2       | 18.898             | 575         | 9     |
|    |      | 3600 | 213/5JM | <a href="#">015360T3V215JM-S</a>   | \$1,707    | P1S          | 151                           | 1.15           | 19.8           | 90.2       | 18.898             | 200/400     | 9     |
|    |      | 1800 | 254/6JM | <a href="#">015180T3E254JM-S</a>   | \$1,995    | P1S          | 225                           | 1.15           | 18.6           | 93.0       | 21.969             | 230/460     | 9     |
|    |      | 1800 | 254/6JM | <a href="#">015180T3H254JM-S</a>   | \$1,995    | P1S          | 225                           | 1.15           | 14.9           | 93.0       | 21.969             | 575         | 9     |
|    |      | 1800 | 254/6JM | <a href="#">015180T3V254JM-S</a>   | \$1,995    | P1S          | 225                           | 1.15           | 21.4           | 93.0       | 21.969             | 200/400     | 9     |
|    |      | 1800 | 254JM   | <a href="#">015180T3E254JM-W40</a> | \$1,995    | P1C          | 291                           | 1.25           | 17.5           | 93.0       | 22.517             | 230/460     |       |
|    |      | 1800 | 254JM   | <a href="#">015180T3H254JM-W40</a> | \$1,995    | P1C          | 290                           | 1.25           | 14.0           | 93.0       | 22.517             | 575         |       |
|    |      | 1800 | 254JM   | <a href="#">015180T3V254JM-W40</a> | \$1,995    | P1C          | 273                           | 1.25           | 20.1           | 93.0       | 22.517             | 200/400     |       |
| 20 | 15   | 1200 | 284JM   | <a href="#">015120T3E284JM-W40</a> | \$3,164    | P1C          | 355                           | 1.25           | 18.4           | 91.7       | 24.033             | 230/460     |       |
|    |      | 3600 | 254/6JM | <a href="#">020360T3E254JM-S</a>   | \$2,107    | P1S          | 206                           | 1.15           | 23.8           | 91.0       | 21.969             | 230/460     | 9     |
|    |      | 3600 | 254/6JM | <a href="#">020360T3H254JM-S</a>   | \$2,107    | P1S          | 206                           | 1.15           | 19.0           | 91.0       | 21.969             | 575         | 9     |
|    |      | 3600 | 254/6JM | <a href="#">020360T3V254JM-S</a>   | \$2,107    | P1S          | 206                           | 1.15           | 27.4           | 91.0       | 21.969             | 200/400     | 9     |
|    |      | 3600 | 254JM   | <a href="#">020360T3E254JM-W40</a> | \$2,107    | P1C          | 237                           | 1.25           | 24.3           | 91.0       | 22.517             | 230/460     |       |
|    |      | 3600 | 254JM   | <a href="#">020360T3H254JM-W40</a> | \$2,107    | P1C          | 236                           | 1.25           | 19.4           | 91.0       | 22.517             | 575         |       |
|    |      | 3600 | 254JM   | <a href="#">020360T3V254JM-W40</a> | \$2,107    | P1C          | 236                           | 1.25           | 28.0           | 91.0       | 22.517             | 200/400     |       |
|    |      | 1800 | 254/6JM | <a href="#">020180T3E256JM-S</a>   | \$2,413    | P1S          | 250                           | 1.15           | 25.0           | 93.0       | 21.969             | 230/460     | 9     |
|    |      | 1800 | 254/6JM | <a href="#">020180T3H256JM-S</a>   | \$2,413    | P1S          | 250                           | 1.15           | 20.0           | 93.0       | 21.969             | 575         | 9     |
|    |      | 1800 | 254/6JM | <a href="#">020180T3E256JM-W40</a> | \$2,413    | P1C          | 326                           | 1.25           | 24.1           | 93.0       | 24.264             | 230/460     |       |
|    |      | 1800 | 254/6JM | <a href="#">020180T3H256JM-W40</a> | \$2,413    | P1C          | 326                           | 1.25           | 19.3           | 93.0       | 24.264             | 575         |       |
| 25 | 18.5 | 1200 | 284/6JM | <a href="#">020120T3E286JM-W40</a> | \$3,872    | P1C          | 430                           | 1.25           | 24.3           | 92.4       | 25.533             | 230/460     |       |
|    |      | 3600 | 254/6JM | <a href="#">025360T3E256JM-S</a>   | \$2,598    | P1S          | 217                           | 1.15           | 29.1           | 91.7       | 21.969             | 230/460     | 9     |
|    |      | 3600 | 254/6JM | <a href="#">025360T3H256JM-S</a>   | \$2,598    | P1S          | 217                           | 1.15           | 23.3           | 91.7       | 21.969             | 575         | 9     |
|    |      | 3600 | 254/6JM | <a href="#">025360T3E256JM-W40</a> | \$2,598    | P1C          | 266                           | 1.25           | 28.8           | 91.7       | 24.264             | 230/460     |       |
|    |      | 3600 | 254/6JM | <a href="#">025360T3H256JM-W40</a> | \$2,598    | P1C          | 263                           | 1.25           | 23.0           | 91.7       | 24.264             | 575         |       |
|    |      | 1800 | 284JM   | <a href="#">025180T3E284JM-W40</a> | \$2,912    | P1C          | 397                           | 1.25           | 29.5           | 93.6       | 24.033             | 230/460     |       |
|    |      | 1800 | 284JM   | <a href="#">025180T3H284JM-W40</a> | \$2,912    | P1C          | 400                           | 1.25           | 23.6           | 93.6       | 24.033             | 575         |       |
|    |      | 1200 | 324JM   | <a href="#">025120T3E324JM-W40</a> | \$4,306    | P1C          | 514                           | 1.25           | 30.8           | 93.0       | 26.057             | 230/460     |       |
| 30 | 22   | 3600 | 284JM   | <a href="#">030360T3E284JM-W40</a> | \$3,185    | P1C          | 350                           | 1.25           | 35.0           | 91.7       | 24.033             | 230/460     |       |
|    |      | 3600 | 284JM   | <a href="#">030360T3H284JM-W40</a> | \$3,185    | P1C          | 373                           | 1.25           | 28.0           | 91.7       | 24.033             | 575         |       |
|    |      | 3600 | 284JM   | <a href="#">030360T3V284JM-W40</a> | \$3,185    | P1C          | 373                           | 1.25           | 40.3           | 91.7       | 24.033             | 200/400     |       |
|    |      | 1800 | 284/6JM | <a href="#">030180T3E286JM-W40</a> | \$3,368    | P1C          | 443                           | 1.25           | 34.9           | 94.1       | 25.533             | 230/460     |       |
|    |      | 1800 | 284/6JM | <a href="#">030180T3H286JM-W40</a> | \$3,368    | P1C          | 452                           | 1.25           | 27.9           | 94.1       | 25.533             | 575         |       |
|    |      | 1200 | 324/6JM | <a href="#">030120T3E326JM-W40</a> | \$4,741    | P1C          | 561                           | 1.25           | 36.0           | 93.6       | 27.557             | 230/460     |       |

*continued on next page*



### JM - ODP - Three Phase - continued

| HP  | kW | RPM  | Frame   | Catalog Number                     | List Price     | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|----|------|---------|------------------------------------|----------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 40  | 30 | 3600 | 284/6JM | <a href="#">040360T3E286JM-W40</a> | <b>\$3,811</b> | P1C          | 394                           | 1.25           | 46.8           | 92.4        | 25.533             | 230/460     |       |
|     |    | 3600 | 284/6JM | <a href="#">040360T3H286JM-W40</a> | <b>\$3,811</b> | P1C          | 411                           | 1.25           | 37.4           | 92.4        | 25.533             | 575         |       |
|     |    | 1800 | 324JM   | <a href="#">040180T3E324JM-W40</a> | <b>\$3,797</b> | P1C          | 494                           | 1.25           | 47.6           | 94.1        | 26.057             | 230/460     |       |
|     |    | 1800 | 324JM   | <a href="#">040180T3H324JM-W40</a> | <b>\$3,797</b> | P1C          | 520                           | 1.25           | 38.1           | 94.1        | 26.057             | 575         |       |
|     |    | 1200 | 364/5JM | <a href="#">040120T3E364JM-W40</a> | <b>\$6,696</b> | P1C          | 849                           | 1.25           | 47.1           | 94.1        | 29.270             | 230/460     |       |
| 50  | 37 | 3600 | 324JM   | <a href="#">050360T3E324JM-W40</a> | <b>\$4,607</b> | P1C          | 474                           | 1.25           | 58.7           | 93.0        | 26.057             | 230/460     |       |
|     |    | 3600 | 324JM   | <a href="#">050360T3G324JM-W40</a> | <b>\$4,607</b> | P1C          | 522                           | 1.25           | 58.7           | 93.0        | 26.057             | 460         |       |
|     |    | 3600 | 324JM   | <a href="#">050360T3H324JM-W40</a> | <b>\$4,607</b> | P1C          | 523                           | 1.25           | 47.0           | 93.0        | 26.057             | 575         |       |
|     |    | 1800 | 324/6JM | <a href="#">050180T3E326JM-W40</a> | <b>\$4,877</b> | P1C          | 557                           | 1.25           | 58.5           | 94.5        | 27.557             | 230/460     |       |
|     |    | 1800 | 324/6JM | <a href="#">050180T3H326JM-W40</a> | <b>\$4,877</b> | P1C          | 596                           | 1.25           | 46.8           | 94.5        | 27.557             | 575         |       |
|     |    | 1200 | 364/5JM | <a href="#">050120T3E365JM-W40</a> | <b>\$7,666</b> | P1C          | 884                           | 1.25           | 58.1           | 94.1        | 29.270             | 230/460     |       |
| 60  | 45 | 3600 | 324/6JM | <a href="#">060360T3E326JM-W40</a> | <b>\$5,432</b> | P1C          | 519                           | 1.25           | 71.0           | 93.6        | 27.557             | 230/460     |       |
|     |    | 3600 | 324/6JM | <a href="#">060360T3G326JM-W40</a> | <b>\$5,432</b> | P1C          | 517                           | 1.25           | 71.0           | 93.6        | 27.557             | 460         |       |
|     |    | 3600 | 324/6JM | <a href="#">060360T3H326JM-W40</a> | <b>\$5,432</b> | P1C          | 564                           | 1.25           | 56.8           | 93.6        | 27.557             | 575         |       |
|     |    | 1800 | 364/5JM | <a href="#">060180T3E364JM-W40</a> | <b>\$5,994</b> | P1C          | 876                           | 1.25           | 69.9           | 95.0        | 29.270             | 230/460     |       |
|     |    | 1800 | 364/5JM | <a href="#">060180T3G364JM-W40</a> | <b>\$5,994</b> | P1C          | 847                           | 1.25           | 69.9           | 95.0        | 29.270             | 460         |       |
|     |    | 1800 | 364/5JM | <a href="#">060180T3H364JM-W40</a> | <b>\$5,994</b> | P1C          | 847                           | 1.25           | 55.9           | 95.0        | 29.270             | 575         |       |
| 75  | 55 | 3600 | 364/5JM | <a href="#">075360T3E364JM-W40</a> | <b>\$6,951</b> | P1C          | 815                           | 1.25           | 84.8           | 93.6        | 29.270             | 230/460     |       |
|     |    | 3600 | 364/5JM | <a href="#">075360T3G364JM-W40</a> | <b>\$6,951</b> | P1C          | 794                           | 1.25           | 84.8           | 93.6        | 29.270             | 460         |       |
|     |    | 3600 | 364/5JM | <a href="#">075360T3H364JM-W40</a> | <b>\$6,951</b> | P1C          | 794                           | 1.25           | 67.8           | 93.6        | 29.270             | 575         |       |
|     |    | 1800 | 364/5JM | <a href="#">075180T3E365JM-W40</a> | <b>\$6,932</b> | P1C          | 875                           | 1.25           | 85.5           | 95.0        | 29.270             | 230/460     |       |
|     |    | 1800 | 364/5JM | <a href="#">075180T3G365JM-W40</a> | <b>\$6,932</b> | P1C          | 875                           | 1.25           | 85.5           | 95.0        | 29.270             | 460         |       |
|     |    | 1800 | 364/5JM | <a href="#">075180T3H365JM-W40</a> | <b>\$6,932</b> | P1C          | 875                           | 1.25           | 68.4           | 95.0        | 29.270             | 575         |       |
| 100 | 75 | 3600 | 364/5JM | <a href="#">100360T3E365JM-W40</a> | <b>\$8,683</b> | P1C          | 835                           | 1.25           | 116            | 93.6        | 29.270             | 230/460     |       |
|     |    | 3600 | 364/5JM | <a href="#">100360T3G365JM-W40</a> | <b>\$8,683</b> | P1C          | 865                           | 1.25           | 116            | 93.6        | 29.270             | 460         |       |

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>


Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

# Pump Motors

## CLOSE-COUPLED PUMP ODP MOTORS

### JM - ODP - Three Phase - Footless Vertical



| HP  | kW   | RPM  | Frame   | Catalog Number                      | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|-------------------------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 1   | 0.75 | 1800 | 143/5JM | <a href="#">001180T3E143JMV-S</a>   | \$541      | P1S          | 40                            | 1.15           | 1.50           | 85.5        | 15.001             | 230/460     | 9;15  |
|     |      | 1200 | 143/5JM | <a href="#">001120T3E145JMV-S</a>   | \$605      | P1S          | 40                            | 1.15           | 1.70           | 82.5        | 15.001             | 230/460     | 9;15  |
| 1.5 | 1.1  | 3600 | 143/5JM | <a href="#">001560T3E143JMV-S</a>   | \$589      | P1S          | 35                            | 1.15           | 1.90           | 84.0        | 15.001             | 230/460     | 9;15  |
|     |      | 1800 | 143/5JM | <a href="#">001580T3E145JMV-S</a>   | \$608      | P1S          | 47                            | 1.15           | 2.10           | 86.5        | 16.182             | 230/460     | 9;15  |
|     |      | 1200 | 182/4JM | <a href="#">001520T3E182JMV-S</a>   | \$827      | P1S          | 71                            | 1.15           | 2.30           | 86.5        | 16.812             | 230/460     | 9;15  |
| 2   | 1.5  | 3600 | 143/5JM | <a href="#">002360T3E145JMV-S</a>   | \$635      | P1S          | 42                            | 1.15           | 2.40           | 85.5        | 15.394             | 230/460     | 9;15  |
|     |      | 1800 | 143/5JM | <a href="#">002180T3E145JMV-S</a>   | \$662      | P1S          | 44                            | 1.15           | 2.70           | 86.5        | 16.182             | 230/460     | 9;15  |
|     |      | 1200 | 182/4JM | <a href="#">002120T3E184JMV-S</a>   | \$874      | P1S          | 83                            | 1.15           | 3.00           | 87.5        | 17.600             | 230/460     | 9;15  |
| 3   | 2.2  | 3600 | 143/5JM | <a href="#">003360T3E145JMV-S</a>   | \$715      | P1S          | 45                            | 1.15           | 3.60           | 85.5        | 15.788             | 230/460     | 9;15  |
|     |      | 1800 | 182/4JM | <a href="#">003180T3E182JMV-S</a>   | \$723      | P1S          | 84                            | 1.15           | 3.90           | 89.5        | 17.994             | 230/460     | 9;15  |
|     |      | 1200 | 213/5JM | <a href="#">003120T3E213JMV-S</a>   | \$1,187    | P1S          | 123                           | 1.15           | 4.20           | 88.5        | 18.977             | 230/460     | 9;15  |
| 5   | 3.7  | 3600 | 182/4JM | <a href="#">005360T3E182JMV-S</a>   | \$838      | P1S          | 75                            | 1.15           | 6.10           | 86.5        | 17.600             | 230/460     | 9;15  |
|     |      | 1800 | 182/4JM | <a href="#">005180T3E184JMV-S</a>   | \$907      | P1S          | 96                            | 1.15           | 6.30           | 89.5        | 19.175             | 230/460     | 9;15  |
|     |      | 1200 | 213/5JM | <a href="#">005120T3E215JMV-S</a>   | \$1,401    | P1S          | 144                           | 1.15           | 6.70           | 89.5        | 19.370             | 230/460     | 9;15  |
| 7.5 | 5.5  | 3600 | 182/4JM | <a href="#">007360T3E184JMV-S</a>   | \$1,144    | P1S          | 87                            | 1.15           | 8.70           | 88.5        | 17.994             | 230/460     | 9;15  |
|     |      | 3600 | 182/4JM | <a href="#">007360T3H184JMV-S</a>   | \$1,144    | P1S          | 87                            | 1.15           | 6.90           | 88.5        | 17.994             | 575         | 9;15  |
|     |      | 3600 | 182/4JM | <a href="#">007360T3V184JMV-S</a>   | \$1,144    | P1S          | 87                            | 1.15           | 10.0           | 88.5        | 17.994             | 200/400     | 9;15  |
|     |      | 1800 | 213/5JM | <a href="#">007180T3E213JMV-S</a>   | \$1,201    | P1S          | 135                           | 1.15           | 9.30           | 91.0        | 18.977             | 230/460     | 9;15  |
|     |      | 3600 | 213/5JM | <a href="#">010360T3E213JMV-S</a>   | \$1,371    | P1S          | 132                           | 1.15           | 12.0           | 89.5        | 19.370             | 230/460     | 9;15  |
| 10  | 7.5  | 3600 | 213/5JM | <a href="#">010360T3H213JMV-S</a>   | \$1,371    | P1S          | 132                           | 1.15           | 9.60           | 89.5        | 19.370             | 575         | 9;15  |
|     |      | 3600 | 213/5JM | <a href="#">010360T3V213JMV-S</a>   | \$1,371    | P1S          | 132                           | 1.15           | 13.8           | 89.5        | 19.370             | 200/400     | 9;15  |
|     |      | 1800 | 213/5JM | <a href="#">010180T3E215JMV-S</a>   | \$1,446    | P1S          | 140                           | 1.15           | 12.4           | 91.7        | 18.977             | 230/460     | 9;15  |
|     |      | 1800 | 213/5JM | <a href="#">010180T3H215JMV-S</a>   | \$1,448    | P1S          | 140                           | 1.15           | 9.90           | 91.7        | 18.977             | 575         | 9;15  |
|     |      | 3600 | 213/5JM | <a href="#">015360T3E215JMV-S</a>   | \$1,789    | P1S          | 151                           | 1.15           | 17.2           | 90.2        | 20.158             | 230/460     | 9;15  |
| 15  | 11   | 3600 | 213/5JM | <a href="#">015360T3H215JMV-S</a>   | \$1,789    | P1S          | 151                           | 1.15           | 13.8           | 90.2        | 20.158             | 575         | 9;15  |
|     |      | 3600 | 213/5JM | <a href="#">015360T3V215JMV-S</a>   | \$1,789    | P1S          | 151                           | 1.15           | 19.8           | 90.2        | 20.158             | 200/400     | 9;15  |
|     |      | 1800 | 254/6JM | <a href="#">015180T3E254JMV-S</a>   | \$2,147    | P1S          | 175                           | 1.15           | 18.6           | 93.0        | 23.898             | 230/460     | 9;15  |
|     |      | 3600 | 254/6JM | <a href="#">020360T3E254JMV-S</a>   | \$2,205    | P1S          | 206                           | 1.15           | 23.8           | 91.0        | 23.359             | 230/460     | 9;15  |
| 20  | 15   | 3600 | 254/6JM | <a href="#">020360T3H254JMV-S</a>   | \$2,205    | P1S          | 206                           | 1.15           | 19.0           | 91.0        | 23.359             | 575         | 9;15  |
|     |      | 3600 | 254/6JM | <a href="#">020360T3V254JMV-S</a>   | \$2,205    | P1S          | 206                           | 1.15           | 27.4           | 91.0        | 23.359             | 200/400     | 9;15  |
|     |      | 1800 | 254/6JM | <a href="#">020180T3E256JMV-S</a>   | \$2,580    | P1S          | 198                           | 1.15           | 25.0           | 93.0        | 23.898             | 230/460     | 9;15  |
|     |      | 3600 | 254/6JM | <a href="#">025360T3E256JMV-S</a>   | \$2,696    | P1S          | 217                           | 1.15           | 29.1           | 91.7        | 23.359             | 230/460     | 9;15  |
| 25  | 18.5 | 3600 | 254/6JM | <a href="#">025360T3H256JMV-S</a>   | \$2,696    | P1S          | 217                           | 1.15           | 23.3           | 91.7        | 23.359             | 575         | 9;15  |
|     |      | 3600 | 254/6JM | <a href="#">025360T3V256JMV-S</a>   | \$2,696    | P1S          | 217                           | 1.15           | 33.5           | 91.7        | 23.359             | 200/400     | 9;15  |
|     |      | 1800 | 284/6JM | <a href="#">025180T3E284JMV-W40</a> | \$3,137    | P1C          | 421                           | 1.25           | 29.5           | 93.6        | 27.403             | 230/460     | 15    |
|     |      | 3600 | 284/6JM | <a href="#">030360T3H284JMV-W40</a> | \$3,422    | P1C          | 370                           | 1.25           | 28.0           | 91.7        | 27.403             | 575         | 15    |
| 30  | 22   | 1800 | 284/6JM | <a href="#">030180T3H286JMV-W40</a> | \$3,610    | P1C          | 458                           | 1.25           | 27.9           | 94.1        | 27.403             | 575         | 15    |
|     |      | 3600 | 284/6JM | <a href="#">040360T3E286JMV-W40</a> | \$4,066    | P1C          | 409                           | 1.25           | 46.8           | 92.4        | 27.403             | 230/460     | 15    |
| 40  | 30   | 3600 | 286JM   | <a href="#">040360T3H286JMV*</a>    | \$4,066    | P1C          | 422                           | 1.15           | 37.7           | 92.4        | 28.077             | 575         | 15    |
|     |      | 3600 | 284/6JM | <a href="#">040360T3H286JMV-W40</a> | \$4,066    | P1C          | 408                           | 1.25           | 37.4           | 92.4        | 27.403             | 575         | 15    |
|     |      | 1800 | 324/6JM | <a href="#">040180T3E324JMV-W40</a> | \$4,431    | P1C          | 514                           | 1.25           | 47.6           | 94.1        | 29.427             | 230/460     | 15    |
|     |      | 3600 | 324/6JM | <a href="#">050360T3E324JMV-W40</a> | \$4,911    | P1C          | 494                           | 1.25           | 58.7           | 93.0        | 29.427             | 230/460     | 15    |
| 50  | 37   | 3600 | 324/6JM | <a href="#">050360T3H324JMV-W40</a> | \$4,911    | P1C          | 485                           | 1.25           | 47.0           | 93.0        | 29.427             | 575         | 15    |
|     |      | 3600 | 324/6JM | <a href="#">050360T3V324JMV-W40</a> | \$4,911    | P1C          | 499                           | 1.25           | 67.5           | 93.0        | 29.427             | 200/400     | 15    |
|     |      | 1800 | 324/6JM | <a href="#">050180T3H326JMV-W40</a> | \$5,189    | P1C          | 555                           | 1.25           | 46.8           | 94.5        | 29.427             | 575         | 15    |
| 60  | 45   | 3600 | 324/6JM | <a href="#">060360T3H326JMV-W40</a> | \$5,761    | P1C          | 524                           | 1.25           | 56.8           | 93.6        | 29.427             | 575         | 15    |
| 75  | 55   | 3600 | 364/5JM | <a href="#">075360T3H364JMV-W40</a> | \$7,351    | P1C          | 814                           | 1.25           | 67.8           | 93.6        | 31.865             | 575         | 15    |

\* To be discontinued and replaced by W40 model once inven-tory is depleted.

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>



### JP - ODP - Three Phase

| HP  | kW   | RPM  | Frame   | Catalog Number                     | List Price     | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|------------------------------------|----------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 1   | 0.75 | 1800 | 143/5JP | <a href="#">001180T3E143JP-S</a>   | <b>\$486</b>   | P1S          | 40                            | 1.15           | 1.50           | 85.5        | 16.772             | 230/460     | 9     |
|     |      | 1200 | 143/5JP | <a href="#">001120T3E145JP-S</a>   | <b>\$550</b>   | P1S          | 48                            | 1.15           | 1.70           | 82.5        | 16.772             | 230/460     | 9     |
| 1.5 | 1.1  | 3600 | 143/5JP | <a href="#">001560T3E143JP-S</a>   | <b>\$534</b>   | P1S          | 35                            | 1.15           | 1.90           | 84.0        | 16.772             | 230/460     | 9     |
|     |      | 3600 | 143/5JP | <a href="#">001560T3V143JP-S</a>   | <b>\$534</b>   | P1S          | 35                            | 1.15           | 2.10           | 84.0        | 16.772             | 200/400     | 9     |
|     |      | 1800 | 143/5JP | <a href="#">001580T3E145JP-S</a>   | <b>\$553</b>   | P1S          | 47                            | 1.15           | 2.10           | 86.5        | 17.953             | 230/460     | 9     |
|     |      | 1200 | 182/4JP | <a href="#">001520T3E182JP-S</a>   | <b>\$729</b>   | P1S          | 77                            | 1.15           | 2.30           | 86.5        | 18.543             | 230/460     | 9     |
| 2   | 1.5  | 3600 | 143/5JP | <a href="#">002360T3E145JP-S</a>   | <b>\$580</b>   | P1S          | 42                            | 1.15           | 2.40           | 85.5        | 17.165             | 230/460     | 9     |
|     |      | 3600 | 143/5JP | <a href="#">002360T3V145JP-S</a>   | <b>\$580</b>   | P1S          | 42                            | 1.15           | 2.80           | 85.5        | 17.165             | 200/400     | 9     |
|     |      | 1800 | 143/5JP | <a href="#">002180T3E145JP-S</a>   | <b>\$607</b>   | P1S          | 45                            | 1.15           | 2.70           | 86.5        | 17.953             | 230/460     | 9     |
|     |      | 1200 | 182/4JP | <a href="#">002120T3E184JP-S</a>   | <b>\$863</b>   | P1S          | 86                            | 1.15           | 3.00           | 87.5        | 19.331             | 230/460     | 9     |
| 3   | 2.2  | 3600 | 143/5JP | <a href="#">003360T3E145JP-S</a>   | <b>\$660</b>   | P1S          | 45                            | 1.15           | 3.60           | 85.5        | 17.559             | 230/460     | 9     |
|     |      | 3600 | 143/5JP | <a href="#">003360T3H145JP-S</a>   | <b>\$660</b>   | P1S          | 45                            | 1.15           | 2.90           | 85.5        | 17.559             | 575         | 9     |
|     |      | 3600 | 143/5JP | <a href="#">003360T3V145JP-S</a>   | <b>\$660</b>   | P1S          | 45                            | 1.15           | 4.10           | 85.5        | 17.559             | 200/400     | 9     |
|     |      | 1800 | 182/4JP | <a href="#">003180T3E182JP-S</a>   | <b>\$665</b>   | P1S          | 85                            | 1.15           | 3.90           | 89.5        | 19.724             | 230/460     | 9     |
|     |      | 1800 | 182/4JP | <a href="#">003180T3H182JP-S</a>   | <b>\$665</b>   | P1S          | 85                            | 1.15           | 3.10           | 89.5        | 19.724             | 575         | 9     |
|     |      | 1200 | 213/5JP | <a href="#">003120T3E213JP-S</a>   | <b>\$1,095</b> | P1S          | 132                           | 1.15           | 4.20           | 88.5        | 21.575             | 230/460     | 9     |
| 5   | 3.7  | 3600 | 182/4JP | <a href="#">005360T3E182JP-S</a>   | <b>\$792</b>   | P1S          | 74                            | 1.15           | 6.10           | 86.5        | 19.331             | 230/460     | 9     |
|     |      | 3600 | 182/4JP | <a href="#">005360T3H182JP-S</a>   | <b>\$792</b>   | P1S          | 74                            | 1.15           | 4.90           | 86.5        | 19.331             | 575         | 9     |
|     |      | 3600 | 182/4JP | <a href="#">005360T3V182JP-S</a>   | <b>\$792</b>   | P1S          | 74                            | 1.15           | 7.00           | 86.5        | 19.331             | 200/400     | 9     |
|     |      | 1800 | 182/4JP | <a href="#">005180T3E184JP-S</a>   | <b>\$848</b>   | P1S          | 99                            | 1.15           | 6.30           | 89.5        | 20.906             | 230/460     | 9     |
|     |      | 1800 | 182/4JP | <a href="#">005180T3H184JP-S</a>   | <b>\$848</b>   | P1S          | 99                            | 1.15           | 5.10           | 89.5        | 20.906             | 575         | 9     |
|     |      | 1200 | 213/5JP | <a href="#">005120T3E215JP-S</a>   | <b>\$1,321</b> | P1S          | 132                           | 1.15           | 6.70           | 89.5        | 21.969             | 230/460     | 9     |
| 7.5 | 5.5  | 3600 | 182/4JP | <a href="#">007360T3E184JP-S</a>   | <b>\$1,086</b> | P1S          | 89                            | 1.15           | 8.70           | 88.5        | 19.724             | 230/460     | 9     |
|     |      | 3600 | 182/4JP | <a href="#">007360T3H184JP-S</a>   | <b>\$1,086</b> | P1S          | 89                            | 1.15           | 6.90           | 88.5        | 19.724             | 575         | 9     |
|     |      | 3600 | 182/4JP | <a href="#">007360T3V184JP-S</a>   | <b>\$1,086</b> | P1S          | 89                            | 1.15           | 10.0           | 88.5        | 19.724             | 200/400     | 9     |
|     |      | 1800 | 213/5JP | <a href="#">007180T3E213JP-S</a>   | <b>\$1,120</b> | P1S          | 144                           | 1.15           | 9.30           | 91.0        | 21.575             | 230/460     | 9     |
|     |      | 1800 | 213/5JP | <a href="#">007180T3H213JP-S</a>   | <b>\$1,120</b> | P1S          | 144                           | 1.15           | 7.40           | 91.0        | 21.575             | 575         | 9     |
|     |      | 1800 | 213/5JP | <a href="#">007180T3V213JP-S</a>   | <b>\$1,120</b> | P1S          | 144                           | 1.15           | 10.6           | 91.0        | 21.575             | 200/400     | 9     |
|     |      | 1200 | 254/6JP | <a href="#">007120T3E254JP-S</a>   | <b>\$2,113</b> | P1S          | 226                           | 1.15           | 10.2           | 90.2        | 24.843             | 230/460     | 9     |
|     |      | 1200 | 254JP   | <a href="#">007120T3E254JP-W40</a> | <b>\$2,113</b> | P1C          | 245                           | 1.25           | 9.94           | 90.2        | 25.398             | 230/460     |       |
| 10  | 7.5  | 3600 | 213/5JP | <a href="#">010360T3E213JP-S</a>   | <b>\$1,289</b> | P1S          | 144                           | 1.15           | 12.0           | 89.5        | 21.969             | 230/460     | 9     |
|     |      | 3600 | 213/5JP | <a href="#">010360T3H213JP-S</a>   | <b>\$1,289</b> | P1S          | 144                           | 1.15           | 9.60           | 89.5        | 21.969             | 575         | 9     |
|     |      | 3600 | 213/5JP | <a href="#">010360T3V213JP-S</a>   | <b>\$1,289</b> | P1S          | 144                           | 1.15           | 13.8           | 89.5        | 21.969             | 200/400     | 9     |
|     |      | 1800 | 213/5JP | <a href="#">010180T3E215JP-S</a>   | <b>\$1,366</b> | P1S          | 149                           | 1.15           | 12.4           | 91.7        | 21.575             | 230/460     | 9     |
|     |      | 1800 | 213/5JP | <a href="#">010180T3H215JP-S</a>   | <b>\$1,366</b> | P1S          | 149                           | 1.15           | 9.90           | 91.7        | 21.575             | 575         | 9     |
|     |      | 1800 | 213/5JP | <a href="#">010180T3V215JP-S</a>   | <b>\$1,366</b> | P1S          | 149                           | 1.15           | 14.3           | 91.7        | 21.575             | 200/400     | 9     |
|     |      | 1200 | 254/6JP | <a href="#">010120T3E256JP-S</a>   | <b>\$2,298</b> | P1S          | 254                           | 1.15           | 13.9           | 91.7        | 24.843             | 230/460     | 9     |
|     |      | 1200 | 254/6JP | <a href="#">010120T3E256JP-W40</a> | <b>\$2,298</b> | P1C          | 271                           | 1.25           | 12.8           | 91.7        | 27.146             | 230/460     |       |

continued on next page

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

## CLOSE-COUPLED PUMP ODP MOTORS

### JP - ODP - Three Phase - continued

| HP | kW   | RPM  | Frame   | Catalog Number                     | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|----|------|------|---------|------------------------------------|------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|-------|
| 15 | 11   | 3600 | 213/5JP | <a href="#">015360T3E215JP-S</a>   | \$1,707    | P1S          | 160                           | 1.15           | 17.2           | 90.2       | 22.756             | 230/460     | 9     |
|    |      | 3600 | 213/5JP | <a href="#">015360T3H215JP-S</a>   | \$1,707    | P1S          | 160                           | 1.15           | 13.8           | 90.2       | 22.756             | 575         | 9     |
|    |      | 3600 | 213/5JP | <a href="#">015360T3V215JP-S</a>   | \$1,707    | P1S          | 160                           | 1.15           | 19.8           | 90.2       | 22.756             | 200/400     | 9     |
|    |      | 1800 | 254/6JP | <a href="#">015180T3E254JP-S</a>   | \$1,995    | P1S          | 228                           | 1.15           | 18.6           | 93.0       | 24.843             | 230/460     | 9     |
|    |      | 1800 | 254/6JP | <a href="#">015180T3H254JP-S</a>   | \$1,995    | P1S          | 228                           | 1.15           | 14.9           | 93.0       | 24.843             | 575         | 9     |
|    |      | 1800 | 254JP   | <a href="#">015180T3E254JP-W40</a> | \$1,995    | P1C          | 293                           | 1.25           | 17.5           | 93.0       | 25.398             | 230/460     |       |
|    |      | 1800 | 254JP   | <a href="#">015180T3H254JP-W40</a> | \$1,995    | P1C          | 269                           | 1.25           | 14.0           | 93.0       | 25.398             | 575         |       |
|    |      | 1200 | 284JP   | <a href="#">015120T3E284JP-W40</a> | \$3,163    | P1C          | 359                           | 1.25           | 18.4           | 91.7       | 26.913             | 230/460     |       |
| 20 | 15   | 3600 | 254/6JP | <a href="#">020360T3E254JP-S</a>   | \$2,106    | P1S          | 204                           | 1.15           | 23.8           | 91.0       | 24.843             | 230/460     | 9     |
|    |      | 3600 | 254/6JP | <a href="#">020360T3H254JP-S</a>   | \$2,106    | P1S          | 204                           | 1.15           | 19.0           | 91.0       | 24.843             | 575         | 9     |
|    |      | 3600 | 254/6JP | <a href="#">020360T3V254JP-S</a>   | \$2,106    | P1S          | 204                           | 1.15           | 27.4           | 91.0       | 24.843             | 200/400     | 9     |
|    |      | 3600 | 254JP   | <a href="#">020360T3E254JP-W40</a> | \$2,106    | P1C          | 239                           | 1.25           | 24.3           | 91.0       | 25.398             | 230/460     |       |
|    |      | 3600 | 254JP   | <a href="#">020360T3H254JP-W40</a> | \$2,106    | P1C          | 238                           | 1.25           | 19.4           | 91.0       | 25.398             | 575         |       |
|    |      | 3600 | 254JP   | <a href="#">020360T3V254JP-W40</a> | \$2,106    | P1C          | 278                           | 1.25           | 28.0           | 91.0       | 25.398             | 200/400     |       |
|    |      | 1800 | 254/6JP | <a href="#">020180T3E256JP-S</a>   | \$2,413    | P1S          | 252                           | 1.15           | 25.0           | 93.0       | 24.843             | 230/460     | 9     |
|    |      | 1800 | 254/6JP | <a href="#">020180T3H256JP-S</a>   | \$2,413    | P1S          | 252                           | 1.15           | 20.0           | 93.0       | 24.843             | 575         | 9     |
|    |      | 1800 | 254/6JP | <a href="#">020180T3E256JP-W40</a> | \$2,413    | P1C          | 329                           | 1.25           | 24.1           | 93.0       | 27.146             | 230/460     |       |
|    |      | 1800 | 254/6JP | <a href="#">020180T3H256JP-W40</a> | \$2,413    | P1C          | 328                           | 1.25           | 19.3           | 93.0       | 27.146             | 575         |       |
|    |      | 1200 | 284/6JP | <a href="#">020120T3E286JP-W40</a> | \$3,871    | P1C          | 434                           | 1.25           | 24.3           | 92.4       | 28.413             | 230/460     |       |
| 25 | 18.5 | 3600 | 254/6JP | <a href="#">025360T3E256JP-S</a>   | \$2,599    | P1S          | 218                           | 1.15           | 29.1           | 91.7       | 24.843             | 230/460     | 9     |
|    |      | 3600 | 254/6JP | <a href="#">025360T3H256JP-S</a>   | \$2,599    | P1S          | 218                           | 1.15           | 23.3           | 91.7       | 24.843             | 575         | 9     |
|    |      | 3600 | 254/6JP | <a href="#">025360T3V256JP-S</a>   | \$2,599    | P1S          | 218                           | 1.15           | 33.5           | 91.7       | 24.843             | 200/400     | 9     |
|    |      | 3600 | 254/6JP | <a href="#">025360T3E256JP-W40</a> | \$2,599    | P1C          | 269                           | 1.25           | 28.8           | 91.7       | 27.146             | 230/460     |       |
|    |      | 3600 | 254/6JP | <a href="#">025360T3H256JP-W40</a> | \$2,599    | P1C          | 310                           | 1.25           | 23.0           | 91.7       | 27.146             | 575         |       |
|    |      | 3600 | 254/6JP | <a href="#">025360T3V256JP-W40</a> | \$2,599    | P1C          | 310                           | 1.25           | 33.1           | 91.7       | 27.146             | 200/400     |       |
|    |      | 1800 | 284JP   | <a href="#">025180T3E284JP-W40</a> | \$2,911    | P1C          | 400                           | 1.25           | 29.5           | 93.6       | 26.913             | 230/460     |       |
|    |      | 1800 | 284JP   | <a href="#">025180T3H284JP-W40</a> | \$2,911    | P1C          | 400                           | 1.25           | 23.6           | 93.6       | 26.913             | 575         |       |
|    |      | 1200 | 324JP   | <a href="#">025120T3E324JP-W40</a> | \$4,306    | P1C          | 516                           | 1.25           | 30.8           | 93.0       | 28.937             | 230/460     |       |
| 30 | 22   | 3600 | 284JP   | <a href="#">030360T3E284JP-W40</a> | \$3,185    | P1C          | 354                           | 1.25           | 35.0           | 91.7       | 26.913             | 230/460     |       |
|    |      | 3600 | 284JP   | <a href="#">030360T3H284JP-W40</a> | \$3,185    | P1C          | 367                           | 1.25           | 28.0           | 91.7       | 26.913             | 575         |       |
|    |      | 3600 | 284JP   | <a href="#">030360T3V284JP-W40</a> | \$3,185    | P1C          | 422                           | 1.25           | 40.3           | 91.7       | 26.913             | 200/400     |       |
|    |      | 1800 | 284/6JP | <a href="#">030180T3E286JP-W40</a> | \$3,367    | P1C          | 447                           | 1.25           | 34.9           | 94.1       | 28.413             | 230/460     |       |
|    |      | 1800 | 284/6JP | <a href="#">030180T3H286JP-W40</a> | \$3,367    | P1C          | 453                           | 1.25           | 27.9           | 94.1       | 28.413             | 575         |       |
|    |      | 1800 | 284/6JP | <a href="#">030180T3V286JP-W40</a> | \$3,367    | P1C          | 447                           | 1.25           | 40.1           | 94.1       | 28.413             | 200/400     |       |
|    |      | 1200 | 324/6JP | <a href="#">030120T3E326JP-W40</a> | \$4,980    | P1C          | 602                           | 1.25           | 36.0           | 93.6       | 30.437             | 230/460     |       |
| 40 | 30   | 3600 | 284/6JP | <a href="#">040360T3E286JP-W40</a> | \$3,811    | P1C          | 398                           | 1.25           | 46.8           | 92.4       | 28.413             | 230/460     |       |
|    |      | 3600 | 284/6JP | <a href="#">040360T3H286JP-W40</a> | \$3,811    | P1C          | 397                           | 1.25           | 37.4           | 92.4       | 28.413             | 575         |       |
|    |      | 3600 | 284/6JP | <a href="#">040360T3V286JP-W40</a> | \$3,811    | P1C          | 532                           | 1.25           | 53.8           | 92.4       | 28.413             | 200/400     |       |
|    |      | 1800 | 324JP   | <a href="#">040180T3E324JP-W40</a> | \$3,797    | P1C          | 499                           | 1.25           | 47.6           | 94.1       | 28.937             | 230/460     |       |
|    |      | 1800 | 324JP   | <a href="#">040180T3H324JP-W40</a> | \$3,797    | P1C          | 491                           | 1.25           | 38.1           | 94.1       | 28.937             | 575         |       |
|    |      | 1800 | 324JP   | <a href="#">040180T3V324JP-W40</a> | \$3,797    | P1C          | 575                           | 1.25           | 54.7           | 94.1       | 28.937             | 200/400     |       |
|    |      | 1200 | 364/5JP | <a href="#">040120T3E364JP-W40</a> | \$7,444    | P1C          | 849                           | 1.25           | 47.1           | 94.1       | 32.150             | 230/460     |       |

continued on next page

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

### JP - ODP - Three Phase - continued


| HP  | kW  | RPM  | Frame   | Catalog Number                     | List Price      | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|-----|------|---------|------------------------------------|-----------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 50  | 37  | 3600 | 324JP   | <a href="#">050360T3E324JP-W40</a> | <b>\$4,607</b>  | P1C          | 479                           | 1.25           | 58.7           | 93.0        | 28.937             | 230/460     |       |
|     |     | 3600 | 324JP   | <a href="#">050360T3G324JP-W40</a> | <b>\$4,607</b>  | P1C          | 477                           | 1.25           | 58.7           | 93.0        | 28.937             | 460         |       |
|     |     | 3600 | 324JP   | <a href="#">050360T3H324JP-W40</a> | <b>\$4,607</b>  | P1C          | 525                           | 1.25           | 47.0           | 93.0        | 28.937             | 575         |       |
|     |     | 3600 | 324JP   | <a href="#">050360T3V324JP-W40</a> | <b>\$4,607</b>  | P1C          | 527                           | 1.25           | 67.5           | 93.0        | 28.937             | 200/400     |       |
|     |     | 1800 | 324/6JP | <a href="#">050180T3E326JP-W40</a> | <b>\$4,878</b>  | P1C          | 562                           | 1.25           | 58.5           | 94.5        | 30.437             | 230/460     |       |
|     |     | 1800 | 324/6JP | <a href="#">050180T3H326JP-W40</a> | <b>\$4,878</b>  | P1C          | 599                           | 1.25           | 46.8           | 94.5        | 30.437             | 575         |       |
|     |     | 1200 | 364/5JP | <a href="#">050120T3E365JP-W40</a> | <b>\$7,666</b>  | P1C          | 884                           | 1.25           | 58.1           | 94.1        | 32.150             | 230/460     |       |
| 60  | 45  | 3600 | 324/6JP | <a href="#">060360T3E326JP-W40</a> | <b>\$5,432</b>  | P1C          | 524                           | 1.25           | 71.0           | 93.6        | 30.437             | 230/460     |       |
|     |     | 3600 | 324/6JP | <a href="#">060360T3G326JP-W40</a> | <b>\$5,432</b>  | P1C          | 522                           | 1.25           | 71.0           | 93.6        | 30.437             | 460         |       |
|     |     | 3600 | 324/6JP | <a href="#">060360T3H326JP-W40</a> | <b>\$5,432</b>  | P1C          | 521                           | 1.25           | 56.8           | 93.6        | 30.437             | 575         |       |
|     |     | 3600 | 324/6JP | <a href="#">060360T3V326JP-W40</a> | <b>\$5,432</b>  | P1C          | 628                           | 1.25           | 81.7           | 93.6        | 30.437             | 200/400     |       |
|     |     | 1800 | 364/5JP | <a href="#">060180T3E364JP-W40</a> | <b>\$5,994</b>  | P1C          | 880                           | 1.25           | 69.9           | 95.0        | 32.150             | 230/460     |       |
|     |     | 1800 | 364/5JP | <a href="#">060180T3G364JP-W40</a> | <b>\$5,994</b>  | P1C          | 847                           | 1.25           | 69.9           | 95.0        | 32.150             | 460         |       |
|     |     | 1800 | 364/5JP | <a href="#">060180T3H364JP-W40</a> | <b>\$5,994</b>  | P1C          | 847                           | 1.25           | 55.9           | 95.0        | 32.150             | 575         |       |
|     |     | 1200 | 404/5JP | <a href="#">060120T3E404JP-W40</a> | <b>\$9,462</b>  | P1C          | 1051                          | 1.25           | 70.3           | 94.5        | 35.152             | 230/460     |       |
| 75  | 55  | 3600 | 364/5JP | <a href="#">075360T3E364JP-W40</a> | <b>\$7,699</b>  | P1C          | 819                           | 1.25           | 84.8           | 93.6        | 32.150             | 230/460     |       |
|     |     | 3600 | 364/5JP | <a href="#">075360T3G364JP-W40</a> | <b>\$7,699</b>  | P1C          | 794                           | 1.25           | 84.8           | 93.6        | 32.150             | 460         |       |
|     |     | 3600 | 364/5JP | <a href="#">075360T3H364JP-W40</a> | <b>\$7,699</b>  | P1C          | 794                           | 1.25           | 67.8           | 93.6        | 32.150             | 575         |       |
|     |     | 3600 | 364/5JP | <a href="#">075360T3V364JP-W40</a> | <b>\$7,699</b>  | P1C          | 794                           | 1.25           | 97.5           | 93.6        | 32.150             | 200/400     |       |
|     |     | 1800 | 364/5JP | <a href="#">075180T3E365JP-W40</a> | <b>\$6,932</b>  | P1C          | 904                           | 1.25           | 85.5           | 95.0        | 32.150             | 230/460     |       |
|     |     | 1800 | 364/5JP | <a href="#">075180T3G365JP-W40</a> | <b>\$6,932</b>  | P1C          | 875                           | 1.25           | 85.5           | 95.0        | 32.150             | 460         |       |
|     |     | 1800 | 364/5JP | <a href="#">075180T3H365JP-W40</a> | <b>\$6,932</b>  | P1C          | 875                           | 1.25           | 68.4           | 95.0        | 32.150             | 575         |       |
|     |     | 1200 | 404/5JP | <a href="#">075120T3E405JP-W40</a> | <b>\$9,762</b>  | P1C          | 1087                          | 1.25           | 85.9           | 94.5        | 35.152             | 230/460     |       |
| 100 | 75  | 3600 | 364/5JP | <a href="#">100360T3E365JP-W40</a> | <b>\$8,173</b>  | P1C          | 835                           | 1.25           | 116            | 93.6        | 32.150             | 230/460     |       |
|     |     | 3600 | 364/5JP | <a href="#">100360T3G365JP-W40</a> | <b>\$8,173</b>  | P1C          | 835                           | 1.25           | 116            | 93.6        | 32.150             | 460         |       |
|     |     | 1800 | 404/5JP | <a href="#">100180T3E404JP-W40</a> | <b>\$8,783</b>  | P1C          | 1079                          | 1.25           | 115            | 95.4        | 35.152             | 230/460     |       |
|     |     | 1800 | 404/5JP | <a href="#">100180T3G404JP-W40</a> | <b>\$8,783</b>  | P1C          | 1070                          | 1.25           | 115            | 95.4        | 35.152             | 460         |       |
| 125 | 125 | 3600 | 404/5JP | <a href="#">125360T3G404JP-W40</a> | <b>\$10,563</b> | P1C          | 955                           | 1.25           | 136            | 94.1        | 35.152             | 460         |       |
|     |     | 1800 | 404/5JP | <a href="#">125180T3G405JP-W40</a> | <b>\$10,317</b> | P1C          | 1156                          | 1.25           | 138            | 95.4        | 35.152             | 460         |       |
| 150 | 110 | 3600 | 404/5JP | <a href="#">150360T3G405JP-W40</a> | <b>\$13,922</b> | P1C          | 1004                          | 1.25           | 167            | 94.1        | 35.152             | 460         |       |

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call **1-800-ASK-4WEG** (275-4934)



### JP - ODP - Three Phase - Footless Vertical

| HP  | kW   | RPM  | Frame   | Catalog Number                      | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|-------------------------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 1.5 | 1.1  | 3600 | 143/5JP | <a href="#">001560T3E143JPV-S</a>   | \$589      | P1S          | 35                            | 1.15           | 1.90           | 84.0        | 18.072             | 230/460     | 9;15  |
| 2   | 1.5  | 3600 | 143/5JP | <a href="#">002360T3E145JPV-S</a>   | \$635      | P1S          | 42                            | 1.15           | 2.40           | 85.5        | 18.465             | 230/460     | 9;15  |
| 3   | 2.2  | 3600 | 143/5JP | <a href="#">003360T3E145JPV-S</a>   | \$715      | P1S          | 45                            | 1.15           | 3.60           | 85.5        | 18.859             | 230/460     | 9;15  |
| 5   | 3.7  | 3600 | 182/4JP | <a href="#">005360T3E182JPV-S</a>   | \$850      | P1S          | 74                            | 1.15           | 6.10           | 86.5        | 20.671             | 230/460     | 9;15  |
| 7.5 | 5.5  | 3600 | 182/4JP | <a href="#">007360T3E184JPV-S</a>   | \$1,144    | P1S          | 89                            | 1.15           | 8.70           | 88.5        | 21.064             | 230/460     | 9;15  |
|     |      | 3600 | 182/4JP | <a href="#">007360T3V184JPV-S</a>   | \$1,144    | P1S          | 89                            | 1.15           | 10.0           | 88.5        | 21.064             | 200/400     | 9;15  |
|     |      | 1200 | 254/6JP | <a href="#">007120T3E254JPV-S</a>   | \$2,211    | P1S          | 226                           | 1.15           | 10.2           | 90.2        | 26.233             | 230/460     | 9;15  |
| 10  | 7.5  | 3600 | 213/5JP | <a href="#">010360T3E213JPV-S</a>   | \$1,371    | P1S          | 144                           | 1.15           | 12.0           | 89.5        | 23.229             | 230/460     | 9;15  |
|     |      | 3600 | 213/5JP | <a href="#">010360T3H213JPV-S</a>   | \$1,371    | P1S          | 144                           | 1.15           | 9.60           | 89.5        | 23.229             | 575         | 9;15  |
|     |      | 3600 | 213/5JP | <a href="#">010360T3V213JPV-S</a>   | \$1,371    | P1S          | 144                           | 1.15           | 13.8           | 89.5        | 23.229             | 200/400     | 9;15  |
|     |      | 1200 | 254/6JP | <a href="#">010120T3E256JPV-S</a>   | \$2,396    | P1S          | 254                           | 1.15           | 13.9           | 91.7        | 26.233             | 230/460     | 9;15  |
| 15  | 11   | 3600 | 213/5JP | <a href="#">015360T3E215JPV-S</a>   | \$1,789    | P1S          | 160                           | 1.15           | 17.2           | 90.2        | 24.016             | 230/460     | 9;15  |
|     |      | 3600 | 213/5JP | <a href="#">015360T3H215JPV-S</a>   | \$1,789    | P1S          | 160                           | 1.15           | 13.8           | 90.2        | 24.016             | 575         | 9;15  |
|     |      | 3600 | 213/5JP | <a href="#">015360T3V215JPV-S</a>   | \$1,789    | P1S          | 160                           | 1.15           | 19.8           | 90.2        | 24.016             | 200/400     | 9;15  |
|     |      | 1800 | 254/6JP | <a href="#">015180T3V254JPV-S</a>   | \$2,093    | P1S          | 228                           | 1.15           | 21.4           | 93.0        | 26.233             | 200/400     | 9;15  |
|     |      | 1200 | 284/6JP | <a href="#">015120T3E284JPV-W40</a> | \$3,399    | P1C          | 382                           | 1.25           | 18.4           | 91.7        | 30.283             | 230/460     | 15    |
| 20  | 15   | 3600 | 254/6JP | <a href="#">020360T3E254JPV-S</a>   | \$2,204    | P1S          | 208                           | 1.15           | 23.8           | 91.0        | 26.233             | 230/460     | 9;15  |
|     |      | 3600 | 254/6JP | <a href="#">020360T3H254JPV-S</a>   | \$2,204    | P1S          | 208                           | 1.15           | 19.0           | 91.0        | 26.233             | 575         | 9;15  |
|     |      | 3600 | 254/6JP | <a href="#">020360T3V254JPV-S</a>   | \$2,204    | P1S          | 208                           | 1.15           | 27.4           | 91.0        | 26.233             | 200/400     | 9;15  |
|     |      | 1800 | 254/6JP | <a href="#">020180T3E256JPV-S</a>   | \$2,580    | P1S          | 198                           | 1.15           | 25.0           | 93.0        | 26.772             | 230/460     | 9;15  |
| 25  | 18.5 | 3600 | 254/6JP | <a href="#">025360T3E256JPV-S</a>   | \$2,697    | P1S          | 222                           | 1.15           | 29.1           | 91.7        | 26.233             | 230/460     | 9;15  |
|     |      | 3600 | 254/6JP | <a href="#">025360T3H256JPV-S</a>   | \$2,697    | P1S          | 222                           | 1.15           | 23.3           | 91.7        | 26.233             | 575         | 9;15  |
|     |      | 3600 | 254/6JP | <a href="#">025360T3V256JPV-S</a>   | \$2,697    | P1S          | 222                           | 1.15           | 33.5           | 91.7        | 26.233             | 200/400     | 9;15  |
|     |      | 1800 | 284/6JP | <a href="#">025180T3E284JPV-W40</a> | \$3,137    | P1C          | 423                           | 1.25           | 29.5           | 93.6        | 30.283             | 230/460     | 15    |
| 30  | 22   | 3600 | 284JP   | <a href="#">030360T3E284JPV*</a>    | \$3,422    | P1C          | 381                           | 1.15           | 34.7           | 91.7        | 29.464             | 230/460     | 15    |
|     |      | 3600 | 284JP   | <a href="#">030360T3V284JPV*</a>    | \$3,422    | P1C          | 381                           | 1.15           | 39.9           | 91.7        | 29.464             | 200/400     | 15    |
|     |      | 3600 | 284/6JP | <a href="#">030360T3E284JPV-W40</a> | \$3,422    | P1C          | 377                           | 1.25           | 35.0           | 91.7        | 30.283             | 230/460     | 15    |
|     |      | 3600 | 284/6JP | <a href="#">030360T3H284JPV-W40</a> | \$3,422    | P1C          | 372                           | 1.25           | 28.0           | 91.7        | 30.283             | 575         | 15    |
|     |      | 3600 | 284/6JP | <a href="#">030360T3V284JPV-W40</a> | \$3,422    | P1C          | 381                           | 1.25           | 40.3           | 91.7        | 30.283             | 200/400     | 15    |
|     |      | 1800 | 284/6JP | <a href="#">030180T3E286JPV-W40</a> | \$3,609    | P1C          | 460                           | 1.25           | 34.9           | 94.1        | 30.283             | 230/460     | 15    |
| 40  | 30   | 3600 | 286JP   | <a href="#">040360T3E286JPV*</a>    | \$4,066    | P1C          | 425                           | 1.15           | 47.1           | 92.4        | 30.957             | 230/460     | 15    |
|     |      | 3600 | 286JP   | <a href="#">040360T3V286JPV*</a>    | \$4,066    | P1C          | 425                           | 1.15           | 54.2           | 92.4        | 30.957             | 200/400     | 15    |
|     |      | 3600 | 284/6JP | <a href="#">040360T3E286JPV-W40</a> | \$4,066    | P1C          | 411                           | 1.25           | 46.8           | 92.4        | 30.283             | 230/460     | 15    |
|     |      | 3600 | 284/6JP | <a href="#">040360T3V286JPV-W40</a> | \$4,066    | P1C          | 414                           | 1.25           | 53.8           | 92.4        | 30.283             | 200/400     | 15    |
|     |      | 1800 | 324/6JP | <a href="#">040180T3E324JPV-W40</a> | \$4,077    | P1C          | 515                           | 1.25           | 47.6           | 94.1        | 32.307             | 230/460     | 15    |
|     |      | 1800 | 324/6JP | <a href="#">040180T3V324JPV-W40</a> | \$4,077    | P1C          | 520                           | 1.25           | 54.7           | 94.1        | 32.307             | 200/400     | 15    |

continued on next page

### JP - ODP - Three Phase - Footless Vertical - *continued*

| HP  | kW | RPM  | Frame   | Catalog Number                      | List Price     | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|----|------|---------|-------------------------------------|----------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 50  | 37 | 3600 | 324JP   | <a href="#">050360T3E324JPV*</a>    | <b>\$4,911</b> | P1C          | 533                           | 1.15           | 59.1           | 93.0        | 32.027             | 230/460     | 15    |
|     |    | 3600 | 324JP   | <a href="#">050360T3V324JPV*</a>    | <b>\$4,911</b> | P1C          | 534                           | 1.15           | 68.0           | 93.0        | 32.027             | 200/400     | 15    |
|     |    | 3600 | 324/6JP | <a href="#">050360T3E324JPV-W40</a> | <b>\$4,911</b> | P1C          | 495                           | 1.25           | 58.7           | 93.0        | 32.307             | 230/460     | 15    |
|     |    | 3600 | 324/6JP | <a href="#">050360T3H324JPV-W40</a> | <b>\$4,911</b> | P1C          | 486                           | 1.25           | 47.0           | 93.0        | 32.307             | 575         | 15    |
|     |    | 3600 | 324/6JP | <a href="#">050360T3V324JPV-W40</a> | <b>\$4,911</b> | P1C          | 500                           | 1.25           | 67.5           | 93.0        | 32.307             | 200/400     | 15    |
|     |    | 1800 | 324/6JP | <a href="#">050180T3E326JPV-W40</a> | <b>\$5,190</b> | P1C          | 566                           | 1.25           | 58.5           | 94.5        | 32.307             | 230/460     | 15    |
|     |    | 1800 | 324/6JP | <a href="#">050180T3V326JPV-W40</a> | <b>\$5,190</b> | P1C          | 611                           | 1.25           | 67.3           | 94.5        | 32.307             | 200/400     | 15    |
| 60  | 45 | 3600 | 326JP   | <a href="#">060360T3E326JPV*</a>    | <b>\$5,761</b> | P1C          | 581                           | 1.15           | 71.0           | 93.6        | 33.523             | 230/460     | 15    |
|     |    | 3600 | 326JP   | <a href="#">060360T3V326JPV*</a>    | <b>\$5,761</b> | P1C          | 583                           | 1.15           | 81.7           | 93.6        | 33.523             | 200/400     | 15    |
|     |    | 3600 | 324/6JP | <a href="#">060360T3E326JPV-W40</a> | <b>\$5,761</b> | P1C          | 528                           | 1.25           | 71.0           | 93.6        | 32.307             | 230/460     | 15    |
|     |    | 3600 | 324/6JP | <a href="#">060360T3V326JPV-W40</a> | <b>\$5,761</b> | P1C          | 534                           | 1.25           | 81.7           | 93.6        | 32.307             | 200/400     | 15    |
|     |    | 1800 | 364/5JP | <a href="#">060180T3E364JPV-W40</a> | <b>\$6,365</b> | P1C          | 884                           | 1.25           | 69.9           | 95.0        | 34.745             | 230/460     | 15    |
|     |    | 1800 | 364/5JP | <a href="#">060180T3V364JPV-W40</a> | <b>\$6,365</b> | P1C          | 883                           | 1.25           | 80.4           | 95.0        | 34.745             | 200/400     | 15    |
| 75  | 55 | 3600 | 364/5JP | <a href="#">075360T3E364JPV*</a>    | <b>\$8,121</b> | P1C          | 880                           | 1.15           | 83.4           | 93.6        | 35.208             | 230/460     | 15    |
|     |    | 3600 | 364/5JP | <a href="#">075360T3E364JPV-W40</a> | <b>\$8,121</b> | P1C          | 823                           | 1.25           | 84.8           | 93.6        | 34.745             | 230/460     | 15    |
|     |    | 3600 | 364/5JP | <a href="#">075360T3H364JPV-W40</a> | <b>\$8,121</b> | P1C          | 818                           | 1.25           | 67.8           | 93.6        | 34.745             | 575         | 15    |
|     |    | 3600 | 364/5JP | <a href="#">075360T3V364JPV-W40</a> | <b>\$8,121</b> | P1C          | 822                           | 1.25           | 97.5           | 93.6        | 34.745             | 200/400     | 15    |
|     |    | 1800 | 364/5JP | <a href="#">075180T3E365JPV-W40</a> | <b>\$7,331</b> | P1C          | 907                           | 1.25           | 85.5           | 95.0        | 34.745             | 230/460     | 15    |
|     |    | 1800 | 364/5JP | <a href="#">075180T3V365JPV-W40</a> | <b>\$7,331</b> | P1C          | 909                           | 1.25           | 98.3           | 95.0        | 34.745             | 200/400     | 15    |
| 100 | 75 | 3600 | 364/5JP | <a href="#">100360T3E365JPV-W40</a> | <b>\$8,609</b> | P1C          | 875                           | 1.25           | 116            | 93.6        | 34.745             | 230/460     | 15    |
|     |    | 3600 | 364/5JP | <a href="#">100360T3H365JPV-W40</a> | <b>\$8,609</b> | P1C          | 870                           | 1.25           | 92.8           | 93.6        | 34.745             | 575         | 15    |
|     |    | 3600 | 364/5JP | <a href="#">100360T3V365JPV-W40</a> | <b>\$8,609</b> | P1C          | 875                           | 1.25           | 133            | 93.6        | 34.745             | 200/400     | 15    |
|     |    | 1800 | 404/5JP | <a href="#">100180T3E404JPV-W40</a> | <b>\$9,237</b> | P1C          | 1059                          | 1.25           | 115            | 95.4        | 37.747             | 230/460     | 15    |
|     |    | 1800 | 404/5JP | <a href="#">100180T3V404JPV-W40</a> | <b>\$9,237</b> | P1C          | 1059                          | 1.25           | 132            | 95.4        | 37.747             | 200/400     | 15    |

\* To be discontinued and replaced by W40 model once inventory is depleted.



## CLOSE-COUPLED PUMP TEFC MOTORS - WITH INTERNAL AEGIS® SGR

### JM - TEFC - Three Phase

| HP  | kW   | RPM  | Frame   | Catalog Number                    | List Price     | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|-----------------------------------|----------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 1   | 0.75 | 1800 | 143/5JM | <a href="#">00118ET3E143JM-SG</a> | <b>\$764</b>   | P1S          | 45                            | 1.15           | 1.50           | 85.5        | 16.102             | 230/460     | 9;34  |
|     |      | 1800 | 143/5JM | <a href="#">00118ET3H143JM-SG</a> | <b>\$764</b>   | P1S          | 45                            | 1.15           | 1.20           | 85.5        | 16.102             | 575         | 9;34  |
| 1.5 | 1.1  | 3600 | 143/5JM | <a href="#">00156ET3E143JM-SG</a> | <b>\$850</b>   | P1S          | 41                            | 1.15           | 1.90           | 84.0        | 15.709             | 230/460     | 9;34  |
|     |      | 3600 | 143/5JM | <a href="#">00156ET3H143JM-SG</a> | <b>\$850</b>   | P1S          | 41                            | 1.15           | 1.50           | 84.0        | 15.709             | 575         | 9;34  |
|     |      | 1800 | 143/5JM | <a href="#">00158ET3E145JM-SG</a> | <b>\$793</b>   | P1S          | 47                            | 1.15           | 2.00           | 86.5        | 16.102             | 230/460     | 9;34  |
|     |      | 1800 | 143/5JM | <a href="#">00158ET3H145JM-SG</a> | <b>\$793</b>   | P1S          | 47                            | 1.15           | 1.60           | 86.5        | 16.102             | 575         | 9;34  |
| 2   | 1.5  | 3600 | 143/5JM | <a href="#">00236ET3E145JM-SG</a> | <b>\$834</b>   | P1S          | 47                            | 1.15           | 2.50           | 85.5        | 16.496             | 230/460     | 9;34  |
|     |      | 3600 | 143/5JM | <a href="#">00236ET3H145JM-SG</a> | <b>\$834</b>   | P1S          | 47                            | 1.15           | 2.00           | 85.5        | 16.496             | 575         | 9;34  |
|     |      | 1800 | 143/5JM | <a href="#">00218ET3E145JM-SG</a> | <b>\$858</b>   | P1S          | 50                            | 1.15           | 2.70           | 86.5        | 16.496             | 230/460     | 9;34  |
|     |      | 1800 | 143/5JM | <a href="#">00218ET3H145JM-SG</a> | <b>\$858</b>   | P1S          | 50                            | 1.15           | 2.20           | 86.5        | 16.496             | 575         | 9;34  |
| 3   | 2.2  | 3600 | 182/4JM | <a href="#">00336ET3E182JM-SG</a> | <b>\$1,103</b> | P1S          | 81                            | 1.15           | 3.70           | 86.5        | 17.835             | 230/460     | 9;34  |
|     |      | 3600 | 182/4JM | <a href="#">00336ET3H182JM-SG</a> | <b>\$1,103</b> | P1S          | 81                            | 1.15           | 2.90           | 86.5        | 17.835             | 575         | 9;34  |
|     |      | 1800 | 182/4JM | <a href="#">00318ET3E182JM-SG</a> | <b>\$1,211</b> | P1S          | 87                            | 1.15           | 3.80           | 89.5        | 19.409             | 230/460     | 9;34  |
|     |      | 1800 | 182/4JM | <a href="#">00318ET3H182JM-SG</a> | <b>\$1,211</b> | P1S          | 101                           | 1.15           | 3.10           | 89.5        | 19.409             | 575         | 9;34  |
| 5   | 3.7  | 3600 | 182/4JM | <a href="#">00536ET3E184JM-SG</a> | <b>\$1,264</b> | P1S          | 99                            | 1.15           | 5.90           | 88.5        | 19.409             | 230/460     | 9;34  |
|     |      | 3600 | 182/4JM | <a href="#">00536ET3H184JM-SG</a> | <b>\$1,264</b> | P1S          | 99                            | 1.15           | 4.70           | 88.5        | 19.409             | 575         | 9;34  |
|     |      | 1800 | 182/4JM | <a href="#">00518ET3E184JM-SG</a> | <b>\$1,331</b> | P1S          | 94                            | 1.15           | 6.50           | 89.5        | 19.409             | 230/460     | 9;34  |
|     |      | 1800 | 182/4JM | <a href="#">00518ET3H184JM-SG</a> | <b>\$1,331</b> | P1S          | 94                            | 1.15           | 5.20           | 89.5        | 19.409             | 575         | 9;34  |
| 7.5 | 5.5  | 3600 | 213/5JM | <a href="#">00736ET3E213JM-SG</a> | <b>\$1,645</b> | P1S          | 152                           | 1.15           | 8.70           | 89.5        | 21.220             | 230/460     | 9;34  |
|     |      | 3600 | 213/5JM | <a href="#">00736ET3H213JM-SG</a> | <b>\$1,645</b> | P1S          | 152                           | 1.15           | 6.90           | 89.5        | 21.220             | 575         | 9;34  |
|     |      | 1800 | 213/5JM | <a href="#">00718ET3E213JM-SG</a> | <b>\$1,743</b> | P1S          | 139                           | 1.15           | 9.10           | 91.7        | 20.039             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JM | <a href="#">00718ET3H213JM-SG</a> | <b>\$1,743</b> | P1S          | 139                           | 1.15           | 7.30           | 91.7        | 20.039             | 575         | 9;34  |
| 10  | 7.5  | 3600 | 213/5JM | <a href="#">01036ET3E215JM-SG</a> | <b>\$2,001</b> | P1S          | 179                           | 1.15           | 11.5           | 90.2        | 22.795             | 230/460     | 9;34  |
|     |      | 3600 | 213/5JM | <a href="#">01036ET3H215JM-SG</a> | <b>\$2,001</b> | P1S          | 179                           | 1.15           | 9.20           | 90.2        | 22.795             | 575         | 9;34  |
|     |      | 1800 | 213/5JM | <a href="#">01018ET3E215JM-SG</a> | <b>\$2,023</b> | P1S          | 151                           | 1.15           | 12.2           | 91.7        | 20.433             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JM | <a href="#">01018ET3H215JM-SG</a> | <b>\$2,023</b> | P1S          | 151                           | 1.15           | 9.80           | 91.7        | 20.433             | 575         | 9;34  |
| 15  | 11   | 3600 | 213/5JM | <a href="#">01536ET3E215JM-SG</a> | <b>\$2,258</b> | P1S          | 178                           | 1.15           | 17.0           | 91.0        | 22.795             | 230/460     | 9;34  |
|     |      | 3600 | 213/5JM | <a href="#">01536ET3H215JM-SG</a> | <b>\$2,258</b> | P1S          | 178                           | 1.15           | 13.6           | 91.0        | 22.795             | 575         | 9;34  |
|     |      | 3600 | 254/6JM | <a href="#">01536ET3E254JM-SG</a> | <b>\$2,909</b> | P1S          | 216                           | 1.15           | 17.4           | 91.0        | 24.055             | 230/460     | 9;34  |
|     |      | 3600 | 254/6JM | <a href="#">01536ET3H254JM-SG</a> | <b>\$2,909</b> | P1S          | 216                           | 1.15           | 13.9           | 91.0        | 24.055             | 575         | 9;34  |
|     |      | 1800 | 254/6JM | <a href="#">01518ET3E254JM-SG</a> | <b>\$2,933</b> | P1S          | 249                           | 1.15           | 18.2           | 92.4        | 24.055             | 230/460     | 9;34  |
|     |      | 1800 | 254/6JM | <a href="#">01518ET3H254JM-SG</a> | <b>\$2,933</b> | P1S          | 249                           | 1.15           | 14.6           | 92.4        | 24.055             | 575         | 9;34  |
| 20  | 15   | 3600 | 254/6JM | <a href="#">02036ET3E256JM-SG</a> | <b>\$3,298</b> | P1S          | 257                           | 1.15           | 22.7           | 91.0        | 24.843             | 230/460     | 9;34  |
|     |      | 3600 | 254/6JM | <a href="#">02036ET3H256JM-SG</a> | <b>\$3,298</b> | P1S          | 257                           | 1.15           | 18.2           | 91.0        | 24.843             | 575         | 9;34  |
|     |      | 1800 | 254/6JM | <a href="#">02018ET3E256JM-SG</a> | <b>\$3,188</b> | P1S          | 279                           | 1.15           | 24.7           | 92.4        | 24.843             | 230/460     | 9;34  |
|     |      | 1800 | 254/6JM | <a href="#">02018ET3H256JM-SG</a> | <b>\$3,188</b> | P1S          | 279                           | 1.15           | 19.8           | 93.0        | 24.843             | 575         | 9;34  |



### JP - TEFC - Three Phase

| HP  | kW   | RPM  | Frame   | Catalog Number                      | List Price     | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|-------------------------------------|----------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 1   | 0.75 | 1800 | 143/5JP | <a href="#">00118ET3E143JP-SG</a>   | <b>\$764</b>   | P1S          | 50                            | 1.15           | 1.50           | 85.5        | 19.173             | 230/460     | 9;34  |
| 1.5 | 1.1  | 3600 | 143/5JP | <a href="#">00156ET3E143JP-SG</a>   | <b>\$850</b>   | P1S          | 46                            | 1.15           | 1.90           | 84.0        | 18.780             | 230/460     | 9;34  |
|     |      | 1800 | 143/5JP | <a href="#">00158ET3E145JP-SG</a>   | <b>\$793</b>   | P1S          | 52                            | 1.15           | 2.00           | 86.5        | 19.173             | 230/460     | 9;34  |
| 2   | 1.5  | 3600 | 143/5JP | <a href="#">00236ET3E145JP-SG</a>   | <b>\$834</b>   | P1S          | 52                            | 1.15           | 2.50           | 85.5        | 19.567             | 230/460     | 9;34  |
|     |      | 1800 | 143/5JP | <a href="#">00218ET3E145JP-SG</a>   | <b>\$858</b>   | P1S          | 55                            | 1.15           | 2.70           | 86.5        | 19.567             | 230/460     | 9;34  |
| 3   | 2.2  | 3600 | 182/4JP | <a href="#">00336ET3E182JP-SG</a>   | <b>\$1,103</b> | P1S          | 88                            | 1.15           | 3.70           | 86.5        | 20.906             | 230/460     | 9;34  |
|     |      | 1800 | 182/4JP | <a href="#">00318ET3E182JP-SG</a>   | <b>\$1,211</b> | P1S          | 87                            | 1.15           | 3.80           | 89.5        | 22.480             | 230/460     | 9;34  |
| 5   | 3.7  | 3600 | 182/4JP | <a href="#">00536ET3E184JP-SG</a>   | <b>\$1,264</b> | P1S          | 106                           | 1.15           | 5.90           | 88.5        | 22.480             | 230/460     | 9;34  |
|     |      | 1800 | 182/4JP | <a href="#">00518ET3E184JP-SG</a>   | <b>\$1,331</b> | P1S          | 105                           | 1.15           | 6.50           | 89.5        | 22.480             | 230/460     | 9;34  |
| 7.5 | 5.5  | 3600 | 213/5JP | <a href="#">00736ET3E213JP-SG</a>   | <b>\$1,645</b> | P1S          | 161                           | 1.15           | 8.70           | 89.5        | 25.079             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JP | <a href="#">00718ET3E213JP-SG</a>   | <b>\$1,743</b> | P1S          | 148                           | 1.15           | 9.10           | 91.7        | 23.898             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JP | <a href="#">00718ET3H213JP-SG</a>   | <b>\$1,743</b> | P1S          | 148                           | 1.15           | 7.30           | 91.7        | 23.898             | 575         | 9;34  |
| 10  | 7.5  | 3600 | 213/5JP | <a href="#">01036ET3E215JP-SG</a>   | <b>\$2,001</b> | P1S          | 184                           | 1.15           | 11.5           | 90.2        | 26.654             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JP | <a href="#">01018ET3E215JP-SG</a>   | <b>\$2,023</b> | P1S          | 160                           | 1.15           | 12.2           | 91.7        | 24.291             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JP | <a href="#">01018ET3H215JP-SG</a>   | <b>\$2,023</b> | P1S          | 160                           | 1.15           | 9.80           | 91.7        | 24.291             | 575         | 9;34  |
| 15  | 11   | 3600 | 254/6JP | <a href="#">01536ET3E254JP-SG</a>   | <b>\$2,909</b> | P1S          | 217                           | 1.15           | 17.4           | 91.0        | 26.929             | 230/460     | 9;34  |
|     |      | 1800 | 254/6JP | <a href="#">01518ET3E254JP-SG</a>   | <b>\$2,933</b> | P1S          | 251                           | 1.15           | 18.2           | 92.4        | 26.929             | 230/460     | 9;34  |
| 20  | 15   | 3600 | 254/6JP | <a href="#">02036ET3E256JP-SG</a>   | <b>\$3,298</b> | P1S          | 258                           | 1.15           | 22.7           | 91.0        | 27.717             | 230/460     | 9;34  |
|     |      | 1800 | 254/6JP | <a href="#">02018ET3E256JP-SG</a>   | <b>\$3,188</b> | P1S          | 281                           | 1.15           | 24.7           | 93.0        | 27.717             | 230/460     | 9;34  |
| 50  | 37   | 1800 | 324/6JP | <a href="#">05018ET3E326JP-W22G</a> | <b>\$7,024</b> | P1           | 476                           | 1.25           | 59.2           | 94.5        | 34.021             | 230/460     | 34    |

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

**A-221**



## CLOSE-COUPLED PUMP ODP MOTORS - WITH INTERNAL AEGIS® SGR

### JM - ODP - Three Phase

| HP  | kW   | RPM  | Frame   | Catalog Number                    | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|-----------------------------------|------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|-------|
| 1   | 0.75 | 1800 | 143/5JM | <a href="#">001180T3E143JM-SG</a> | \$626      | P1S          | 40                            | 1.15           | 1.50           | 85.5       | 13.701             | 230/460     | 9;34  |
|     |      | 1800 | 143/5JM | <a href="#">001180T3H143JM-SG</a> | \$626      | P1S          | 40                            | 1.15           | 1.20           | 85.5       | 13.701             | 575         | 9;34  |
| 1.5 | 1.1  | 3600 | 143/5JM | <a href="#">001560T3E143JM-SG</a> | \$674      | P1S          | 33                            | 1.15           | 1.90           | 84.0       | 13.701             | 230/460     | 9;34  |
|     |      | 3600 | 143/5JM | <a href="#">001560T3H143JM-SG</a> | \$674      | P1S          | 33                            | 1.15           | 1.50           | 84.0       | 13.701             | 575         | 9;34  |
|     |      | 1800 | 143/5JM | <a href="#">001580T3E145JM-SG</a> | \$693      | P1S          | 47                            | 1.15           | 2.10           | 86.5       | 14.882             | 230/460     | 9;34  |
|     |      | 1800 | 143/5JM | <a href="#">001580T3H145JM-SG</a> | \$693      | P1S          | 47                            | 1.15           | 1.70           | 86.5       | 14.882             | 575         | 9;34  |
| 2   | 1.5  | 3600 | 143/5JM | <a href="#">002360T3E145JM-SG</a> | \$720      | P1S          | 40                            | 1.15           | 2.40           | 85.5       | 14.094             | 230/460     | 9;34  |
|     |      | 3600 | 143/5JM | <a href="#">002360T3H145JM-SG</a> | \$720      | P1S          | 40                            | 1.15           | 1.90           | 85.5       | 14.094             | 575         | 9;34  |
|     |      | 3600 | 143/5JM | <a href="#">002360T3V145JM-SG</a> | \$720      | P1S          | 40                            | 1.15           | 2.80           | 85.5       | 14.094             | 200/400     | 9;34  |
|     |      | 1800 | 143/5JM | <a href="#">002180T3E145JM-SG</a> | \$747      | P1S          | 44                            | 1.15           | 2.70           | 86.5       | 14.882             | 230/460     | 9;34  |
|     |      | 1800 | 143/5JM | <a href="#">002180T3H145JM-SG</a> | \$747      | P1S          | 44                            | 1.15           | 2.20           | 86.5       | 14.882             | 575         | 9;34  |
|     |      | 3600 | 143/5JM | <a href="#">003360T3E145JM-SG</a> | \$800      | P1S          | 43                            | 1.15           | 3.60           | 85.5       | 14.488             | 230/460     | 9;34  |
| 3   | 2.2  | 3600 | 143/5JM | <a href="#">003360T3H145JM-SG</a> | \$800      | P1S          | 43                            | 1.15           | 2.90           | 85.5       | 14.488             | 575         | 9;34  |
|     |      | 3600 | 143/5JM | <a href="#">003360T3V145JM-SG</a> | \$800      | P1S          | 43                            | 1.15           | 4.10           | 85.5       | 14.488             | 200/400     | 9;34  |
|     |      | 1800 | 182/4JM | <a href="#">003180T3E182JM-SG</a> | \$835      | P1S          | 85                            | 1.15           | 3.90           | 89.5       | 16.654             | 230/460     | 9;34  |
|     |      | 1800 | 182/4JM | <a href="#">003180T3H182JM-SG</a> | \$835      | P1S          | 85                            | 1.15           | 3.10           | 89.5       | 16.654             | 575         | 9;34  |
|     |      | 1800 | 182/4JM | <a href="#">003180T3V182JM-SG</a> | \$835      | P1S          | 85                            | 1.15           | 4.40           | 89.5       | 16.654             | 200/400     | 9;34  |
|     |      | 3600 | 182/4JM | <a href="#">005360T3E182JM-SG</a> | \$962      | P1S          | 70                            | 1.15           | 6.10           | 86.5       | 16.260             | 230/460     | 9;34  |
| 5   | 3.7  | 3600 | 182/4JM | <a href="#">005360T3H182JM-SG</a> | \$962      | P1S          | 70                            | 1.15           | 4.90           | 86.5       | 16.260             | 575         | 9;34  |
|     |      | 3600 | 182/4JM | <a href="#">005360T3V182JM-SG</a> | \$962      | P1S          | 70                            | 1.15           | 7.00           | 86.5       | 16.260             | 200/400     | 9;34  |
|     |      | 1800 | 182/4JM | <a href="#">005180T3E184JM-SG</a> | \$1,019    | P1S          | 96                            | 1.15           | 6.30           | 89.5       | 17.835             | 230/460     | 9;34  |
|     |      | 1800 | 182/4JM | <a href="#">005180T3H184JM-SG</a> | \$1,019    | P1S          | 96                            | 1.15           | 5.10           | 89.5       | 17.835             | 575         | 9;34  |
|     |      | 3600 | 182/4JM | <a href="#">007360T3E184JM-SG</a> | \$1,256    | P1S          | 88                            | 1.15           | 8.70           | 88.5       | 16.654             | 230/460     | 9;34  |
| 7.5 | 5.5  | 3600 | 182/4JM | <a href="#">007360T3H184JM-SG</a> | \$1,256    | P1S          | 88                            | 1.15           | 6.90           | 88.5       | 16.654             | 575         | 9;34  |
|     |      | 1800 | 213/5JM | <a href="#">007180T3E213JM-SG</a> | \$1,320    | P1S          | 135                           | 1.15           | 9.30           | 91.0       | 17.717             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JM | <a href="#">007180T3H213JM-SG</a> | \$1,320    | P1S          | 135                           | 1.15           | 7.40           | 91.0       | 17.717             | 575         | 9;34  |
|     |      | 3600 | 213/5JM | <a href="#">010360T3E213JM-SG</a> | \$1,489    | P1S          | 135                           | 1.15           | 12.0           | 89.5       | 18.110             | 230/460     | 9;34  |
| 10  | 7.5  | 3600 | 213/5JM | <a href="#">010360T3H213JM-SG</a> | \$1,489    | P1S          | 135                           | 1.15           | 9.60           | 89.5       | 18.110             | 575         | 9;34  |
|     |      | 1800 | 213/5JM | <a href="#">010180T3E215JM-SG</a> | \$1,566    | P1S          | 140                           | 1.15           | 12.4           | 91.7       | 17.717             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JM | <a href="#">010180T3H215JM-SG</a> | \$1,566    | P1S          | 140                           | 1.15           | 9.90           | 91.7       | 17.717             | 575         | 9;34  |
|     |      | 3600 | 213/5JM | <a href="#">015360T3E215JM-SG</a> | \$1,907    | P1S          | 151                           | 1.15           | 17.2           | 90.2       | 18.898             | 230/460     | 9;34  |
| 15  | 11   | 3600 | 213/5JM | <a href="#">015360T3H215JM-SG</a> | \$1,907    | P1S          | 151                           | 1.15           | 13.8           | 90.2       | 18.898             | 575         | 9;34  |
|     |      | 1800 | 254/6JM | <a href="#">015180T3E254JM-SG</a> | \$2,275    | P1S          | 226                           | 1.15           | 18.6           | 93.0       | 21.969             | 230/460     | 9;34  |
|     |      | 1800 | 254/6JM | <a href="#">015180T3H254JM-SG</a> | \$2,275    | P1S          | 226                           | 1.15           | 14.9           | 93.0       | 21.969             | 575         | 9;34  |
|     |      | 3600 | 254/6JM | <a href="#">020360T3E254JM-SG</a> | \$2,387    | P1S          | 202                           | 1.15           | 23.8           | 91.0       | 21.969             | 230/460     | 9;34  |
| 20  | 15   | 3600 | 254/6JM | <a href="#">020360T3H254JM-SG</a> | \$2,387    | P1S          | 202                           | 1.15           | 19.0           | 91.0       | 21.969             | 575         | 9;34  |
|     |      | 1800 | 254/6JM | <a href="#">020180T3E256JM-SG</a> | \$2,693    | P1S          | 250                           | 1.15           | 25.0           | 93.0       | 21.969             | 230/460     | 9;34  |
|     |      | 1800 | 254/6JM | <a href="#">020180T3H256JM-SG</a> | \$2,693    | P1S          | 250                           | 1.15           | 20.0           | 93.0       | 21.969             | 575         | 9;34  |
|     |      | 3600 | 254/6JM | <a href="#">025360T3E256JM-SG</a> | \$2,879    | P1S          | 225                           | 1.15           | 29.1           | 91.7       | 21.969             | 230/460     | 9;34  |
| 25  | 18.5 | 3600 | 254/6JM | <a href="#">025360T3H256JM-SG</a> | \$2,879    | P1S          | 225                           | 1.15           | 23.3           | 91.7       | 21.969             | 575         | 9;34  |



### JP - ODP - Three Phase

| HP  | kW   | RPM  | Frame   | Catalog Number                    | List Price     | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|-----------------------------------|----------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|-------|
| 1   | 0.75 | 1800 | 143/5JP | <a href="#">001180T3E143JP-SG</a> | <b>\$626</b>   | P1S          | 40                            | 1.15           | 1.50           | 85.5       | 16.772             | 230/460     | 9;34  |
| 1.5 | 1.1  | 3600 | 143/5JP | <a href="#">001560T3E143JP-SG</a> | <b>\$674</b>   | P1S          | 35                            | 1.15           | 1.90           | 84.0       | 16.772             | 230/460     | 9;34  |
|     |      | 1800 | 143/5JP | <a href="#">001580T3E145JP-SG</a> | <b>\$693</b>   | P1S          | 47                            | 1.15           | 2.10           | 86.5       | 17.953             | 230/460     | 9;34  |
| 2   | 1.5  | 3600 | 143/5JP | <a href="#">002360T3E145JP-SG</a> | <b>\$720</b>   | P1S          | 42                            | 1.15           | 2.40           | 85.5       | 17.165             | 230/460     | 9;34  |
|     |      | 1800 | 143/5JP | <a href="#">002180T3E145JP-SG</a> | <b>\$747</b>   | P1S          | 45                            | 1.15           | 2.70           | 86.5       | 17.953             | 230/460     | 9;34  |
| 3   | 2.2  | 3600 | 143/5JP | <a href="#">003360T3E145JP-SG</a> | <b>\$800</b>   | P1S          | 45                            | 1.15           | 3.60           | 85.5       | 17.559             | 230/460     | 9;34  |
|     |      | 1800 | 182/4JP | <a href="#">003180T3E182JP-SG</a> | <b>\$835</b>   | P1S          | 85                            | 1.15           | 3.90           | 89.5       | 19.724             | 230/460     | 9;34  |
| 5   | 3.7  | 3600 | 182/4JP | <a href="#">005360T3E182JP-SG</a> | <b>\$962</b>   | P1S          | 74                            | 1.15           | 6.10           | 86.5       | 19.331             | 230/460     | 9;34  |
|     |      | 1800 | 182/4JP | <a href="#">005180T3E184JP-SG</a> | <b>\$1,019</b> | P1S          | 99                            | 1.15           | 6.30           | 89.5       | 20.906             | 230/460     | 9;34  |
| 7.5 | 5.5  | 3600 | 182/4JP | <a href="#">007360T3E184JP-SG</a> | <b>\$1,256</b> | P1S          | 89                            | 1.15           | 8.70           | 88.5       | 19.724             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JP | <a href="#">007180T3E213JP-SG</a> | <b>\$1,320</b> | P1S          | 144                           | 1.15           | 9.30           | 91.0       | 21.575             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JP | <a href="#">007180T3H213JP-SG</a> | <b>\$1,320</b> | P1S          | 144                           | 1.15           | 7.40           | 91.0       | 21.575             | 575         | 9;34  |
|     |      | 1800 | 213/5JP | <a href="#">007180T3V213JP-SG</a> | <b>\$1,320</b> | P1S          | 144                           | 1.15           | 10.6           | 91.0       | 21.575             | 200/400     | 9;34  |
| 10  | 7.5  | 3600 | 213/5JP | <a href="#">010360T3E213JP-SG</a> | <b>\$1,489</b> | P1S          | 144                           | 1.15           | 12.0           | 89.5       | 21.969             | 230/460     | 9;34  |
|     |      | 3600 | 213/5JP | <a href="#">010360T3H213JP-SG</a> | <b>\$1,489</b> | P1S          | 144                           | 1.15           | 9.60           | 89.5       | 21.969             | 575         | 9;34  |
|     |      | 1800 | 213/5JP | <a href="#">010180T3E215JP-SG</a> | <b>\$1,566</b> | P1S          | 149                           | 1.15           | 12.4           | 91.7       | 21.575             | 230/460     | 9;34  |
|     |      | 1800 | 213/5JP | <a href="#">010180T3H215JP-SG</a> | <b>\$1,566</b> | P1S          | 149                           | 1.15           | 9.9            | 91.7       | 21.575             | 575         | 9;34  |
|     |      | 1800 | 213/5JP | <a href="#">010180T3V215JP-SG</a> | <b>\$1,566</b> | P1S          | 149                           | 1.15           | 14.3           | 91.7       | 21.575             | 200/400     | 9;34  |
| 15  | 11   | 3600 | 213/5JP | <a href="#">015360T3E215JP-SG</a> | <b>\$1,907</b> | P1S          | 160                           | 1.15           | 17.2           | 90.2       | 22.756             | 230/460     | 9;34  |
|     |      | 3600 | 213/5JP | <a href="#">015360T3H215JP-SG</a> | <b>\$1,907</b> | P1S          | 160                           | 1.15           | 13.8           | 90.2       | 22.756             | 575         | 9;34  |
|     |      | 1800 | 254/6JP | <a href="#">015180T3E254JP-SG</a> | <b>\$2,275</b> | P1S          | 228                           | 1.15           | 18.6           | 93.0       | 24.843             | 230/460     | 9;34  |
| 20  | 15   | 3600 | 254/6JP | <a href="#">020360T3E254JP-SG</a> | <b>\$2,387</b> | P1S          | 204                           | 1.15           | 23.8           | 91.0       | 24.843             | 230/460     | 9;34  |
|     |      | 1800 | 254/6JP | <a href="#">020180T3E256JP-SG</a> | <b>\$2,693</b> | P1S          | 252                           | 1.15           | 25.0           | 93.0       | 24.843             | 230/460     | 9;34  |
| 25  | 18.5 | 3600 | 254/6JP | <a href="#">025360T3E256JP-SG</a> | <b>\$2,879</b> | P1S          | 218                           | 1.15           | 29.1           | 91.7       | 24.843             | 230/460     | 9;34  |
|     |      | 1800 | 284JP   | <a href="#">025180T3E284JP-G</a>  | <b>\$3,221</b> | P1C          | 392                           | 1.15           | 29.9           | 93.6       | 27.141             | 230/460     | 34    |

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

# Pump Motors


## FIRE PUMP MOTORS

### ODP and TEFC- Three Phase - High Efficiency

WEG Open Drip Proof motors are designed to meet demanding applications in environments where dirt and humidity are minimal, with W22 as an option for more demanding environments. These motors are specifically designed to provide maximum ventilation and cool operation.


#### Features that make a difference:

- Class F insulation (Impregnation Resin and Magnet wire are class H)
- Class B Rise at 1.15 Service Factor
- F1 Mounted (Cast Iron Frame motors are F2 convertible)
- Stainless Steel Nameplate - Laser etched with high contrast background (Cast Iron Frames only)
- Cast Iron Frames: Regreasable ball bearings (Frames 254T and up)
- Rolled Steel Frames: ZZ ball bearings (Permanently lubricated)
- UL Listed for Fire Pump service
- 12 leads on 200/400V and 230/460V available on all frames.



ODP

**Inverter Rated:**  
1000:1 for variable torque




TEFC

#### ADDITIONAL TECHNICAL DATA

ELECTRICAL DATA: ODP W40 - B-42

MECHANICAL DATA: ODP W40 Cast Iron - B-78





### ODP - Three Phase

| HP | kW   | RPM  | Frame   | Catalog Number       | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|----|------|------|---------|----------------------|------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|-------|
| 20 | 15   | 3600 | 254T    | 020360P3EFP254T-W40  | \$1,469    | W1B          | 229                           | 1.15           | 24.3           | 90.2       | 20.537             | 230/460     | 30    |
|    |      | 1800 | 254/6T  | 020180P3EFP256T-W40  | \$1,526    | W1B          | 229                           | 1.15           | 24.6           | 91.0       | 22.285             | 230/460     | 30    |
| 25 | 18.5 | 3600 | 254/6T  | 025360P3EFP256T-S    | \$1,783    | W1S          | 192                           | 1.15           | 29.0           | 91.0       | 20.472             | 230/460     | 9;30  |
|    |      | 3600 | 254/6T  | 025360P3HFP256T-S    | \$1,783    | W1S          | 192                           | 1.15           | 23.2           | 91.0       | 20.472             | 575         | 9;30  |
|    |      | 3600 | 254/6T  | 025360P3VFP256T-S    | \$1,783    | W1S          | 192                           | 1.15           | 33.3           | 91.0       | 20.472             | 200/400     | 9;30  |
|    |      | 3600 | 254/6T  | 025360P3EFP256T-W40  | \$1,783    | W1B          | 224                           | 1.15           | 29.7           | 91.0       | 22.285             | 230/460     | 30    |
|    |      | 3600 | 254/6T  | 025360P3HFP256T-W40  | \$1,783    | W1B          | 223                           | 1.15           | 23.8           | 91.0       | 22.285             | 575         | 30    |
|    |      | 1800 | 284TS   | 025180P3EFP284TS-W40 | \$1,799    | W1B          | 395                           | 1.15           | 30.1           | 91.7       | 21.783             | 230/460     | 30    |
|    |      | 1800 | 284TS   | 025180P3VFP284TS-W40 | \$1,799    | W1B          | 395                           | 1.15           | 34.6           | 91.7       | 21.783             | 200/400     | 30    |
|    |      | 1800 | 284TS   | 030360P3EFP284TS-W40 | \$2,033    | W1B          | 331                           | 1.15           | 34.9           | 91.0       | 21.783             | 230/460     | 30    |
| 30 | 22   | 3600 | 284TS   | 030360P3HFP284TS-W40 | \$2,033    | W1B          | 331                           | 1.15           | 27.9           | 91.0       | 21.783             | 575         | 30    |
|    |      | 3600 | 284TS   | 030360P3VFP284TS-W40 | \$2,033    | W1B          | 331                           | 1.15           | 40.1           | 91.0       | 21.783             | 200/400     | 30    |
|    |      | 1800 | 284/6TS | 030180P3EFP286TS-W40 | \$2,108    | W1B          | 413                           | 1.15           | 35.6           | 92.4       | 23.283             | 230/460     | 30    |
|    |      | 1800 | 284/6TS | 030180P3VFP286TS-W40 | \$2,108    | W1B          | 413                           | 1.15           | 40.9           | 92.4       | 23.283             | 200/400     | 30    |
|    |      | 1800 | 284/6TS | 040360P3EFP286TS-W40 | \$2,757    | W1B          | 365                           | 1.15           | 47.2           | 91.7       | 23.283             | 230/460     | 30    |
| 40 | 30   | 3600 | 284/6TS | 040360P3HFP286TS-W40 | \$2,757    | W1B          | 364                           | 1.15           | 37.8           | 91.7       | 23.283             | 575         | 30    |
|    |      | 3600 | 284/6TS | 040360P3VFP286TS-W40 | \$2,757    | W1B          | 365                           | 1.15           | 54.3           | 91.7       | 23.283             | 200/400     | 30    |
|    |      | 1800 | 324TS   | 040180P3EFP324TS-W40 | \$2,652    | W1B          | 467                           | 1.15           | 48.2           | 93.0       | 24.307             | 230/460     | 30    |
|    |      | 1800 | 324TS   | 040180P3HFP324TS-W40 | \$2,652    | W1B          | 466                           | 1.15           | 38.6           | 93.0       | 24.307             | 575         | 30    |
|    |      | 1800 | 324TS   | 040180P3VFP324TS-W40 | \$2,652    | W1B          | 468                           | 1.15           | 55.4           | 93.0       | 24.307             | 200/400     | 30    |
|    |      | 1800 | 324TS   | 050360P3EFP324TS-W40 | \$3,184    | W1B          | 457                           | 1.15           | 58.4           | 92.4       | 24.307             | 230/460     | 30    |
| 50 | 37   | 3600 | 324TS   | 050360P3HFP324TS-W40 | \$3,184    | W1B          | 457                           | 1.15           | 46.7           | 92.4       | 24.307             | 575         | 30    |
|    |      | 3600 | 324TS   | 050360P3VFP324TS-W40 | \$3,184    | W1B          | 457                           | 1.15           | 67.2           | 92.4       | 24.307             | 200/400     | 30    |
|    |      | 1800 | 324/6TS | 050180P3EFP326TS-W40 | \$3,015    | W1B          | 502                           | 1.15           | 60.2           | 93.0       | 25.807             | 230/460     | 30    |
|    |      | 1800 | 324/6TS | 050180P3VFP326TS-W40 | \$3,015    | W1B          | 502                           | 1.15           | 69.2           | 93.0       | 25.807             | 200/400     | 30    |
|    |      | 3600 | 324/6TS | 060360P3EFP326TS-W40 | \$4,008    | W1B          | 485                           | 1.15           | 70.6           | 93.0       | 25.807             | 230/460     | 30    |
|    |      | 3600 | 324/6TS | 060360P3HFP326TS-W40 | \$4,008    | W1B          | 484                           | 1.15           | 56.5           | 93.0       | 25.807             | 575         | 30    |
| 60 | 45   | 3600 | 324/6TS | 060360P3VFP326TS-W40 | \$4,008    | W1B          | 487                           | 1.15           | 81.2           | 93.0       | 25.807             | 200/400     | 30    |
|    |      | 3600 | 324/6TS | 060360P3JFP326TS-W40 | \$4,008    | W1B          | 486                           | 1.15           | 85.5           | 93.0       | 25.807             | 380         | 30    |
|    |      | 1800 | 364/5TS | 060180P3EFP364TS-W40 | \$3,703    | W1B          | 771                           | 1.15           | 71.0           | 93.6       | 27.522             | 230/460     | 30    |
|    |      | 1800 | 364/5TS | 060180P3HFP364TS-W40 | \$3,703    | W1B          | 767                           | 1.15           | 56.8           | 93.6       | 27.522             | 575         | 30    |
|    |      | 1800 | 364/5TS | 060180P3VFP364TS-W40 | \$3,703    | W1B          | 771                           | 1.15           | 81.7           | 93.6       | 27.522             | 200/400     | 30    |
|    |      | 3600 | 364/5TS | 075360P3EFP364TS-W40 | \$5,074    | W1B          | 771                           | 1.15           | 85.3           | 93.0       | 27.522             | 230/460     | 30    |
|    |      | 3600 | 364/5TS | 075360P3HFP364TS-W40 | \$5,074    | W1B          | 769                           | 1.15           | 68.2           | 93.0       | 27.522             | 575         | 30    |
|    |      | 3600 | 364/5TS | 075360P3VFP364TS-W40 | \$5,074    | W1B          | 773                           | 1.15           | 98.1           | 93.0       | 27.522             | 200/400     | 30    |
| 75 | 55   | 3600 | 364/5TS | 075360P3JFP364TS-W40 | \$5,074    | W1B          | 771                           | 1.15           | 103            | 93.0       | 27.522             | 380         | 30    |
|    |      | 1800 | 364/5TS | 075180P3EFP365TS-W40 | \$4,715    | W1B          | 852                           | 1.15           | 85.3           | 94.1       | 27.522             | 230/460     | 30    |
|    |      | 1800 | 364/5TS | 075180P3HFP365TS-W40 | \$4,715    | W1B          | 848                           | 1.15           | 68.2           | 94.1       | 27.522             | 575         | 30    |
|    |      | 1800 | 364/5TS | 075180P3VFP365TS-W40 | \$4,715    | W1B          | 851                           | 1.15           | 98.1           | 94.1       | 27.522             | 200/400     | 30    |

continued on next page

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

A-225

## FIRE PUMP MOTORS

### ODP - Three Phase - continued

| HP  | kW  | RPM  | Frame   | Catalog Number       | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|-----|------|---------|----------------------|------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|-------|
| 100 | 75  | 3600 | 364/5TS | 100360P3EFP365TS-W40 | \$6,152    | W1B          | 842                           | 1.15           | 115            | 93.0       | 27.522             | 230/460     | 30    |
|     |     | 3600 | 364/5TS | 100360P3HFP365TS-W40 | \$6,152    | W1B          | 838                           | 1.15           | 92.0           | 93.0       | 27.522             | 575         | 30    |
|     |     | 3600 | 364/5TS | 100360P3VFP365TS-W40 | \$6,152    | W1B          | 842                           | 1.15           | 132            | 93.0       | 27.522             | 200/400     | 30    |
|     |     | 3600 | 364/5TS | 100360P3JFP365TS-W40 | \$6,152    | W1B          | 841                           | 1.15           | 139            | 93.0       | 27.522             | 380         | 30    |
|     |     | 1800 | 404/5TS | 100180P3EFP404TS-W40 | \$6,065    | W1B          | 930                           | 1.15           | 116            | 94.1       | 31.100             | 230/460     | 30    |
|     |     | 1800 | 404/5TS | 100180P3HFP404TS-W40 | \$6,065    | W1B          | 927                           | 1.15           | 92.8           | 94.1       | 31.100             | 575         | 30    |
|     |     | 1800 | 404/5TS | 100180P3VFP404TS-W40 | \$6,065    | W1B          | 928                           | 1.15           | 133            | 94.1       | 31.100             | 200/400     | 30    |
|     |     | 1800 | 404/5T  | 100180P3EFP404T-W40  | \$6,065    | W1B          | 946                           | 1.15           | 116            | 94.1       | 34.100             | 230/460     | 30    |
| 125 | 90  | 3600 | 404/5TS | 125360P3EFP404TS-W40 | \$7,762    | W1B          | 940                           | 1.15           | 137            | 93.6       | 31.100             | 230/460     | 30    |
|     |     | 3600 | 404/5TS | 125360P3GFP404TS-W40 | \$7,762    | W1B          | 934                           | 1.15           | 137            | 93.6       | 31.100             | 460         | 30    |
|     |     | 3600 | 404/5TS | 125360P3HFP404TS-W40 | \$7,762    | W1B          | 934                           | 1.15           | 110            | 93.6       | 31.100             | 575         | 30    |
|     |     | 3600 | 404/5TS | 125360P3VFP404TS-W40 | \$7,762    | W1B          | 934                           | 1.15           | 158            | 93.6       | 31.100             | 200/400     | 30    |
|     |     | 3600 | 404/5TS | 125360P3JFP404TS-W40 | \$7,762    | W1B          | 938                           | 1.15           | 166            | 93.6       | 31.100             | 380         | 30    |
|     |     | 1800 | 404/5TS | 125180P3EFP405TS-W40 | \$6,651    | W1B          | 1088                          | 1.15           | 139            | 94.5       | 31.100             | 230/460     | 30    |
|     |     | 1800 | 404/5TS | 125180P3GFP405TS-W40 | \$6,651    | W1B          | 1084                          | 1.15           | 139            | 94.5       | 31.100             | 460         | 30    |
|     |     | 1800 | 404/5TS | 125180P3HFP405TS-W40 | \$6,651    | W1B          | 1081                          | 1.15           | 111            | 94.5       | 31.100             | 575         | 30    |
| 150 | 110 | 3600 | 404/5TS | 150360P3EFP405TS-W40 | \$10,042   | W1B          | 1042                          | 1.15           | 164            | 93.6       | 31.100             | 230/460     | 30    |
|     |     | 3600 | 404/5TS | 150360P3GFP405TS-W40 | \$10,042   | W1B          | 1040                          | 1.15           | 164            | 93.6       | 31.100             | 460         | 30    |
|     |     | 3600 | 404/5TS | 150360P3HFP405TS-W40 | \$10,042   | W1B          | 1038                          | 1.15           | 131            | 93.6       | 31.100             | 575         | 30    |
|     |     | 3600 | 404/5TS | 150360P3VFP405TS-W40 | \$10,042   | W1B          | 1038                          | 1.15           | 188            | 93.6       | 31.100             | 200/400     | 30    |
|     |     | 3600 | 404/5TS | 150360P3JFP405TS-W40 | \$10,042   | W1B          | 1042                          | 1.15           | 199            | 93.6       | 31.100             | 380         | 30    |
|     |     | 1800 | 444/5TS | 150180P3EFP444TS-W40 | \$8,891    | W1B          | 1426                          | 1.15           | 169            | 95.0       | 34.358             | 230/460     | 30    |
|     |     | 1800 | 444/5TS | 150180P3GFP444TS-W40 | \$8,891    | W1B          | 1424                          | 1.15           | 169            | 95.0       | 34.358             | 460         | 30    |
|     |     | 1800 | 444/5TS | 150180P3HFP444TS-W40 | \$8,891    | W1B          | 1422                          | 1.15           | 135            | 95.0       | 34.358             | 575         | 30    |
| 200 | 150 | 3600 | 444/5TS | 200360P3GFP444TS-W40 | \$12,782   | W1B          | 1415                          | 1.15           | 224            | 94.5       | 34.358             | 460         | 30    |
|     |     | 3600 | 444/5TS | 200360P3HFP444TS-W40 | \$12,782   | W1B          | 1408                          | 1.15           | 179            | 94.5       | 34.358             | 575         | 30    |
|     |     | 3600 | 444/5TS | 200360P3JFP444TS-W40 | \$12,782   | W1B          | 1413                          | 1.15           | 271            | 94.5       | 34.358             | 380         | 30    |
|     |     | 1800 | 444/5TS | 200180P3GFP445TS-W40 | \$10,837   | W1B          | 1471                          | 1.15           | 230            | 95.0       | 34.358             | 460         | 30    |
|     |     | 1800 | 444/5TS | 200180P3HFP445TS-W40 | \$10,837   | W1B          | 1469                          | 1.15           | 184            | 95.0       | 34.358             | 575         | 30    |
| 250 | 185 | 3600 | 444/5TS | 250360P3GFP445TS-W40 | \$15,654   | W1B          | 1472                          | 1.15           | 282            | 94.5       | 34.358             | 460         | 30    |
|     |     | 3600 | 444/5TS | 250360P3HFP445TS-W40 | \$15,654   | W1B          | 1515                          | 1.15           | 226            | 94.5       | 34.358             | 575         | 30    |
|     |     | 1800 | 444/5TS | 250180P3GFP445TS-W40 | \$13,358   | W1B          | 1618                          | 1.15           | 283            | 95.4       | 34.358             | 460         | 30    |
|     |     | 1800 | 444/5TS | 250180P3HFP445TS-W40 | \$13,358   | W1B          | 1617                          | 1.15           | 226            | 95.4       | 34.358             | 575         | 30    |
| 300 | 220 | 3600 | 444/5TS | 300360P3GFP445TS-W40 | \$19,556   | W1B          | 1594                          | 1.15           | 327            | 95.0       | 34.358             | 460         | 30    |
|     |     | 3600 | 444/5TS | 300360P3HFP445TS-W40 | \$19,556   | W1B          | 1596                          | 1.15           | 262            | 95.0       | 34.358             | 575         | 30    |
|     |     | 1800 | 447/9TS | 300180P3GFP447/9TSW4 | \$19,168   | W1B          | 2055                          | 1.15           | 336            | 95.5       | 42.959             | 460         | 30    |
| 350 | 260 | 3600 | 447/9TS | 350360P3GFP447/9TSW4 | \$22,346   | W1B          | 2100                          | 1.15           | 386            | 95.0       | 42.959             | 460         | 30    |
|     |     | 3600 | 447/9TS | 350360P3HFP447/9TSW4 | \$22,346   | W1B          | 2020                          | 1.15           | 309            | 95.0       | 42.959             | 575         | 30    |
|     |     | 1800 | 447/9TS | 350180P3GFP447/9TSW4 | \$22,807   | W1B          | 2239                          | 1.15           | 393            | 95.5       | 42.959             | 460         | 30    |
|     |     | 1800 | 447/9TS | 350180P3HFP447/9TSW4 | \$22,807   | W1B          | 2555                          | 1.15           | 314            | 95.5       | 42.959             | 575         | 30    |
| 400 | 300 | 3600 | 447/9TS | 400360P3GFP447/9TSW4 | \$24,140   | W1B          | 2180                          | 1.15           | 443            | 95.4       | 42.959             | 460         | 30    |
|     |     | 3600 | 447/9TS | 400360P3HFP447/9TSW4 | \$24,140   | W1B          | 2103                          | 1.15           | 354            | 95.4       | 42.959             | 575         | 30    |
|     |     | 1800 | 447/9TS | 400180P3QFP447/9TSW4 | \$25,570   | W1B          | 2475                          | 1.15           | 443            | 95.5       | 42.959             | 460         | 30    |
|     |     | 1800 | 447/9TS | 400180P3HFP447/9TSW4 | \$25,570   | W1B          | 2695                          | 1.15           | 354            | 95.5       | 42.959             | 575         | 30    |
| 450 | 330 | 3600 | 447/9TS | 450360P3GFP447/9TSW4 | \$26,055   | W1B          | 2306                          | 1.15           | 480            | 95.8       | 42.959             | 460         | 30    |
|     |     | 3600 | 447/9TS | 450360P3HFP447/9TSW4 | \$26,055   | W1B          | 2306                          | 1.15           | 384            | 95.8       | 42.959             | 575         | 30    |
| 500 | 370 | 3600 | 447/9TS | 500360P3GFP447/9TSW4 | \$27,711   | W1B          | 2365                          | 1.15           | 539            | 95.8       | 42.959             | 460         | 30    |
|     |     | 3600 | 447/9TS | 500360P3HFP447/9TSW4 | \$27,711   | W1B          | 2365                          | 1.15           | 431            | 95.8       | 42.959             | 575         | 30    |



### ODP - Three Phase - C-Face

| HP  | KW   | RPM  | Frame    | Catalog Number       | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes   |
|-----|------|------|----------|----------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|---------|
| 7.5 | 5.5  | 3600 | 182/4TC  | 007360P3EFP184TC-S   | \$734      | W1S          | 70                            | 1.15           | 8.90           | 87.5        | 14.764             | 230/460     | 9;30    |
|     |      | 3600 | 182/4TC  | 007360P3HFP184TC-S   | \$734      | W1S          | 70                            | 1.15           | 7.10           | 87.5        | 14.764             | 575         | 9;30    |
|     |      | 3600 | 182/4TC  | 007360P3VFP184TC-S   | \$734      | W1S          | 70                            | 1.15           | 10.2           | 87.5        | 14.764             | 200/400     | 9;30    |
| 10  | 7.5  | 3600 | 213/5TC  | 010360P3EFP213TC-S   | \$901      | W1S          | 121                           | 1.15           | 12.2           | 88.5        | 16.575             | 230/460     | 9;30;31 |
|     |      | 3600 | 213/5TC  | 010360P3HFP213TC-S   | \$901      | W1S          | 121                           | 1.15           | 9.80           | 88.5        | 16.575             | 575         | 9;30    |
| 15  | 11   | 3600 | 213/5TC  | 015360P3EFP215TC-S   | \$1,283    | W1S          | 135                           | 1.15           | 17.5           | 89.5        | 16.969             | 230/460     | 9;30;31 |
|     |      | 3600 | 213/5TC  | 015360P3VFP215TC-S   | \$1,283    | W1S          | 135                           | 1.15           | 20.1           | 89.5        | 16.969             | 200/400     | 9;30;31 |
| 20  | 15   | 3600 | 254/6TC  | 020360P3EFP254TC-S   | \$1,469    | W1S          | 202                           | 1.15           | 23.7           | 90.2        | 20.472             | 230/460     | 9;30;31 |
|     |      | 3600 | 254/6TC  | 020360P3HFP254TC-S   | \$1,469    | W1S          | 202                           | 1.15           | 19.0           | 90.2        | 20.472             | 575         | 9;30    |
|     |      | 3600 | 254/6TC  | 020360P3VFP254TC-S   | \$1,469    | W1S          | 202                           | 1.15           | 27.3           | 90.2        | 20.472             | 200/400     | 9;30;31 |
|     |      | 3600 | 254TC    | 020360P3EFP254TC-W40 | \$1,469    | W1B          | 235                           | 1.15           | 24.3           | 90.2        | 21.037             | 230/460     | 30      |
|     |      | 3600 | 254TC    | 020360P3HFP254TC-W40 | \$1,469    | W1B          | 235                           | 1.15           | 19.4           | 90.2        | 21.037             | 575         | 30      |
|     |      | 3600 | 254TC    | 020360P3VFP254TC-W40 | \$1,469    | W1B          | 235                           | 1.15           | 28.0           | 90.2        | 21.037             | 200/400     | 30      |
| 25  | 18.5 | 3600 | 254/6TC  | 025360P3EFP256TC-S   | \$1,783    | W1S          | 207                           | 1.15           | 29.0           | 91.0        | 20.472             | 230/460     | 9;30    |
|     |      | 3600 | 254/6TC  | 025360P3VFP256TC-S   | \$1,783    | W1S          | 207                           | 1.15           | 33.3           | 91.0        | 20.472             | 200/400     | 9;30;31 |
|     |      | 3600 | 254/6TC  | 025360P3EFP256TC-W40 | \$1,783    | W1B          | 252                           | 1.15           | 29.7           | 91.0        | 22.785             | 230/460     | 30      |
|     |      | 3600 | 254/6TC  | 025360P3VFP256TC-W40 | \$1,783    | W1B          | 252                           | 1.15           | 34.2           | 91.0        | 22.785             | 200/400     | 30      |
| 30  | 22   | 3600 | 284TSC   | 030360P3EFP284TSC-W4 | \$2,033    | W1B          | 339                           | 1.15           | 34.9           | 91.0        | 21.783             | 230/460     | 30      |
|     |      | 3600 | 284TSC   | 030360P3VFP284TSC-W4 | \$2,033    | W1B          | 338                           | 1.15           | 40.1           | 91.0        | 21.783             | 200/400     | 30      |
| 40  | 30   | 3600 | 284/6TSC | 040360P3EFP286TSC-W4 | \$2,757    | W1B          | 373                           | 1.15           | 47.2           | 91.7        | 23.283             | 230/460     | 30      |
|     |      | 3600 | 284/6TSC | 040360P3HFP286TSC-W4 | \$2,757    | W1B          | 372                           | 1.15           | 37.8           | 91.7        | 23.283             | 575         | 30      |
|     |      | 3600 | 284/6TSC | 040360P3VFP286TSC-W4 | \$2,757    | W1B          | 384                           | 1.15           | 54.3           | 91.7        | 23.283             | 200/400     | 30      |
|     |      | 1800 | 324TC    | 040180P3EFP324TC-W40 | \$2,752    | W1B          | 495                           | 1.15           | 48.2           | 93.0        | 25.807             | 230/460     | 30      |
| 50  | 37   | 3600 | 324TSC   | 050360P3EFP324TSC-W4 | \$3,184    | W1B          | 473                           | 1.15           | 58.4           | 92.4        | 24.307             | 230/460     | 30      |
|     |      | 3600 | 324TSC   | 050360P3VFP324TSC-W4 | \$3,184    | W1B          | 491                           | 1.15           | 67.2           | 92.4        | 24.307             | 200/400     | 30      |
|     |      | 1800 | 324/6TC  | 050180P3EFP326TC-W40 | \$3,135    | W1B          | 519                           | 1.15           | 60.2           | 93.0        | 27.307             | 230/460     | 30      |
| 60  | 45   | 3600 | 324/6TSC | 060360P3EFP326TSC-W4 | \$4,448    | W1B          | 501                           | 1.15           | 70.6           | 93.0        | 25.807             | 230/460     | 30      |
| 75  | 55   | 1800 | 364/5TC  | 075180P3EFP365TC-W40 | \$5,109    | W1B          | 835                           | 1.15           | 85.3           | 94.1        | 29.725             | 230/460     | 30      |
| 100 | 75   | 1800 | 404/5TC  | 100180P3EFP404TC-W40 | \$6,510    | W1B          | 970                           | 1.15           | 116            | 94.1        | 34.100             | 230/460     | 30      |
|     |      | 1800 | 404/5TC  | 100180P3HFP404TC-W40 | \$6,510    | W1B          | 967                           | 1.15           | 92.8           | 94.1        | 34.100             | 575         | 30      |
|     |      | 1800 | 404/5TC  | 100180P3VFP404TC-W40 | \$6,510    | W1B          | 969                           | 1.15           | 133            | 94.1        | 34.100             | 200/400     | 30      |
| 125 | 90   | 1800 | 404/5TC  | 125180P3GFP405TC-W40 | \$6,651    | W1B          | 1060                          | 1.15           | 139            | 94.5        | 34.100             | 460         | 30      |
|     |      | 1800 | 404/5TC  | 125180P3HFP405TC-W40 | \$6,651    | W1B          | 1060                          | 1.15           | 111            | 94.5        | 34.100             | 575         | 30      |

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)




| HP  | kW   | RPM  | Frame   | Catalog Number       | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes   |
|-----|------|------|---------|----------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|---------|
| 7.5 | 5.5  | 3600 | 182/4JM | 007360P3EFP184JMV-S  | \$993      | P1S          | 83                            | 1.15           | 8.90           | 87.5        | 17.600             | 230/460     | 9;15;30 |
|     |      | 3600 | 182/4JM | 007360P3HFP184JMV-S  | \$993      | P1S          | 83                            | 1.15           | 7.10           | 87.5        | 17.600             | 575         | 9;15;30 |
|     |      | 3600 | 182/4JM | 007360P3VFP184JMV-S  | \$993      | P1S          | 83                            | 1.15           | 10.2           | 87.5        | 17.600             | 200/400     | 9;15;30 |
| 10  | 7.5  | 3600 | 213/5JM | 010360P3EFP213JMV-S  | \$1,201    | P1S          | 117                           | 1.15           | 12.2           | 88.5        | 18.977             | 230/460     | 9;15;30 |
|     |      | 3600 | 213/5JM | 010360P3HFP213JMV-S  | \$1,201    | P1S          | 117                           | 1.15           | 9.80           | 88.5        | 18.977             | 575         | 9;15;30 |
|     |      | 3600 | 213/5JM | 010360P3VFP213JMV-S  | \$1,201    | P1S          | 117                           | 1.15           | 14.0           | 88.5        | 18.977             | 200/400     | 9;15;30 |
| 15  | 11   | 3600 | 213/5JM | 015360P3EFP215JMV-S  | \$1,617    | P1S          | 132                           | 1.15           | 17.5           | 89.5        | 19.370             | 230/460     | 9;15;30 |
|     |      | 3600 | 213/5JM | 015360P3HFP215JMV-S  | \$1,617    | P1S          | 132                           | 1.15           | 14.0           | 89.5        | 19.370             | 575         | 9;15;30 |
|     |      | 3600 | 213/5JM | 015360P3VFP215JMV-S  | \$1,617    | P1S          | 132                           | 1.15           | 20.1           | 89.5        | 19.370             | 200/400     | 9;15;30 |
| 20  | 15   | 3600 | 254/6JM | 020360P3EFP254JMV-S  | \$2,092    | P1S          | 206                           | 1.15           | 23.7           | 90.2        | 23.359             | 230/460     | 9;15;30 |
|     |      | 3600 | 254/6JM | 020360P3HFP254JMV-S  | \$2,092    | P1S          | 206                           | 1.15           | 19.0           | 90.2        | 23.359             | 575         | 9;15;30 |
|     |      | 3600 | 254/6JM | 020360P3VFP254JMV-S  | \$2,092    | P1S          | 206                           | 1.15           | 27.3           | 90.2        | 23.359             | 200/400     | 9;15;30 |
| 25  | 18.5 | 3600 | 254/6JM | 025360P3EFP256JMV-S  | \$2,352    | P1S          | 211                           | 1.15           | 29.0           | 91.0        | 23.359             | 230/460     | 9;15;30 |
|     |      | 3600 | 254/6JM | 025360P3HFP256JMV-S  | \$2,352    | P1S          | 211                           | 1.15           | 23.2           | 91.0        | 23.359             | 575         | 9;15;30 |
|     |      | 3600 | 254/6JM | 025360P3VFP256JMV-S  | \$2,352    | P1S          | 211                           | 1.15           | 33.3           | 91.0        | 23.359             | 200/400     | 9;15;30 |
| 30  | 22   | 3600 | 284JM   | 030360P3HFP284JMV*   | \$3,181    | P1C          | 368                           | 1.15           | 27.6           | 91.0        | 26.584             | 575         | 15;30   |
|     |      | 3600 | 284/6JM | 030360P3EFP284JMV-W4 | \$2,954    | P1C          | 363                           | 1.15           | 34.9           | 91.0        | 27.403             | 230/460     | 15;30   |
|     |      | 3600 | 284/6JM | 030360P3HFP284JMV-W4 | \$3,181    | P1C          | 363                           | 1.15           | 27.9           | 91.0        | 27.403             | 575         | 15;30   |
|     |      | 3600 | 284/6JM | 030360P3VFP284JMV-W4 | \$2,954    | P1C          | 362                           | 1.15           | 40.1           | 91.0        | 27.403             | 200/400     | 15;30   |
|     |      | 1800 | 284/6JM | 030180P3EFP286JMV-W4 | \$3,175    | P1C          | 435                           | 1.15           | 35.6           | 92.4        | 27.403             | 230/460     | 15;30   |
|     |      | 1800 | 284/6JM | 030180P3HFP286JMV-W4 | \$3,403    | P1C          | 434                           | 1.15           | 28.5           | 92.4        | 27.403             | 575         | 15;30   |
| 40  | 30   | 3600 | 284/6JM | 040360P3EFP286JMV-W4 | \$3,611    | P1C          | 387                           | 1.15           | 47.2           | 91.7        | 27.403             | 230/460     | 15;30   |
|     |      | 3600 | 284/6JM | 040360P3HFP286JMV-W4 | \$3,611    | P1C          | 386                           | 1.15           | 37.8           | 91.7        | 27.403             | 575         | 15;30   |
|     |      | 3600 | 284/6JM | 040360P3VFP286JMV-W4 | \$3,611    | P1C          | 387                           | 1.15           | 54.3           | 91.7        | 27.403             | 200/400     | 15;30   |
|     |      | 1800 | 324/6JM | 040180P3EFP324JMV-W4 | \$3,621    | P1C          | 502                           | 1.15           | 48.2           | 93.0        | 29.427             | 230/460     | 15;30   |
|     |      | 1800 | 324/6JM | 040180P3HFP324JMV-W4 | \$3,621    | P1C          | 501                           | 1.15           | 38.6           | 93.0        | 29.427             | 575         | 15;30   |
| 50  | 37   | 3600 | 324JM   | 050360P3HFP324JMV*   | \$4,394    | P1C          | 500                           | 1.15           | 46.7           | 92.4        | 29.147             | 575         | 15;30   |
|     |      | 3600 | 324/6JM | 050360P3EFP324JMV-W4 | \$4,394    | P1C          | 492                           | 1.15           | 58.4           | 92.4        | 29.427             | 230/460     | 15;30   |
|     |      | 3600 | 324/6JM | 050360P3HFP324JMV-W4 | \$4,394    | P1C          | 492                           | 1.15           | 46.7           | 92.4        | 29.427             | 575         | 15;30   |
|     |      | 3600 | 324/6JM | 050360P3VFP324JMV-W4 | \$4,664    | P1C          | 492                           | 1.15           | 67.2           | 92.4        | 29.427             | 200/400     | 15;30   |
|     |      | 1800 | 324/6JM | 050180P3EFP326JMV-W4 | \$4,393    | P1C          | 525                           | 1.15           | 60.2           | 93.0        | 29.427             | 230/460     | 15;30   |
|     |      | 1800 | 324/6JM | 050180P3HFP326JMV-W4 | \$4,527    | P1C          | 523                           | 1.15           | 48.2           | 93.0        | 29.427             | 575         | 15;30   |
| 60  | 45   | 3600 | 326JM   | 060360P3HFP326JMV*   | \$5,305    | P1C          | 555                           | 1.15           | 56.5           | 93.0        | 30.643             | 575         | 15;30   |
|     |      | 3600 | 324/6JM | 060360P3EFP326JMV-W4 | \$5,171    | P1C          | 508                           | 1.15           | 70.6           | 93.0        | 29.427             | 230/460     | 15;30   |
|     |      | 3600 | 324/6JM | 060360P3HFP326JMV-W4 | \$5,305    | P1C          | 507                           | 1.15           | 56.5           | 93.0        | 29.427             | 575         | 15;30   |
|     |      | 3600 | 324/6JM | 060360P3VFP326JMV-W4 | \$5,171    | P1C          | 510                           | 1.15           | 81.2           | 93.0        | 29.427             | 200/400     | 15;30   |

\* To be discontinued and replaced by W40 model once inventory is depleted.

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>



# Pump Motors

## FIRE PUMP MOTORS

### ODP – Three-Phase – JP – Footless Vertical

| HP  | kW   | RPM  | Frame   | Catalog Number       | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes   |
|-----|------|------|---------|----------------------|------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|---------|
| 7.5 | 5.5  | 3600 | 182/4JP | 007360P3EFP184JPV-S  | \$993      | P1S          | 83                            | 1.15           | 8.90           | 87.5       | 20.671             | 230/460     | 9;15;30 |
|     |      | 3600 | 182/4JP | 007360P3HFP184JPV-S  | \$993      | P1S          | 83                            | 1.15           | 7.10           | 87.5       | 20.671             | 575         | 9;15;30 |
|     |      | 3600 | 182/4JP | 007360P3VFP184JPV-S  | \$993      | P1S          | 83                            | 1.15           | 10.2           | 87.5       | 20.671             | 200/400     | 9;15;30 |
|     |      | 1800 | 213/5JP | 007180P3EFP213JPV-S  | \$1,028    | P1S          | 127                           | 1.15           | 9.30           | 88.5       | 22.835             | 230/460     | 9;15;30 |
|     |      | 1800 | 213/5JP | 007180P3HFP213JPV-S  | \$1,028    | P1S          | 127                           | 1.15           | 7.40           | 88.5       | 22.835             | 575         | 9;15;30 |
| 10  | 7.5  | 3600 | 213/5JP | 010360P3EFP213JPV-S  | \$1,273    | P1S          | 130                           | 1.15           | 12.2           | 88.5       | 22.835             | 230/460     | 9;15;30 |
|     |      | 3600 | 213/5JP | 010360P3HFP213JPV-S  | \$1,273    | P1S          | 130                           | 1.15           | 9.80           | 88.5       | 22.835             | 575         | 9;15;30 |
|     |      | 3600 | 213/5JP | 010360P3VFP213JPV-S  | \$1,273    | P1S          | 130                           | 1.15           | 14.0           | 88.5       | 22.835             | 200/400     | 9;15;30 |
|     |      | 1800 | 213/5JP | 010180P3EFP215JPV-S  | \$1,245    | P1S          | 142                           | 1.15           | 12.4           | 89.5       | 22.835             | 230/460     | 9;15;30 |
| 15  | 11   | 3600 | 213/5JP | 015360P3EFP215JPV-S  | \$1,617    | P1S          | 144                           | 1.15           | 17.5           | 89.5       | 23.229             | 230/460     | 9;15;30 |
|     |      | 3600 | 213/5JP | 015360P3HFP215JPV-S  | \$1,617    | P1S          | 144                           | 1.15           | 14.0           | 89.5       | 23.229             | 575         | 9;15;30 |
|     |      | 3600 | 213/5JP | 015360P3VFP215JPV-S  | \$1,617    | P1S          | 144                           | 1.15           | 20.1           | 89.5       | 23.229             | 200/400     | 9;15;30 |
|     |      | 1800 | 254/6JP | 015180P3EFP254JPV-S  | \$1,847    | P1S          | 203                           | 1.15           | 18.5           | 91.0       | 26.233             | 230/460     | 9;15;30 |
|     |      | 1800 | 254/6JP | 015180P3VFP254JPV-S  | \$1,847    | P1S          | 203                           | 1.15           | 21.3           | 91.0       | 26.233             | 200/400     | 9;15;30 |
| 20  | 15   | 3600 | 254/6JP | 020360P3EFP254JPV-S  | \$2,092    | P1S          | 209                           | 1.15           | 23.7           | 90.2       | 26.233             | 230/460     | 9;15;30 |
|     |      | 3600 | 254/6JP | 020360P3HFP254JPV-S  | \$2,092    | P1S          | 209                           | 1.15           | 19.0           | 90.2       | 26.233             | 575         | 9;15;30 |
|     |      | 3600 | 254/6JP | 020360P3VFP254JPV-S  | \$2,092    | P1S          | 209                           | 1.15           | 27.3           | 90.2       | 26.233             | 200/400     | 9;15;30 |
|     |      | 1800 | 254/6JP | 020180P3EFP256JPV-S  | \$2,205    | P1S          | 219                           | 1.15           | 25.5           | 91.0       | 26.233             | 230/460     | 9;15;30 |
| 25  | 18.5 | 3600 | 254/6JP | 025360P3EFP256JPV-S  | \$2,518    | P1S          | 214                           | 1.15           | 29.0           | 91.0       | 26.233             | 230/460     | 9;15;30 |
|     |      | 3600 | 254/6JP | 025360P3HFP256JPV-S  | \$2,518    | P1S          | 214                           | 1.15           | 23.2           | 91.0       | 26.233             | 575         | 9;15;30 |
|     |      | 3600 | 254/6JP | 025360P3VFP256JPV-S  | \$2,518    | P1S          | 214                           | 1.15           | 33.3           | 91.0       | 26.233             | 200/400     | 9;15;30 |
|     |      | 1800 | 284/6JP | 025180P3EFP284JPV-W4 | \$2,768    | P1C          | 428                           | 1.15           | 30.1           | 91.7       | 30.283             | 230/460     | 15;30   |
| 30  | 22   | 3600 | 284JP   | 030360P3EFP284JPV*   | \$3,082    | P1C          | 372                           | 1.15           | 34.5           | 91.0       | 29.464             | 230/460     | 15;30   |
|     |      | 3600 | 284JP   | 030360P3VFP284JPV*   | \$3,082    | P1C          | 372                           | 1.15           | 39.7           | 91.0       | 29.464             | 200/400     | 15;30   |
|     |      | 3600 | 284/6JP | 030360P3EFP284JPV-W4 | \$3,082    | P1C          | 365                           | 1.15           | 34.9           | 91.0       | 30.283             | 230/460     | 15;30   |
|     |      | 3600 | 284/6JP | 030360P3HFP284JPV-W4 | \$3,181    | P1C          | 364                           | 1.15           | 27.9           | 91.0       | 30.283             | 575         | 15;30   |
|     |      | 3600 | 284/6JP | 030360P3VFP284JPV-W4 | \$3,082    | P1C          | 364                           | 1.15           | 40.1           | 91.0       | 30.283             | 200/400     | 15;30   |
|     |      | 1800 | 284/6JP | 030180P3EFP286JPV-W4 | \$3,224    | P1C          | 437                           | 1.15           | 35.6           | 92.4       | 30.283             | 230/460     | 15;30   |
|     |      | 1800 | 284/6JP | 030180P3VFP286JPV-W4 | \$3,174    | P1C          | 437                           | 1.15           | 40.9           | 92.4       | 30.283             | 200/400     | 15;30   |
| 40  | 30   | 3600 | 286JP   | 040360P3EFP286JPV*   | \$3,611    | P1C          | 416                           | 1.15           | 46.1           | 91.7       | 30.957             | 230/460     | 15;30   |
|     |      | 3600 | 286JP   | 040360P3VFP286JPV*   | \$3,611    | P1C          | 416                           | 1.15           | 53.0           | 91.7       | 30.957             | 200/400     | 15;30   |
|     |      | 3600 | 284/6JP | 040360P3EFP286JPV-W4 | \$3,611    | P1C          | 389                           | 1.15           | 47.2           | 91.7       | 30.283             | 230/460     | 15;30   |
|     |      | 3600 | 284/6JP | 040360P3HFP286JPV-W4 | \$3,499    | P1C          | 388                           | 1.15           | 37.8           | 91.7       | 30.283             | 575         | 15;30   |
|     |      | 3600 | 284/6JP | 040360P3VFP286JPV-W4 | \$3,611    | P1C          | 389                           | 1.15           | 54.3           | 91.7       | 30.283             | 200/400     | 15;30   |
|     |      | 1800 | 324JP   | 040180P3VFP324JPV*   | \$3,987    | P1C          | 509                           | 1.15           | 56.8           | 93.0       | 32.027             | 200/400     | 15;30   |
|     |      | 1800 | 324/6JP | 040180P3EFP324JPV-W4 | \$3,987    | P1C          | 504                           | 1.15           | 48.2           | 93.0       | 32.307             | 230/460     | 15;30   |
|     |      | 1800 | 324/6JP | 040180P3HFP324JPV-W4 | \$3,621    | P1C          | 502                           | 1.15           | 38.6           | 93.0       | 32.307             | 575         | 15;30   |
|     |      | 1800 | 324/6JP | 040180P3VFP324JPV-W4 | \$3,987    | P1C          | 504                           | 1.15           | 55.4           | 93.0       | 32.307             | 200/400     | 15;30   |

continued on next page

Pump Motors

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)


A-229

## FIRE PUMP MOTORS

### ODP – Three-Phase – JP – Footless Vertical - continued

| HP  | kW | RPM  | Frame   | Catalog Number       | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|----|------|---------|----------------------|------------|--------------|-------------------------------|----------------|----------------|------------|--------------------|-------------|-------|
| 50  | 37 | 3600 | 324JP   | 050360P3EFP324JPV*   | \$4,372    | P1C          | 503                           | 1.15           | 58.4           | 92.4       | 32.027             | 230/460     | 15;30 |
|     |    | 3600 | 324JP   | 050360P3HFP324JPV*   | \$4,372    | P1C          | 506                           | 1.15           | 46.7           | 92.4       | 32.027             | 575         | 15;30 |
|     |    | 3600 | 324JP   | 050360P3VFP324JPV*   | \$4,372    | P1C          | 504                           | 1.15           | 67.2           | 92.4       | 32.027             | 200/400     | 15;30 |
|     |    | 3600 | 324/6JP | 050360P3EFP324JPV-W4 | \$4,372    | P1C          | 494                           | 1.15           | 58.4           | 92.4       | 32.307             | 230/460     | 15;30 |
|     |    | 3600 | 324/6JP | 050360P3HFP324JPV-W4 | \$4,372    | P1C          | 493                           | 1.15           | 46.7           | 92.4       | 32.307             | 575         | 15;30 |
|     |    | 3600 | 324/6JP | 050360P3VFP324JPV-W4 | \$4,372    | P1C          | 494                           | 1.15           | 67.2           | 92.4       | 32.307             | 200/400     | 15;30 |
|     |    | 1800 | 324/6JP | 050180P3EFP326JPV-W4 | \$4,500    | P1C          | 527                           | 1.15           | 60.2           | 93.0       | 32.307             | 230/460     | 15;30 |
|     |    | 1800 | 324/6JP | 050180P3HFP326JPV-W4 | \$4,394    | P1C          | 525                           | 1.15           | 48.2           | 93.0       | 32.307             | 575         | 15;30 |
|     |    | 1800 | 324/6JP | 050180P3VFP326JPV-W4 | \$4,500    | P1C          | 526                           | 1.15           | 69.2           | 93.0       | 32.307             | 200/400     | 15;30 |
| 60  | 45 | 3600 | 326JP   | 060360P3EFP326JPV*   | \$5,105    | P1C          | 564                           | 1.15           | 70.6           | 93.0       | 33.523             | 230/460     | 15;30 |
|     |    | 3600 | 326JP   | 060360P3HFP326JPV*   | \$5,105    | P1C          | 558                           | 1.15           | 56.5           | 93.0       | 33.523             | 575         | 15;30 |
|     |    | 3600 | 326JP   | 060360P3VFP326JPV*   | \$5,105    | P1C          | 563                           | 1.15           | 81.2           | 93.0       | 33.523             | 200/400     | 15;30 |
|     |    | 3600 | 324/6JP | 060360P3EFP326JPV-W4 | \$5,105    | P1C          | 510                           | 1.15           | 70.6           | 93.0       | 32.307             | 230/460     | 15;30 |
|     |    | 3600 | 324/6JP | 060360P3HFP326JPV-W4 | \$5,105    | P1C          | 509                           | 1.15           | 56.5           | 93.0       | 32.307             | 575         | 15;30 |
|     |    | 3600 | 324/6JP | 060360P3VFP326JPV-W4 | \$5,105    | P1C          | 511                           | 1.15           | 81.2           | 93.0       | 32.307             | 200/400     | 15;30 |
|     |    | 1800 | 364/5JP | 060180P3EFP364JPV-W4 | \$6,142    | P1C          | 804                           | 1.15           | 71.0           | 93.6       | 34.745             | 230/460     | 15;30 |
|     |    | 1800 | 364/5JP | 060180P3VFP364JPV-W4 | \$6,142    | P1C          | 804                           | 1.15           | 81.7           | 93.6       | 34.745             | 200/400     | 15;30 |
| 75  | 55 | 3600 | 364/5JP | 075360P3EFP364JPV-W4 | \$7,525    | P1C          | 804                           | 1.15           | 85.3           | 93.0       | 34.745             | 230/460     | 15;30 |
|     |    | 3600 | 364/5JP | 075360P3HFP364JPV-W4 | \$7,525    | P1C          | 803                           | 1.15           | 68.2           | 93.0       | 34.745             | 575         | 15;30 |
|     |    | 3600 | 364/5JP | 075360P3VFP364JPV-W4 | \$7,525    | P1C          | 806                           | 1.15           | 98.1           | 93.0       | 34.745             | 200/400     | 15;30 |
|     |    | 1800 | 364/5JP | 075180P3EFP365JPV*   | \$6,967    | P1C          | 922                           | 1.15           | 85.3           | 94.1       | 35.208             | 230/460     | 15;30 |
|     |    | 1800 | 364/5JP | 075180P3EFP365JPV-W4 | \$6,967    | P1C          | 885                           | 1.15           | 85.3           | 94.1       | 34.745             | 230/460     | 15;30 |
|     |    | 1800 | 364/5JP | 075180P3VFP365JPV-W4 | \$6,967    | P1C          | 884                           | 1.15           | 98.1           | 94.1       | 34.745             | 200/400     | 15;30 |
| 100 | 75 | 3600 | 364/5JP | 100360P3EFP365JPV-W4 | \$8,860    | P1C          | 875                           | 1.15           | 115            | 93.0       | 34.745             | 230/460     | 15;30 |
|     |    | 3600 | 364/5JP | 100360P3HFP365JPV-W4 | \$8,860    | P1C          | 871                           | 1.15           | 92.0           | 93.0       | 34.745             | 575         | 15;30 |
|     |    | 3600 | 364/5JP | 100360P3VFP365JPV-W4 | \$8,860    | P1C          | 875                           | 1.15           | 132            | 93.0       | 34.745             | 200/400     | 15;30 |
|     |    | 1800 | 404/5JP | 100180P3EFP404JPV*   | \$8,825    | P1C          | 992                           | 1.15           | 118            | 94.1       | 38.452             | 230/460     | 15;30 |
|     |    | 1800 | 404/5JP | 100180P3EFP404JPV-W4 | \$8,825    | P1C          | 941                           | 1.15           | 116            | 94.1       | 37.747             | 230/460     | 15;30 |
|     |    | 1800 | 404/5JP | 100180P3VFP404JPV-W4 | \$8,825    | P1C          | 939                           | 1.15           | 133            | 94.1       | 37.747             | 200/400     | 15;30 |

\* To be discontinued and replaced by W40 model once inventory is depleted.



### TEFC (50Hz) – Three-Phase – IE2

| HP  | kW   | RPM  | Frame   | Catalog Number       | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | “C” Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|----------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 15  | 11   | 3000 | 254/6T  | 01530EP30FP254T-W22  | \$1,788    | W1           | 266                           | 1.15           | 19.3           | 90.2        | 24.945             | 380-415     | 30;32 |
|     |      | 1500 | 254/6T  | 01515EP30FP254T-W22  | \$1,811    | W1           | 298                           | 1.15           | 20.1           | 91.0        | 24.945             | 380-415     | 30;32 |
| 20  | 15   | 3000 | 254/6T  | 02030EP30FP256T-W22  | \$2,334    | W1           | 306                           | 1.15           | 26.3           | 90.2        | 24.945             | 380-415     | 30;32 |
|     |      | 1500 | 254/6T  | 02015EP30FP256T-W22  | \$2,157    | W1           | 347                           | 1.15           | 27.7           | 90.9        | 24.945             | 380-415     | 30;32 |
| 25  | 18.5 | 3000 | 284/6TS | 02530EP30FP284TS-W22 | \$2,938    | W1           | 368                           | 1.15           | 31.3           | 92.4        | 26.557             | 380-415     | 30    |
|     |      | 1500 | 284/6TS | 02515EP30FP284TS-W22 | \$2,688    | W1           | 395                           | 1.15           | 33.1           | 92.4        | 26.557             | 380-415     | 30;32 |
| 30  | 22   | 3000 | 284/6TS | 03030EP30FP286TS-W22 | \$3,490    | W1           | 428                           | 1.15           | 37.6           | 91.5        | 26.557             | 380-415     | 30    |
|     |      | 1500 | 284/6TS | 03015EP30FP286TS-W22 | \$3,159    | W1           | 447                           | 1.15           | 40.0           | 92.1        | 26.557             | 380-415     | 30;32 |
| 40  | 30   | 3000 | 324/6TS | 04030EP30FP324TS-W22 | \$4,489    | W1           | 568                           | 1.15           | 50.3           | 92.5        | 29.616             | 380-415     | 30;32 |
|     |      | 1500 | 324/6TS | 04015EP30FP324TS-W22 | \$3,969    | W1           | 532                           | 1.15           | 54.2           | 92.5        | 29.616             | 380-415     | 30;32 |
| 50  | 37   | 3000 | 324/6TS | 05030EP30FP326TS-W22 | \$5,050    | W1           | 592                           | 1.15           | 63.0           | 92.8        | 29.616             | 380-415     | 30    |
|     |      | 1500 | 324/6TS | 05015EP30FP326TS-W22 | \$4,845    | W1           | 567                           | 1.15           | 66.2           | 93.0        | 29.616             | 380-415     | 30    |
| 60  | 45   | 3000 | 364/5TS | 06030EP30FP364TS-W22 | \$7,174    | W1           | 927                           | 1.15           | 74.2           | 93.0        | 32.276             | 380-415     | 30    |
|     |      | 1500 | 364/5TS | 06015EP30FP364TS-W22 | \$7,020    | W1           | 1029                          | 1.15           | 77.6           | 93.8        | 32.276             | 380-415     | 30    |
| 75  | 55   | 3000 | 364/5TS | 07530EP30FP365TS-W22 | \$8,636    | W1           | 983                           | 1.15           | 92.0           | 93.5        | 32.276             | 380-415     | 30    |
|     |      | 1500 | 364/5TS | 07515EP30FP365TS-W22 | \$8,270    | W1           | 1050                          | 1.15           | 95.3           | 94.5        | 32.276             | 380-415     | 30    |
| 100 | 75   | 3000 | 404/5TS | 10030EP30FP405TS-W22 | \$11,402   | W1           | 1192                          | 1.15           | 125            | 94.0        | 36.732             | 380-415     | 30    |
|     |      | 1500 | 404/5TS | 10015EP30FP405TS-W22 | \$11,105   | W1           | 1266                          | 1.15           | 124            | 94.5        | 36.732             | 380-415     | 30    |
| 125 | 90   | 3000 | 444/5TS | 12530EP30FP444TS-W22 | \$14,583   | W1           | 1664                          | 1.15           | 156            | 94.5        | 41.200             | 380-415     | 30;32 |
|     |      | 1500 | 444/5TS | 12515EP30FP444TS-W22 | \$14,011   | W1           | 1686                          | 1.15           | 158            | 94.6        | 41.200             | 380-415     | 30;32 |
| 150 | 110  | 3000 | 444/5TS | 15030EP30FP445TS-W22 | \$17,938   | W1           | 1801                          | 1.15           | 185            | 95.0        | 41.200             | 380-415     | 30;32 |
|     |      | 1500 | 444/5TS | 15015EP30FP445TS-W22 | \$16,549   | W1           | 1874                          | 1.15           | 190            | 94.6        | 41.200             | 380-415     | 30    |
| 200 | 150  | 3000 | 445/7TS | 20030EP30FP447TS-W22 | \$22,384   | W1           | 2242                          | 1.15           | 236            | 95.2        | 44.951             | 380-415     | 30    |
|     |      | 1500 | 445/7TS | 20015EP30FP447TS-W22 | \$20,043   | W1           | 2107                          | 1.15           | 264            | 95.3        | 44.951             | 380-415     | 30    |
| 250 | 185  | 3000 | 447/9TS | 25030EP30FP449TS-W22 | \$31,514   | W1           | 2739                          | 1.15           | 293            | 95.6        | 52.588             | 380-415     | 30    |
|     |      | 1500 | 447/9TS | 25015EP30FP449TS-W22 | \$25,463   | W1           | 2883                          | 1.15           | 313            | 95.5        | 52.588             | 380-415     | 30    |

Please refer to back cover for description of “NOTES”

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

# Pump Motors

## P-BASE MOTORS

### TEFC - Three Phase - NEMA Premium®

HP and HPH types available. Suitable for dusty and moist environments providing high starting torque.

#### Standard Features:

- 50/60 Hz capable
- Class F insulation (Impregnation Resin and magnet Wire are class H)
- Stainless Steel Nameplate - Laser etched with high contrast background
- Regreasable ball bearings (Frames 254HP and up)
- Gasketed conduit box
- Class I, Div. 2, Groups A, B, C & D – T3, Class II, Div 2, Groups F & G – T3C

#### Inverter Rated:

**1000:1 for variable torque**



#### Features that make a difference:

- 1.25 Service Factor up to 100 HP
- NPT Threaded terminal box
- HP and HPH types available
- NPT Threaded terminal box

#### ADDITIONAL TECHNICAL DATA

CONTACT WEG OR VISIT [WWW.WEG.NET](http://WWW.WEG.NET)





### TEFC – Three-Phase – NEMA Premium®

| HP  | kW   | RPM  | Frame   | Catalog Number                      | List Price | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|------|------|---------|-------------------------------------|------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 1   | 0.75 | 1800 | 143HP   | <a href="#">00118ET3E143HP-W22</a>  | \$619      | P1F          | 54                            | 1.25           | 1.43           | 85.5        | 14.199             | 230/460     | 15    |
| 1.5 | 1.1  | 3600 | L143HP  | <a href="#">00156ET3E143HP-W22</a>  | \$573      | P1F          | 40                            | 1.25           | 1.98           | 84.0        | 16.255             | 230/460     | 15    |
|     |      | 1800 | 145HP   | <a href="#">00158ET3E145HP-W22</a>  | \$663      | P1F          | 62                            | 1.25           | 2.00           | 86.5        | 15.175             | 230/460     | 15;39 |
| 2   | 1.5  | 3600 | 145HP   | <a href="#">00236ET3E145HP-W22</a>  | \$581      | P1F          | 51                            | 1.25           | 2.65           | 85.5        | 15.175             | 230/460     | 15    |
|     |      | 1800 | 145HP   | <a href="#">00218ET3E145HP-W22</a>  | \$730      | P1F          | 63                            | 1.25           | 2.72           | 86.5        | 15.175             | 230/460     | 15    |
| 3   | 2.2  | 3600 | 145HP   | <a href="#">00336ET3E145HP-W22</a>  | \$863      | P1F          | 74                            | 1.25           | 3.71           | 86.5        | 15.175             | 230/460     | 15    |
|     |      | 3600 | 182HP   | <a href="#">00336ET3E182HP-W22</a>  | \$925      | P1F          | 88                            | 1.25           | 3.68           | 87.5        | 16.841             | 230/460     | 15    |
|     |      | 1800 | 182HP   | <a href="#">00318ET3E182HP-W22</a>  | \$923      | P1F          | 108                           | 1.25           | 3.90           | 89.5        | 16.841             | 230/460     | 15;39 |
| 5   | 3.7  | 3600 | L184HP  | <a href="#">00536ET3E184HP-W22</a>  | \$1,084    | P1F          | 113                           | 1.25           | 5.96           | 89.5        | 20.330             | 230/460     | 15    |
|     |      | 1800 | 184HP   | <a href="#">00518ET3E184HP-W22</a>  | \$1,045    | P1F          | 117                           | 1.25           | 6.40           | 89.5        | 17.841             | 230/460     | 15    |
| 7.5 | 5.5  | 3600 | L184HP  | <a href="#">00736ET3E184HP-W22</a>  | \$1,331    | P1F          | 149                           | 1.25           | 8.76           | 89.5        | 20.330             | 230/460     | 15    |
|     |      | 3600 | 213HP   | <a href="#">00736ET3E213HP-W22</a>  | \$1,440    | P1F          | 139                           | 1.25           | 8.57           | 89.5        | 19.850             | 230/460     | 15    |
|     |      | 1800 | 213HP   | <a href="#">00718ET3E213HP-W22</a>  | \$1,371    | P1F          | 180                           | 1.25           | 9.29           | 91.7        | 19.850             | 230/460     | 15    |
| 10  | 7.5  | 3600 | 215HP   | <a href="#">01036ET3E215HP-W22</a>  | \$1,727    | P1F          | 193                           | 1.25           | 11.5           | 91.7        | 21.346             | 230/460     | 15    |
|     |      | 1800 | 215HP   | <a href="#">01018ET3E215HP-W22</a>  | \$1,641    | P1F          | 201                           | 1.25           | 12.6           | 91.7        | 21.346             | 230/460     | 15    |
| 15  | 11   | 3600 | 215HP   | <a href="#">01536ET3E215HP-W22</a>  | \$2,240    | P1F          | 227                           | 1.25           | 17.0           | 91.0        | 21.346             | 230/460     | 15    |
|     |      | 3600 | 254HP   | <a href="#">01536ET3E254HP-W22</a>  | \$2,462    | P1F          | 253                           | 1.25           | 17.2           | 91.0        | 25.573             | 230/460     | 15    |
|     |      | 1800 | 254HP   | <a href="#">01518ET3E254HP-W22</a>  | \$2,463    | P1F          | 364                           | 1.25           | 18.0           | 92.4        | 25.573             | 230/460     | 15    |
| 20  | 15   | 3600 | 254HP   | <a href="#">02036ET3E254HP-W22</a>  | \$2,738    | P1F          | 341                           | 1.25           | 23.2           | 91.0        | 25.573             | 230/460     | 15    |
|     |      | 3600 | 256HP   | <a href="#">02036ET3E256HP-W22</a>  | \$2,955    | P1F          | 351                           | 1.25           | 23.2           | 91.0        | 27.305             | 230/460     | 15    |
|     |      | 1800 | 256HP   | <a href="#">02018ET3E256HP-W22</a>  | \$2,721    | P1F          | 308                           | 1.25           | 24.4           | 93.0        | 27.305             | 230/460     | 15    |
| 25  | 18.5 | 3600 | 256HP   | <a href="#">02536ET3E256HP-W22</a>  | \$3,336    | P1F          | 417                           | 1.00           | 28.1           | 91.7        | 27.305             | 230/460     | 15    |
|     |      | 3600 | 284HP   | <a href="#">02536ET3E284HP-W22</a>  | \$3,627    | P1F          | 361                           | 1.25           | 28.5           | 91.7        | 28.594             | 230/460     | 15    |
|     |      | 3600 | 284HPH  | <a href="#">02536ET3E284HPH-W22</a> | \$3,627    | P1F          | 535                           | 1.25           | 28.5           | 91.7        | 30.344             | 230/460     | 15    |
|     |      | 1800 | 284HP   | <a href="#">02518ET3E284HP-W22</a>  | \$3,624    | P1F          | 450                           | 1.25           | 29.5           | 93.6        | 28.594             | 230/460     | 15    |
|     |      | 1800 | 284HPH  | <a href="#">02518ET3E284HPH-W22</a> | \$3,624    | P1F          | 484                           | 1.25           | 29.5           | 93.6        | 30.344             | 230/460     | 15    |
| 30  | 22   | 3600 | 284HP   | <a href="#">03036ET3E284HP-W22</a>  | \$4,040    | P1F          | 535                           | 1.25           | 33.8           | 91.7        | 28.594             | 230/460     | 15    |
|     |      | 3600 | 286HP   | <a href="#">03036ET3E286HP-W22</a>  | \$4,365    | P1F          | 392                           | 1.25           | 33.8           | 91.7        | 30.089             | 230/460     | 15    |
|     |      | 3600 | 286HPH  | <a href="#">03036ET3E286HPH-W22</a> | \$4,365    | P1F          | 576                           | 1.25           | 33.8           | 91.7        | 31.839             | 230/460     | 15    |
|     |      | 1800 | 286HP   | <a href="#">03018ET3E286HP-W22</a>  | \$3,967    | P1F          | 436                           | 1.25           | 35.1           | 93.6        | 30.089             | 230/460     | 15    |
|     |      | 1800 | 286HPH  | <a href="#">03018ET3E286HPH-W22</a> | \$3,967    | P1F          | 610                           | 1.25           | 35.1           | 93.6        | 31.839             | 230/460     | 15    |
| 40  | 30   | 3600 | 286HP   | <a href="#">04036ET3E286HP-W22</a>  | \$5,160    | P1F          | 598                           | 1.00           | 45.8           | 92.4        | 30.089             | 230/460     | 15    |
|     |      | 3600 | 324HP   | <a href="#">04036ET3E324HP-W22</a>  | \$5,457    | P1F          | 546                           | 1.25           | 45.8           | 93.6        | 33.037             | 230/460     | 15    |
|     |      | 1800 | 324HP   | <a href="#">04018ET3E324HP-W22</a>  | \$5,247    | P1F          | 634                           | 1.25           | 47.1           | 94.1        | 33.037             | 230/460     | 15    |
| 50  | 37   | 3600 | 324HP   | <a href="#">05036ET3E324HP-W22</a>  | \$6,461    | P1F          | 787                           | 1.25           | 55.5           | 94.1        | 33.037             | 230/460     | 15    |
|     |      | 3600 | 326HP   | <a href="#">05036ET3E326HP-W22</a>  | \$6,681    | P1F          | 583                           | 1.25           | 55.5           | 94.1        | 34.531             | 230/460     | 15    |
|     |      | 1800 | 326HP   | <a href="#">05018ET3E326HP-W22</a>  | \$6,009    | P1F          | 668                           | 1.25           | 60.6           | 94.5        | 34.531             | 230/460     | 15    |
| 60  | 45   | 3600 | 326HP   | <a href="#">06036ET3E326HP-W22</a>  | \$8,632    | P1F          | 658                           | 1.15           | 68.6           | 93.6        | 34.531             | 230/460     | 15    |
|     |      | 3600 | 364/5HP | <a href="#">06036ET3E364HP-W22</a>  | \$9,484    | P1F          | 823                           | 1.25           | 68.2           | 94.1        | 37.940             | 230/460     | 15    |
|     |      | 1800 | 364/5HP | <a href="#">06018ET3E364HP-W22</a>  | \$8,525    | P1F          | 1100                          | 1.25           | 68.4           | 95.0        | 37.940             | 230/460     | 15    |
| 75  | 55   | 3600 | 364/5HP | <a href="#">07536ET3E365HP-W22</a>  | \$10,977   | P1F          | 845                           | 1.25           | 81.6           | 95.0        | 37.940             | 230/460     | 15    |
|     |      | 1800 | 364/5HP | <a href="#">07518ET3E365HP-W22</a>  | \$9,352    | P1F          | 1114                          | 1.25           | 82.3           | 95.4        | 37.940             | 230/460     | 15    |

continued on next page

Please refer to back cover for description of "NOTES"

For detailed specifications, data sheets, drawings and performance curves visit <http://www.weg.net>

Data subject to change without notice.

Can't find what you are looking for? Call 1-800-ASK-4WEG (275-4934)

## P-BASE MOTORS

### TEFC – Three-Phase – NEMA Premium® - continued

| HP  | kW  | RPM  | Frame    | Catalog Number                      | List Price      | Mult. Symbol | Approx. Shipping Weight (lbs) | Service Factor | FL Amps @ High | FL. Eff (%) | "C" Dimension (in) | Voltage (V) | Notes |
|-----|-----|------|----------|-------------------------------------|-----------------|--------------|-------------------------------|----------------|----------------|-------------|--------------------|-------------|-------|
| 100 | 75  | 3600 | 404/5HP  | <a href="#">10036ET3E405HP-W22</a>  | <b>\$12,908</b> | P1F          | 1043                          | 1.25           | 110            | 95.0        | 41.340             | 230/460     | 15    |
|     |     | 3600 | 404/5HPH | <a href="#">10036ET3E405HPH-W22</a> | <b>\$12,908</b> | P1F          | 1227                          | 1.25           | 110            | 95.0        | 41.340             | 230/460     | 15    |
|     |     | 3600 | 404/5HP  | <a href="#">10036ET3G405HP-W22</a>  | <b>\$12,908</b> | P1F          | 1486                          | 1.25           | 110            | 95.0        | 41.340             | 460         | 15    |
|     |     | 3600 | 404/5HPH | <a href="#">10036ET3G405HPH-W22</a> | <b>\$12,908</b> | P1F          | 1592                          | 1.25           | 110            | 95.0        | 41.340             | 460         | 15    |
|     |     | 1800 | 404/5HP  | <a href="#">10018ET3E405HP-W22</a>  | <b>\$11,222</b> | P1F          | 1138                          | 1.25           | 112            | 95.4        | 41.340             | 230/460     | 15    |
|     |     | 1800 | 404/5HPH | <a href="#">10018ET3E405HPH-W22</a> | <b>\$11,222</b> | P1F          | 1604                          | 1.25           | 112            | 95.4        | 41.340             | 230/460     | 15    |
|     |     | 1800 | 404/5HP  | <a href="#">10018ET3G405HP-W22</a>  | <b>\$11,222</b> | P1F          | 1475                          | 1.25           | 112            | 95.4        | 41.340             | 460         | 15    |
|     |     | 1800 | 404/5HPH | <a href="#">10018ET3G405HPH-W22</a> | <b>\$11,222</b> | P1F          | 1475                          | 1.25           | 112            | 95.4        | 41.340             | 460         | 15    |
| 125 | 90  | 3600 | 444/5HP  | <a href="#">12536ET3G444HP-W22</a>  | <b>\$17,969</b> | P1F          | 2146                          | 1.15           | 134            | 95.0        | 44.854             | 460         | 15    |
|     |     | 1800 | 444/5HP  | <a href="#">12518ET3G444HP-W22</a>  | <b>\$15,687</b> | P1F          | 2060                          | 1.15           | 142            | 95.4        | 44.854             | 460         | 15    |
| 150 | 110 | 3600 | 444/5HP  | <a href="#">15036ET3G445HP-W22</a>  | <b>\$20,517</b> | P1F          | 2275                          | 1.15           | 161            | 95.4        | 44.854             | 460         | 15    |
|     |     | 1800 | 444/5HP  | <a href="#">15018ET3G445HP-W22</a>  | <b>\$17,845</b> | P1F          | 2262                          | 1.15           | 170            | 95.8        | 44.854             | 460         | 15    |

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.