



Part Number : [1301470029](#)

Product Description : Watertite Extreme Plug with Locking Blade, 3 Pole/4 Wire, NEMA L16-20, 3ø 480V, Cord Grip Body Size F3

Series Number : 130147

Status : Active

Product Category : Wiring Devices

Engineering Number : 26W76



Documents & Resources

Drawings

[Drawing 1301470029_sd.pdf](#)

3D Models and Design Files

[3D Model 1301470029_stp.zip](#)

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS | Not Reviewed per SJ/T 11365-2006 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Not Reviewed per D(2023)3788-DC (14 Jun 2023) |
| EU RoHS | Not Reviewed per EU 2015/863 |

[Multiple Part Product Compliance Statements](#)

- Eu RoHS
- REACH SVHC
- Low-Halogen

[Multiple Part Industry Compliance Documents](#)

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------------------|--|
| Status | Active |
| Category | Wiring Devices |
| Series | 130147 |
| Description | Watertite Extreme Plug with Locking Blade, 3 Pole/4 Wire, NEMA L16-20, 3Ø 480V, Cord Grip Body Size F3 |
| IP Rating | IP67 |
| NEMA Configuration | NEMA L16-20 |
| Product Family | Watertite Extreme Wet-Location Wiring Solutions |
| Product Name | Watertite Extreme |
| Specialty | N/A |
| Type | Plug |
| UPC | 78678871215 |

Agency

| | |
|-----|--------|
| CSA | LR6837 |
| UL | E10176 |

Electrical

| | |
|-------------------------------|---------|
| Current - Maximum per Contact | 20.0A |
| GFCI | No |
| Voltage - Maximum | 3Ø 480V |

Physical

| | |
|---------------------|---------|
| Cord Grip Body Size | F3 3/4" |
| Cord Type | N/A |
| Flange | No |

| | |
|-------------------|---------------|
| Flip Lid | No |
| Gender | Male |
| Length | N/A |
| Lighted Connector | No |
| Locking Blade | Yes |
| Net Weight | 217.270/g |
| Poles | 3-pole/4-wire |
| Receptacle Type | N/A |

This document was generated on Oct 11, 2023